

COUNTY	Lea	FIELD	Young	STATE	N.M.	NO.
OPR.	McCurdy, E.J. Jr. et al	MAP				
NO.	1	LSE	Edwards-Federal			
SEC.	21	T.	18S	BLK.	32E	SUR.
LOC.	330' fr S & W Lines of Sec.					
MI.	FROM	Temp. Abd.	CLASS.	EL. 37498		
SPUD.	12-30-62	COMP.	10-25-63	FORMATION	DATUM	FORMATION
IRT.				SPL:		
				B Salt	2410	
CSG. & SX.				Yates	2780	
8 5/8"	1063'	50		Queen	3828	
TBG.	DEPTH	SIZE				
LOGS	EL	GR	RA	IND	HC	A
				TD	3887'	
PROD INT.	(DAILY RATE)	BS&W	GH	GOR	GTY	C. P.
TEMPORARILY ABANDONED						
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.						
CONT.	PROP DEPTH				4000'	TYPE
DATE						

	F.R. 12-27-62,
	PD 4000', Queen.
12-31-62	Drlg. 40'.
1-7-63	TD 1080', RUCT.
1-14-63	Drlg. 1175' salt.
1-21-63	Drlg. 1530' salt.
1-28-63	Drlg. 1910'.
2-4-63	Drlg. 2470' anhy & RB.
2-11-63	Drlg. 2820' anhy.
2-18-63	Drlg. 3030' lm.
2-25-63	Drlg. 3220'.
3-4-63	Drlg. 3375' anhy.
3-11-63	Drlg. 3485'.
3-25-63	TD 3887', SI for fillup.
	Bailed 1 quart oil/1 hr. @ 3837'.
4-1-63	TD 3887', SI.
4-8-63	TD 3887', SDO.
4-15-63	TD 3887', SDO.

Lea Young N.M. Page 2
McCurdy, E. J., Jr. et al, #1 Edwards-Federal - Sec. 21-
18S-32E

4-22-63 TD 3887', SDO.

4-29-63 TD 3887', SDO.

(No Logs Run.)

(Final Posting until work resumed).

10-28-63 TD 3887', TEMPORARILY ABANDONED.

COUNTY LEA FIELD Young STATE NM OWDD
 OPR McCURDY, E. J. ET AL MAP
1 Edwards-Federal
Sec. 21, T-18-S, R-32-E CO-ORD
330' fr S & W Lines of Sec.
Re-Spud 11-16-64 CLASS own EL 37492
Comp 12-23-64

CSG & SX - TUBING	FORMATION			
	FORMATION	DATUM	FORMATION	DATUM
8 5/8" 1063' 50				
4 1/2" 4157' 50				
LOGS EL GR RA IND HC A				
	TD 4157'			

IP Penrose Perfs 4066-96' Pmpd 140 BOPD + 60 BW. Pot. Based on
 24 hr test.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 4200' TYPE
 DATE

1-18-65 F.R.C. 1-21-65; OWDD, OTD 3887'.
 Orig. Temp. Abd. 10-25-63
 Elev. 3749' Df, Orig.
 TD 4157', COMPLETED.
 Deepened 3887-4157'
 Ran 4 1/2" casing.
 Perf 4066-67', 4075-87', 4092-96'
 Frac 530 bbls brine wtr + 28,000# sd.