

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-20229
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. B-1565
7. Lease Name or Unit Agreement Name STATE "BA"
8. Well No. 5
9. Pool name or Wildcat VACUUM GLORIETA/BLINEBRY

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL ☒ GAS WELL ☐ OTHER ☐	2. Name of Operator TEXACO E & P INC.
3. Address of Operator PO BOX 3109; MIDLAND, TEXAS 79701	4. Well Location Unit Letter D : 880 Feet From The NORTH Line and 560 Feet From The WEST Line Section 36 Township 17S Range 34E NMPM LEA County
10. Elevation (Show whether DE, RKB, RT, GR, etc.) 4018 (DF)	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
OTHER: ☐	PLUG AND ABANDONMENT ☐
	CASING TEST AND CEMENT JOB ☐
	OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 1) NOTIFY NMOCD OF INTENT TO PLUG AND ABANDON WELL. NOTE THIS IS A DUAL COMPLETION WELL W/ 2 STRINGS OF 2 7/8" TUB F/ CSG.
- 2) RIG UP ON X-SIDE OF WELL. SET CMT RETAINER @ 6320' & SQZ 55 SX CMT BELOW RETAINER CIRC CSG W/ 25# PER BBL SALT GEL MUD.
- 3) SPOT 10 SX CMT F/ 6320'-6020'
- 4) SPOT 10 SX CMT F/ 4400'-4100'
- 5) SPOT 10 SX CMT F/ 3738'-3438'
- 6) SPOT 10 SX CMT F/ 2833'-2533'
- 7) RIG UP ON Y-SIDE OF WELL. SET CMT RETAINER @ 5800' & SQZ 55 SX MCT BELOW RETAINER INTO PERF 5842'-6053' CIRC CSG W/ 25# PER BBL SALT GEL MUD.
- 8) SPOT 10 SX CMT F/ 5800'-5500'
- 9) SPOT 10 SX CMT F/ 4400'-4100'
- 10) SPOT 10 SX CMT F/ 3738'-3438'
- 11) SPOT 10 SX CMT F/ 2833'-2533'

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE R.J. Harding III TITLE OPERATIONS ENGINEER DATE 915/688/4816
R.J. HARDING III TELEPHONE NO.

(This space for State Use)

APPROVED BY ORIGIN TITLE DATE JUL 27 1995
CONDITIONS OF APPROVAL, IF ANY:

- 12) CUT & PULL 2 7/8" CSG @ 1800'
- 13) SPOT 160 SX CMT F/ 1850'-1483'
- 14) SPOT 40 SX 400'-300'
- 15) SPOT 40 SX 100'-SURFACE
- 16) NIPPLE DOWN BOP CUT OFF WELL HEAD; CAP WELL & INSTALL DRY HOLE MARKER;
RIG DOWN & MOVE OFF.

TEXACO
STATE BA NO. 5
API# 30025202290000
PROPOSED

X 4

0 - 1533' Cement 645 sx

40 sx -

100 - SURFACE

0 - 1533' 12.50" OD Openhole

40 sx 400 - 300'

0 - 1533' 9.625" OD Surface Casing

SPOT 160 SX 1850 - 1483

1875 - 6710' Cement 1185 sx (TEMP)

1533' 9 5/8" CSQ.

CUT & PULL 2 7/8" TUB. @ 1800'

- TOP CMT 1875'

10 SX 2833 - 2533

10 SX 2833 - 2533

10 SX 3738 - 3438

10 SX 3738 - 3438

1533 - 6710' 8.75" OD Openhole

10 SX - 4400 - 4100

10 SX 4400 - 4100

10 SX CMT 6320 - 6020'

10 SX 5800 - 5500'

CIRC. CSPW/25# PER BBL. SALT GEL MUD

CIRC @ 5800' SQZ 55 SX CMT BELOW RET.

CIRC @ 6320' SQZ 55 SX CMT. BELOW RET.

5842 - 6053 Perf (7/84)

5951 - 6118 Perf


6292 - 6304 Perf.

6367 - 6650' Perfs

0 - 6710' 2.875" OD Tubing

TD: 6710'

0 - 6709' 2.875" OD Tubing



The first part of the report deals with the general situation of the country and the progress of the work. It is followed by a detailed account of the various projects and the results achieved. The report concludes with a summary of the work done and the prospects for the future.

The second part of the report deals with the financial situation of the country and the progress of the work. It is followed by a detailed account of the various projects and the results achieved. The report concludes with a summary of the work done and the prospects for the future.

The third part of the report deals with the social situation of the country and the progress of the work. It is followed by a detailed account of the various projects and the results achieved. The report concludes with a summary of the work done and the prospects for the future.

The fourth part of the report deals with the economic situation of the country and the progress of the work. It is followed by a detailed account of the various projects and the results achieved. The report concludes with a summary of the work done and the prospects for the future.

The fifth part of the report deals with the political situation of the country and the progress of the work. It is followed by a detailed account of the various projects and the results achieved. The report concludes with a summary of the work done and the prospects for the future.

The sixth part of the report deals with the cultural situation of the country and the progress of the work. It is followed by a detailed account of the various projects and the results achieved. The report concludes with a summary of the work done and the prospects for the future.

The seventh part of the report deals with the educational situation of the country and the progress of the work. It is followed by a detailed account of the various projects and the results achieved. The report concludes with a summary of the work done and the prospects for the future.

The eighth part of the report deals with the health situation of the country and the progress of the work. It is followed by a detailed account of the various projects and the results achieved. The report concludes with a summary of the work done and the prospects for the future.

The ninth part of the report deals with the environment situation of the country and the progress of the work. It is followed by a detailed account of the various projects and the results achieved. The report concludes with a summary of the work done and the prospects for the future.

The tenth part of the report deals with the foreign relations of the country and the progress of the work. It is followed by a detailed account of the various projects and the results achieved. The report concludes with a summary of the work done and the prospects for the future.

1995

TEXACO
STATE BA NO. 5
API# 30025202290000

0 - 1533' Cement 645 sx
0 - 1533' 12.50" OD Openhole
0 - 1533' 9.625" OD Surface Casing
1875 - 6710' Cement 1185 sx (TEMP)

1533 - 6710' 8.75" OD Openhole

660 FNL & 560 FNL
SEC 36 , TWN 17 S, RANGE 34 E
ELEVATION: 4015 DF
COMPLETION DATE: 06-08-63

COMPLETION INTERVAL: 6367 - 6650 (BLBR)
IP: 126 BOPD, 0 MCFD, 0 BHPD (FLOWING)

SECOND CMPL INTRVL: 5951 - 6118 (GLRT)
TRT: 1500 GALS ACID (5951 - 6118)
IP: 152 BOPD, 0 MCFD, 2 BHPD (FLOWING)

CURRENT STATUS: GLRT-BLBR COMMINGLE

5842 - 6053' Perfs (7/84)
5951 - 6118' Perfs
6292 - 6304' Perfs (COMMUNICATE STRINGS 7/84)

6367 - 6650' Perfs

0 - 6710' 2.875" OD Tubing
0 - 6709' 2.875" OD Tubing

TD: 6710'