

COUNTY LEA FIELD Vacuum STATE NM AP. OWWO
MN 20237
 OPR TEXACO INC. SERIAL
 NO. 23 LEASE New Mexico "0" State NCT-1 MAP
Sec 36, T-17-S, R-34-E CO-ORD
600' FSL, 1900' FEL of Sec ELEV. DF L & S

		CLASS		GL	
SPD	Re- CMP	FORMATION	DATUM	FORMATION	DATUM
CSG & SX	11-15-72				
	11 3/4" at 1520' w/1000 sx				
	8 5/8" at 3300' w/600 sx				
	2 7/8" at 6794' w/1000 sx				
	2 7/8" at 6800'				
LOGS	EL GR RA IND HC A	TD 6800'		PBD 6490'	

(Glorieta) Perfs 5926-6038' NO NEW POTENTIAL

CONTR OPRS ELEV 4001' DF PD 6490' TYPE WO

11-27-72 F.R.C. 12-2-72 (Glorieta)
 (Orig. comp 12-21-63 thru (Glorieta) Perfs
 5926-41' & (Blindbry) Perfs 6722-49', GID
 6800', OPB 6766'
 TD 6800'; PBD 6490'; COMPLETE
 PE to 6490' (Abandoned Blindbry)
 Perf (Glorieta) @ 5966', 5967', 5968', 5975',
 5976', 5977', 5981', 5993', 5996', 5999', 6003',
 6019', 6020', 6024', 6027', 6031', 6032', 6033',
 6038' w/2 SPI
 Acid (5966-6038') 4000 gals (20% NEA)
 Flwd 129 BO + 8 BW in 24 hrs, GOR 1765, Grav
 37.9 (5926-6038')
 12-2-72 COMPLETION REPORTED

COUNTY	Lea	FIELD	Vacuum-Glorieta & /	STATE	N.M.	NO.	
OPR.	Texaco Inc.		/Blinebry	MAP			
NO.	23	LSE.	State of New Mexico "0" (NCT-1)				
SEC.	36	T.	17S	BLK	34E	SUR	CO-ORD.
LOC.	600' fr S Line & 1900' fr E Line of Sec.						
MI.	FROM	11-23-63	(G1)	CLASS		EL	400' 8
SPUD.	10-31-63	COMP.	12-21-63	(B1)	FORMATION	DATUM	FORMATION DATUM
LOG:							
Yates 2762							
CSG. & SX. 11 3/4" 1520' 1000				Queen 3660			
8 5/8" 3300' 600				SA 4418			
2 7/8" 6794')				Glor 5847			
2 7/8" 6800') 1000				Bli 6480			
TBG. DEPTH SIZE							
LOGS EL GR RA IND HC A							
TD 6800'				PB 6766'			
PROD INT. (DAILY RATE)				BS&W	GH	GOR	GTY C. P. T. P. HRS. TEST
5926-41' Flwd 396 BOPD + 30 BWPD				454	38.8	300#	12 hr
(Glorieta)				22/64"		Test 198 BO + 15 BW	
6722-49' Swbd 192 BOPD + 16 BWPD				310	38.8		12 hr
(Blinebry)						Test of 96 BO + 8 BW	

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.
DATE

PROP DEPTH 6800' TYPE

↓

F.R. 10-31-63
PD 6800' - Glorieta & Blinebry

11-4-63 Drlg. 3075' anhy.
11-11-63 Drlg. 5361' lm.
11-18-63 TD 6800', PB 6766', WOC.
11-26-63 TD 6800', PB 6766', tstg.
Perf (Glorieta) @ 5926', 5927', 5928', 5939',
5940' & 5941' W/l SPI
Ac. 500 gals,
swbd 19 BNO, 11 BLW & 14 BNW/6 hrs.
Re-Ac. 2000 gals. & Completed.
Perf (Blinebry) @ 6722', 6723', 6733', 6734',
6748', 6749' W/l SPI
Ac. 500 gals
Swbd 20 BL&AW/6 hrs.
Re-Ac. 3000 gals.
12-2-63 TD 6800', PB 6766', SI.
-continued-

12-2-63 -cont'd-
Swbd 58 BNW in 10 hrs (Blinebry)
Vis-squeezed Blinebry Perfs 6722-49' W/100 sx.
12-9-63 TD 6800', PB 6766', SI.
Re-Ac. 200 gals (6722-49')
Re-Ac. 500 gals,
Swbd 10 BL&AW/7 hrs.
12-16-63 TD 6800', PB 6766', swbg.
Swbd 11 BFW/10 hrs.
Re-Ac. 2000 gals (6722-49')
Swbd 167 BLW&AW + 10 BNO in 52 hrs.
12-30-63 TD 6800', PB 6766', COMPLETED.
Frac 10,000 gals oil + 9525# sd. (Perfs
6722-49') (Holding for tops).
1-6-64 TD 6800', PB 6766', Completion Reported.