

COUNTY	LEA	FIELD	Vacuum	STATE	NM
OPR	SHELL OIL CO.			API	30-025-20290
NO	6	LEASE	State "A"	MAP	
	Sec 31, T17S, R35E			CO-ORD	
	2310 FNL, 1980 FEL of Sec				10-1-25 NM
	1 mi SE/Buckeye			RE-SPD	7-23-82 RE-CMP 7-28-82
WELL CLASS:	INITDX		FINDO	LSE CODE	
FORMATION	DATUM		FORMATION	DATUM	
ID	6900 (PDCK)		PHD	6198	

(Glorieta) Perfs 5997-6165 NO NEW POTENTIAL

CONTR	OPR	3985 DF
-------	-----	---------

F.R.C. 10-2-82 OWWO
 PD 6198 WO (Glorieta)
 (Orig. Cmp. 2-6-64 thru (Paddock) Perfs
 5997-6040, OTD 6900, OPB 6103; OWWO &
 Re-Cmp. 11-17-71 thru (Glorieta) Perfs
 5997-6128, OTD 6900, OPB 6198)
 9-27-82 TD 6900; PBE 6198; Complete
 Perf (Paddock) @ 6159, 6160, 6162, 6163,
 6165 w/1 SPI
 Acid (6159-65) 100 gals
 Acid (5997-6128) 4200 gals
 10-2-82 COMPLETION ISSUED

10-1-25 NM
 IC 30-025-70740-82

OWWO

COUNTY LEA FIELD Vacuum STATE NM MN 20290

OPR SHELL OIL CO. MAP

6 State "A"

Sec 31, T-17-S, R-35-E CO-ORD

2310' FNL, 1980' FEL of Sec

Re-Spd 11-4-71

Re-Gap 11-17-71

CLASS **OWOF 3985E**

CSG & SX - TUBING	FORMATION		DATUM	
	FORMATION	DATUM	FORMATION	DATUM
8 5/8" at 1557' w/400 sx				
5 1/2" at 6900' w/450 sx.				
LOGS EL GR RA IND				
	TD 6900'; PBD 6198'			
(Glorieta) Perfs 5997-6128' NO NEW POTENTIAL				

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Sealing Service, Inc.

CONT. DATE PROP DEPTH 6128' TYPE WJ

T.S.C. 12-3-71; Opr's Elev. 3985' DS
FD 6128' WO (Glorieta)
(Orig. comp 2-6-64 thro (Paddock) Perfs 5997-6040',
OTD 6103')

12-7-71 TD 6900'; PBD 6198'; COMPLETE
Drilled Out to 6198'
Perf @ 5997', 5999', 6004', 6006', 6009', 6012',
6018', 6023', 6027', 6030', 6040', 6041', 6048',
6053', 6056', 6060', 6064', 6070', 6088', 6090',
6094', 6102', 6112', 6119', 6124', 6126', 6128'
w/1 SPI
Acid (5997-6128') 11,800 gals
Acid (6088-6128') 3000 gals

12-9-71 COMPLETION REPORTED

COUNTY	LEA	FIELD Vacuum	STATE	N.M.
OPR	SHELL OIL COMPANY			MAP
6 State "A"				
Sec. 31, T-17-S, R-35-E			CO-ORD	
2310' fr N Line & 1980' fr E Line of Sec.				
Spud 1-14-64		CLASS		
Comp. 2-6-64		EL 39852		
		FORMATION	DATUM	FORMATION
		LOG:		
CSG & SX - TUBING				
8 5/8"	1557'	400	Padd. 5996'	
5 1/2"	6900'	450	Blind 6600'	
LOGS EL GR RA IND HC A				
		TD 6900', PB 6103'		

P Paddock Perfs. 5997-6040', Flo. 240 BOPD. Pot. Based on 13 hr. test 130 BO thru 20/64" chk., TP 200#, Gravity 37.8 GOR 450.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH 6900'	TYPE
DATE		

F. R. 12-19-63.
PD 6900' - Blinbry. Oper's Elev. 3985' DF.
1-20-64 Drlg. 3671.
1-27-64 Drlg. 6155'.
2-3-64 TD 6900', PB 6867', MO Rot.
2-10-64 TD 6900', PB 6103'. COMPLETED
Perf. 5997', 5998', 5999', 6000', 6002', 6005',
6006', 6009', 6010', 6012', 6016', 6018', 6019',
6022', 6023', 6027', 6030', 6031', 6032', 6040'
W/1 SP.
Ac. 250 gals. MA.
Re-Ac. 1500 gals. reg.