	1:410		
	205741	N. TION	
11574 74		1	
`, ,		1	<u> </u>
101		I	
LAND OFFICE			.L
TAAHAPORIFA	OIL		•
	GAS	1	1
F-GRATION DEFICE			

NEW M. . ICO OIL CONSERVATION COMA SION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

OFFRATOR			an to the Distric	ct Office of the Oil Cons	servation Commiss	ion and approval	obtained be	fore eduilling of 7
ecomple se return nstruction	tion begin	ns. If c sender. les and	hanges in the pro Submit this not Regulations of t	oposed plan are conside ice in QUINTUPLICATI he Commission. If State	red advisable, a co F. One conv. will b	opy of this notice e returned follow	ing approval	. See additional
			dland. Tex	as		August (Date)	5 <u>. 1963</u>	· I
	NSERVAT FE, NEW		(Place) OMMISSION O		•	(Date)		
Gentleme	en:				41 . Daillian of o	well to be known	96	
				our intention to commend TEXACO (Company or	INC .			<u>·</u>
Stat	e of I	Vew M	exico "Q"	(Campany of	, Well No	, in	P (Unit)	The well is
located	500		(Lease) _feet from the	South		line and_	760	feet from the
localed_		Eas	t	line of Section	25 , T	<u>17-S</u> , R_	-34-E	, NMPM.
GIVE L	OCATIO	N FROM	SECTION LINE	line of Section Vacuum (Wolfca) Vacuum (Pennsy Vacuum (Devon	<u>lvanian)</u> Pool	ı, <u>Lea</u>	<u></u>	County
				If State Land the Oil a	nd Gás Lease is N	0. B-1000-	<u> </u>	
D	С	В	A	If patented land the ow				•
	·			AddressWe propose to drill we	Il with drilling equ	inment as follow	s: Rot	tary
E	F	G	н					
	<u> </u>			The status of plugging Maryland Casua	ilty Co. 111	ed with be	are deo.	ond of logist.
L	К	J	1	Drilling Contractor	Unkr	own at pre	sent	
M	N	0	P	We intend to complete	this well in the WC	olfcamp. Pe	nnsylvai	nian, Devoniar
				formation at an approx	imate depth of	12,15	0	feet.
171		41	following strings	CASING P	ROGRAM			
	opose to	use the	Size of Casing	Weight per Foot	New or Second Hand	Depth		Sacks Cement
	0 01 11070	_						•
				SEE ATTACHE	SHEET			·
								
				1 :- 11 will motify	way immediately			
If cha	anges in t ITIONAL	he abov INFOR	e plans become MATION (If reco	advisable we will notify mpletion give full detail	s of proposed plan	of work.)		1
				SEE ATTACHEI	:			
Approve	d			19	Sincerely yours	·,		***
Except	as follows	:		`.		TEXACO	INC.	
					Ву	(Consider of	ten	
						vision Civi	ll Engin	
		,	<i>i</i>)		Send	Communications	regarding w	rell to
,	, oil ç	ONSERV	ATION COMMIS	SION	• • • • • • • • • • • • • • • • • • • •	H. Markley		
211/1	A.	////	// /		Address P.O	Box 3109	Midlan	d. Texas

CASING PROGRAM

We propose to use the following strings of Casing and to cement them as indicated:

Size of Hole	Size of Casing	Weight per Foot	New or Second Hand	• Depth	Sacks Cement
. 20"	16"	65	New	100'	400
17 1/2"	13 3/8"	35.62	New	350'	400
12 1/4"	11 3/4"	47	New	4.800'	1700*
12 1/4"	9 5/8"	36 & 40	New	4,000	1700
8 3/4"	3 1/2"	9.2	New	12,150'	
8 3/4"	2 7/8"	6.4	New	11,025'	2300**
8 3/4"	2 7/8"	6.4	New	11,025'	

^{* 1500} sx. Incor, 8% gel plus 200 sx. Incor Neat. Should tie into surface casing.

FORMATION TOPS EXPECTED

of	Anhydrite	•				1,545!	!
of	Glorieta				• :	5,860	•
					٠.	7,905	•
of	Wolfcamp					9,105	
		. '		·, 54.		9,725	
of	Pennsylva	nian	<i>:</i> .				
		•			.]	10,510	
						11,005	•
						11,710	1.
		•	•				
				•		12,150	•
	of of of of of of of	of Glorieta of Abo of Wolfcamp of Bursum	of Abo of Wolfcamp of Bursum of Pennsylvanian of Strawn of L. Miss. of Woodford of Devonian	of Glorieta of Abo of Wolfcamp of Bursum of Pennsylvanian of Strawn of L. Miss. of Woodford of Devonian	of Glorieta of Abo of Wolfcamp of Bursum of Pennsylvanian of Strawn of L. Miss. of Woodford of Devonian	of Glorieta of Abo of Wolfcamp of Bursum of Pennsylvanian of Strawn of L. Miss. of Woodford of Devonian	of Glorieta 5,860 of Abo 7,985 of Wolfcamp 9,185 of Bursum 9,725 of Pennsylvanian 9,935 of Strawn 10,510 of L. Miss. 11,005 of Woodford 11,710 of Devonian 11,915

^{**} Externally clean & install centralizers on all strings over all prospective pays. Cement down 3½" casing with 550 sx. Class "C" Neat with friction reducing agent for turbulent flow. Pump plug with 200 gal. medium strength acetic acid followed by water. Cement down 2 7/8" strings with 500 sx. Class "C", 4% gel containing friction reducing agent followed by 1250 sx. Class "C" 4% gel. Pump plugs down with 400 gal. medium strength acetic acid in each string followed by water.

NEW MEXICO OIL CONSERVATION COMMISSICA

	MELL LOCAT	TON AND	ACREA	GE DEDI	CATION	PLAT	
	SCE INSTRUCTION						
and the second s	342 11011100110	\$	ECTION	A		- 13	Well No
, 200 to 2			Lease Stai	te of New	Mexico		4
	Tab. Towaship		Range		County	Loa	
- 144 - 144	25 11	South	34	East	<u> </u>	TOW.	
. italik propinsi kocak	ion of sell:		760	lant	from the	East	line Sec. 25
500 le	es from the South	line and	Pool	1000	. Hom the	<u></u>	"See attached sheet"
i	Projecting Formation #508 attached sl		"see at	tached s	heet"		Acres
. It was Operator the way but the right another. (65–3–1	only owner in the dedicat to drill into and to produce 29 (c) NMSA 1935 Comp.) nemion one is "no," have	ed acreage out from any pool the interests o	fall the ow	ners been co			("Ouner" means the person imself or for himself and nitization agreement or other-
wise? MES	NO If answer is uestion two is "no," list s	Il the owners a	and their res	pective inte	rests below		
	Jention (wo is no, list a		L	and Descripe	ion		
) wher							
	SECT	ION 3					CERTIFICATION
						Lhersh	y certify that the information
•	State	-Bridges	i			in SEC	TION A above is true and com-
	32		16		17	plete to	the best of my knowledge and
. 35 : 3	,32	•		. 0		belief.	VIII.
•	Mahi	l Lse.	1			\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.	y care
			Ì		Ì	Name	J. J. Velten
		 	+			Positio	00
			!		f N. M.	Divi	sion Civil Engineer
		•	7).	nJ		Compan	TEXACO Inc.
, 1 .3	,11	•	14			Date	
	:		1	PEXACC	Inc.		8/5/63
			1		į	<u> </u>	
	, , ,) 2억 \1111111111111					
	(221		4 4 4			
· ·	bodlister	7 1 2		="Swigge	I.C	l hereb	y certify that the well location
	: 2	= :	3		1	ahowa	on the plat in SECTION B was from field notes of actual
<u>.</u>	•	9		Shell	Lse.		s made by me or under my
	9	1111		™ ≈ • • • • • • • • • • • • • • • • • • •	. ====	superv	ision, and that the same is true
. o	0	TET				and co	rrect to the best of my knowled,
Kari	othen Lsc.	2			mmmn	and be	lief.
		E Tot	al: 120	AC.			
		1111	^	1	1	Date S	urveyed
5 3	7 1	<u> </u>	2	<u>l</u>	D _{/89} ' '	E	7/30/63
၁	1	1111		•	##- * \$ \$\$ -		exed Professional Engineer
		773		, j	•	E and/	Land Surveyor
* .		an a	30	120 3			J. J. Velten
		-Emarana	THE PERSON	harring	<u>transpire</u>	Centif	cate No. 8174
250 000 00	0 1320 1650 1980 2310	2640 20	00 1500	1000	500	o Giiii	V+1 ·

Producing Formations:

Wolfcamp Pennsylvanian Devonian

Pools:

Vacuum (Wolfcamp)
Vacuum (Pennsylvanian)
Vacuum (Devonian)

Dedicated Acreage:

Vacuum (Wolfcamp)80 AcresVacuum (Pennsylvanian)40 AcresVacuum (Devonian)80 Acres