



COUNTY LEA

FIELD Vacuum

© Copyright Petroleum Information

OPR SHELL OIL CO.

STATE NM

API 30-025-20370

NO 5 LEASE State "A"

MAP

Sec 31, T17S, R35E

C/O ORD

990 FNL, 660 FEL of Sec

5-5-30 NM

1 mi SE/Buckeye

Re SPD 2-23-82 Re MP 4-6-82

CSG

13 3/8-293-300 sx
 9 5/8-2982-1250 sx
 5 1/2-10,300-1800 sx
 2 7/8-6183

WELL CLASS: INIT		DX FIN	DO LSE CODE	
FORMATION	DATUM		FORMATION	DATUM
TD 10,300 (PSLV)			PBD 6250	

IP (Glorieta) Perfs 6010-6174 P 63 BOPD + 237 BW. Pot based
 on 24 hr test. GOR TSTM; gty (NR)

CONTR

CONTR 3981 DF

sub-s

F.R.C. 5-29-82 OWWO

PD 6250 WO (Glorieta)

(Orig. comp 1-25-63 thru (Wolfcamp) Perfs
 10,009-116, OTD 10,300; OPB 10,243; OWWO &

Temp Aban 8-21-63, OTD 10,300; OPB 9925; OWWO

& Re-Cmp 10-19-63 thru (Glorieta) Perfs 6069-80,

OTD 10,300; OPB 6142; OWWO & Re-Cmp 7-7-71

thru (Glorieta) Perfs 6069-6174, OTD 10,300;

OPB 6344; OWWO & Re-Cmp 8-7-72 thru (Abo)

Perfs 8510-9309, OTD 10,300; OPB 9392; OWWO

& Re-Cmp 9-24-75 thru (Glorieta) Perfs

6060-6174, OTD 10,300, OPB 6250)

5-24-82

TD 10,300; PBD 6250; Complete

Perf (Glorieta) 6010-6174 w/37 shots (overall)

Acid (6010-6174) 4750 gals

LOGS RUN: CBND, DFNL, CCL, GRL

5-5-30 NM

LEA
SHELL OIL CO.

Vacuum
5 State "A"
Sec 31, T17S, R35E

NM
Page #2

5-29-82 COMPLETION ISSUED

5-5-30 NM
IC 30-025-70447-82

Copyrighted Reproduction Prohibited

COUNTY	LLA	FIELD	Vacuum	STATE	NM
OPR	SHELL OIL CO.	API	MN	20370	
NO	5	LEASE	State "A"	SERIAL	11-5-6 NM
	Sec 31, T-17-S, R-35-E	MAP			
	990' ENL, 660' EEL of Sec	COORD			
	1 mi SE/Buckeye	ELEV			LAS
SPD	Re-cmp 9-24-75	WELL CLASS	INT	DX	FIN
SSG		FORMATION	DATUM	FORMATION	DATUM
	13 3/8" at 2911' w/300 sx				
	9 5/8" at 2982' w/150 sx				
	5 1/2" at 10,300' w/1800 sx				
		TD	10,300' (PSLV)	PSD	6250'
	1P (Glorieta) Perfs 6069-6174' F 20 BOPD + 1.34 BW. Pot. based on 20 hr test. LOB 11-00; Gray NR				
OWIP		OPR'S ELEV	3981' DE	PD	6174' WB

F.R.C. 11-29-75 OWWO
 (Glorieta)
 (Orig. comp 1-25-63 thru (Wolfcamp) Perfs
 10,009-1116', OTD 10,300', OPB 10,245'; OWWO &
 Temp Aban 8-21-63, OPB 9925'; OWWO & Re-Cmp
 20-19-63 thru (Glorieta) Perfs 6069-80', OPE
 6142'; OWWO & Re-Cmp 2-7-71 thru (Glorieta)
 Perfs 6069-6174', OPB 6344'; OWWO & Re-Cmp
 8-7-72 thru (Abo) Perfs 8510-9309', OPE 9392')
 11-24-75 TD 10,300'; PSD 6250'; Complete
 GRP @ 6250'
 Perf (Glorieta) 6069-80', 6103', 6105', 6126',
 6127', 6132', 6139', 6144', 6146', 6161', 6164',
 6169', 6174' w/1 SPE
 Acid (6069-6174') 8500 gals
 11-29-75 COMPLETION ISSUED

11-5-6 NM

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

E.R.U. 10-7-72; Opr'n Elev. 19-10-72
 PD 9200' WC (Abd)
 (Orig. Comp 1-25-68 thru VW 3-1-68 thru
 10,009-116'; QID 10,300'; QID 10,340'; QID
 & Temp. Aband. 8-21-65; OPB 6344'; OWWO &
 Re-Comp 10-19-67 thru Part's 10-2-68 thru
 OWWO & Re-Comp 2-7-71 thru 1-1-72 thru
 6069-6174'; OPB 6344')
 10-2-72
 1D 10,300'; PSD 9192'; GOMFIFL
 Sqd 6069-6174' w/365 sz
 Per1 @ 8516', 8523', 8528', 8530', 8535', 8538',
 8537', 8539', 8575', 8577', 8580', 8581', 8583',
 8816', 8820', 8825', 8836', 8840', 8841', 8843',
 8857', 8859', 8873', 8888', 8890', 8891', 8892',
 9176', 9177', 9178', 9205', 9206', 9207', 9208',
 9309' w/1 SFL
 Acid 1931)-8900', 8900'

LEA
SHELL OIL CO.

1941 10-2-72 10-7-72

10-2-72 Continued
Acid (9153-9309) 10-7-72
10-7-72 COMPLETION REPORT

OWWO

COUNTY	LEA	FIELD	V&CULM	STATE	NM	MN	20370'
OPR	SHELL OIL CO.						MAP
	5 State "A"						
	Sec 31, T-17-S, R-35-E						CO-ORD
	990' FNL, 660' FEL of Sec						
	Re-Spd 2-2-71						CLASS
	Re-Cmp 2-7-71						OWDA EL 3981'2
		FORMATION	DATUM		FORMATION	DATUM	
CSC 3 SX - TUBING							
13 3/8" at 293' w/300 sx							
9 5/8" at 2982' w/1250 sx							
5 1/2" at 10,300' w/1800 sx.							
LOGS EL GR RA IND HC A							
	TD 10,300'; PBD 6344'						
(Glorieta) Perfs 6069-6174' NO NEW POTENTIAL.							

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Logging Service, Inc.

CONT	PROP DEPTH	6174'	TYPE	WO
DATE				

F.R.C. 4-22-71; Opr's Elev. 3981' DF
 PD 6174' WO (Glorieta)
 (Orig. comp 1-25-63 thru (Wolfcamp) Perfs 10,009-116', OTD 10,300', OPB 10,245'; OWWO & Temp. Aban. 8-21-63, OPB 9925'; OWWO & Re-Cmp 10-19-63 thru Perfs 6069-80', OPB 6142')
 4-19-71 TD 10,300'; PBD 6344'; COMPLETE
 Drilled Out to 6500'
 PB to 6344'
 Perf @ 6103', 6105', 6126', 6127', 6132', 6139', 6144', 6146', 6161', 6164', 6169', 6174' w/1 SP1
 Acid (6069-6174') 6000 gals
 Acid (6103-6174') 6000 gals
 4-22-71 COMPLETION REPORTED

COUNTY	Lea	FIELD	Vacuum-Wolfcamp	STATE	N.M.	NO.	OWWO
OPR.	Shell Oil Company						MAP
NO.	5	LSE	State "A"				
SEC.	31	T.	17S	BLK	35E	SUR.	CO.ORD
LOC. 990' fr N Line & 660' fr E Line of Sec.							
Re-	MI.	FROM	Re-	CLASS.	EL 3981' L&S		
SPUD.	8-19-63	COMP.	8-21-63	FORMATION	DATUM	FORMATION	DATUM
TBT.							
CSG. & SX							
5 1/2" 10300' 1800							
TBT. DEPTH SIZE							
LOGS EL GR RA IND HC A							
				OTD 10300'		PB 9925'	
PROD INT.	(DAILY RATE)	BS&W	GH	GOR	GTY	C. P.	T. P.
HRS. TEST							
TEMPORARILY ABANDONED							
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.							
CONT.	PROP. DEPTH					TYPE	
DATE							

9-3-63 F.R.C. 9-5-63, OWWO.
 OTD 10300', PB 9925', TEMPORARILY ABANDONED.
 Set BP @ 9925', Perf 1 shot @ 9423', 9426', 9432',
 9435', 9453', 9455', 9481' & 9484'.
 Treated 500 gals acid, swbd 100% water.

COUNTY	Lea		FIELD		Vacuum-Gloriana		STATE	N.M.		NO.	OWWO	
OPR.	Shell Oil Company										MAP	
NO.	5		LSE		State		12"					
SEC.	31	T.	17S	R.	35E	SUR.			CO-ORD.			
LOC.	990' fr N line & 660' fr E line of Sec.											
Re-	MI.	FROM		Re-	CLASS.				EL. 3981' LS			
SPUD.	9-30-63		COMP.	10-19-63		FORMATION	DATUM	FORMATION		DATUM		
TRT.												
CSG. & SX.												
13 3/8"		283'		300'								
9 5/8"		2968'		1250'								
5 1/2"		10289'		1800'								
TBG.		DEPTH		SIZE								
LOGS		EL	GR	RA	IND	HC	A					
				TD 10300'				PB 6142'				
PROD INT		DAILY RATE		BS&W	GH	GOR	GTY	C. P.	T. P.	HRS. TEST		
6069-80'		Pmpd 59 EC + 11 EW				38.2				24 hr		
(Paddock)												

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP. DEPTH	TYPE
DATE		

10-28-63 F.R.C. 10-31-63, OWWO, OTD 10300'
Re-Complete from Wolfcamp to Paddock.
TD 10300', PB 6142', COMPLETED.
Set BP @ 6150', Perf 6069-80' W/1 SPF
Ac. 2000 gals (15%).
Re-Perf 6069-80' W/2 SPF
Frac 10,000 gals lse. oil + 10,000# sd.
Rec Load.