

M

RD
AUG 10 PM 3

ORD AUG 10 PM 3

R36E					
56					
		14			
				8	

**T
17
S**

N.M. State ^{LOC}AL
(Lease)

AREA 640 ACRES
TE WELL, CORRECTLY

(Lease)

Pool.....Lea

Country

00 4766

8-13

Garper Drilling Company

200 Carper Bldg., Artesia, New Mexico

3825

OIL SANDS OR ZONES

4300

No. 3. from

No. 6. from.

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

...feet.

...feet.

..feet.

feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10 3/4	32.75#	New	301'	guide shoe	-	-	
7 5/8	24#	New	3612#	WDM	-	-	
2 7/8	6.5#	New	4374'	baker	-	1,300-1,311	

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
15"	10 3/4	301	200	Pump	-	"
9 7/8"	7 5/8	3012	768	Pump	-	"
7 5/8"	2 7/8	4374	600	Pump	-	"

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Result of Production Stimulation

..Depth Cleaned Out.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 19 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing, 19

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity.

GAS WELL: The production during the first 24 hours was 1185 M.C.F. plus Trace barrels of
liquid Hydrocarbon. Shut in Pressure 1802 / 872 lbs.
Length of Time Shut in 72 hrs.

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.		T. Devonian.		T. Ojo Alamo.	
T. Salt.		T. Silurian.		T. Kirtland-Fruitland.	
B. Salt.		T. Montoya.		T. Farmington.	
T. Yates.	3200'	T. Simpson.		T. Pictured Cliffs.	
T. 7 Rivers.		T. McKee.		T. Menefee.	
T. Queen.	4290'	T. Ellenburger.		T. Point Lookout.	
T. Grayburg.		T. Gr. Wash.		T. Mancos.	
T. San Andres.	5355'	T. Granite.		T. Dakota.	
T. Glorieta.	6800'	T. Clearfork	7605'	T. Morrison.	
T. Drinkard.		T.		T. Penn.	
T. Tubbs.	8110'	T.		T.	
T. Abo.	9120'	T.		T.	
T. Penn.		T.		T.	
T. Miss.		T.		T.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	2020	2020	Redbed				
2020	2048	28	Anhy & Gyp				
2048	3273		Anhy & Salt				
3273	3380		Anhy				
3380	3508		Anhy & Gyp				
3508	4411		Anhy				
4411	4522		Anhy & Shale				
4522	4927		Anhy				
4927	5054		Lime				
5054	5116		Lime & Dolo				
5116	6495		Dolo				
6495	6504		Dolo & Chert				
6504	6616		Dolo				
6616	6812		Dolo & Chert				
6812	7829		Dolo				
7829	7863		Dolo & Chert				
7863	8162		Dolo				
8162	8180		Dolo & Chert				
8180	8512		Dolo				
8512	8880		Dolo & Chert				
8880	9203		Dolo				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

8-15-63

Company or Operator Sunray Oil Company
Name N. R. Mayabb

Address P.O. Box 128, Hobbs, New Mexico
Position or Title District Engineer