

9. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. <b>B-155-1</b>	

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-		7. Unit Agreement Name
2. Name of Operator <b>TEXACO Inc.</b>		8. Farm or Lease Name <b>New Mexico 'O' St. NCT-1</b>
3. Address of Operator <b>P. O. Box 728 - Hobbs, New Mexico 88240</b>		9. Well No. <b>15</b>
4. Location of Well UNIT LETTER <b>I</b> <b>1800</b> FEET FROM THE <b>South</b> LINE AND <b>560</b> FEET FROM THE <b>East</b> LINE, SECTION <b>36</b> TOWNSHIP <b>17S</b> RANGE <b>34E</b> NMPM.		10. Field and Pool, or Wildcat <b>Vacuum Glorieta</b>
15. Elevation (Show whether DF, RT, GR, etc.) <b>3996' DF</b>		12. County <b>Lea</b>


16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data


NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
OTHER <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Pull rods & pump from Glorieta string.
2. Run gauge ring in Blinebry string to 6675'.
3. Run cast iron bridge plug in Blinebry string & set @ 6650'.
4. Run perforating gun in Blinebry string. Perforate strings together @ 6180'.
5. Run pump & rods in Blinebry string. Return to production using Glorieta string as vent string.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED  TITLE Asst. District Supt. DATE June 17, 1974

APPROVED BY  TITLE Asst. District Supt. DATE

CONDITIONS OF APPROVAL, IF ANY: