

COUNTY LEA FIELD Vacuum STATE NM MN 20505
 OPR TEXACO INC. MAP
15 New Mexico "O" State
Sec 36, T-17-S, R-34-E
800' FSL, 560' FEL of Sec CO-ORD

Re-Cmp 1-10-72		CLASS		OWWO EL: 9968	
FORMATION	DATUM	FORMATION	DATUM		
CSG & SX - TUBING					
11 3/4" at 1550' w/1000 sx					
8 5/8" at 3300' w/900 sx					
2 7/8" at 6915')					
2 7/8" at 6909') w/900 sx					
LOGS EL GR RA IND MC A					
		TD 6915' PBD 6908'			

(Glorieta) Perfs 5932-6159' NO CHN POTENTIAL

(Blinbry) Perfs 6681-6898' NO CHANGE.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 6159' TYPE WO

F.R.C. 1-27-72; Opr's Elev. 3996' DF
 PD 6159' WO (Glorieta)
 (Orig. comp 1-21-64 thru (Glorieta) Perfs 5998-
 6031' & (Blinbry) Perfs 6681-6898', OTD 6915',
 OPB 6908'; OWWO & Re-Cmp 3-16-71 thru (Glorieta)
 Perfs 5932-63' & (Blinbry) Perfs 6681-6898',
 OPB 6908')
 1-24-72 TD 6915'; PBD 6908'; COMPLETE
 Drilled BP in Glorieta String @ 5990'
 Perf @ 6055', 6056', 6060', 6061', 6062',
 6063', 6064', 6065', 6074', 6078', 6087',
 6093', 6108', 6145-59' w/2 SPF
 Acid (6055-6159') 5250 gals
 1-27-72 COMPLETION REPORTED

OWW

COUNTY LEA FIELD Vacuum STATE NM MN 20505

OPR TEXACO INC. MAP

15 New Mexico "O" State

Sec 36, T-17-S, R-34-E CO-ORD

1800' FSL, 560' FEL of Sec

		CLASS		CWO		EL 3996	
Re-Cmp 3-16-71		FORMATION	DATUM	FORMATION	DATUM		
CSG & SX - TUBING							
11 3/4" at 1550' w/1000 sx							
8 5/8" at 3300' w/900 sx							
2 7/8" at 6915'							
2 7/8" at 6909' w/900 sx.							
LOGS EL GR RA IND HC A							
		TD 6915'; PBD 6908'					

(Glorieta) Perfs 5932-63' NO NEW POTENTIAL.

(Blindbry) Perfs 6681-6898' NO CHANCE.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Logging Service, Inc.

CONT DATE PROF DEPTH 5963' TYPE WO

F.R.C. 4-1-71; Opr's Elev. 3996' DF
PD 5963' WO (Glorieta)
(Orig. comp 1-21-64 thru (Glorieta) Perfs 5998-6031' & (Blindbry) Perfs 6681-6898', OTD 6915', OPB 6908')

3-29-71 TD 6915'; PBD 6908'; COMPLETE
BP @ 5990' (Glorieta Casing String)
Perf @ 5932', 5939', 5952', 5958', 5963' w/2 SPI
Acid (5932-63') 2000 gals (28%)

4-1-71 COMPLETION REPORTED

COUNTY	Lea	FIELD	Vacuum-Glorieta & /	DATE	N.M.	NO.
OPR	Texaco Inc.		/Blinebry			M&P
NO.	15	LSE	State of New Mexico "O" (NCT-1)			
SEC	36	T.	17S	BLK.	34E	SUR
						CO-ORD.
LOC.	1800' fr S Line & 560' fr E Line of Sec.					
MI.	FROM		12-22-63 (G)	CLASS.	EL 3996'	
SPUD	11-27-63	COMP	1-21-64 (Bl)	FORMATION	DATUM	FORMATION
IRT				LOG:		
				SA	4500	
CSG. & SX	11 3/4"	1550'	1000	Glor	5864	
	8 5/8"	3300'	900	Bl	6500	
	2 7/8"	6915')				
	2 7/8"	6909')	900			
TBG	DEPTH	SIZE				
LOGS	EL	GR	RA	IND	HC	A
				TD	6915'	PB 6908'
PROD INT.	(DAILY RATE)	BS&W	GH	GOR	GTY	C. P.
5998-6031'	Flwd 204 BO + 19 BW	12/64"	506	39.1		100#
(Glorieta)						24
6681-6898'	Pmpd 14 BO + 66 BW	TSTM	39.3			24
(Blinebry)						
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.						
CONT.	PROP DEPTH			6915'	TYPE	
DATE						

F.R. 11-7-63
 PD 6915' - Glorieta & Blinebry
 12-2-63 Drig. 3023' anny. & salt.
 12-9-63 Drig. 5374'.
 12-16-63 TD 6915', running casing.
 12-30-63 TD 6915', PB 6908', swbg.
 Perf (Glorieta) @ 5998', 5999', 6000', 6008',
 6009', 6010', 6030' & 6031' W/1 SPI
 Ac. 500 gals
 3000 gals & completed.
 Perf (Blinebry) @ 6681', 6696', 6783', 6848',
 6877', 6898' W/1 SPI
 Ac. 500 gals,
 Re-Ac. 3000 gals.
 Swbd 28 BW/10 hrs. (-43 BLO).
 Frac 15,000 gals oil + 13,125# sd.
 Swbd 33 BLO + 87 BFW/12 hrs.

Lea Vacuum-Glorieta & Blinebry N.M. Page 2
Texaco Inc., #15 State of New Mexico "O" (NCT-1) - Sec.
36-17S-34E

1-6-64 TD 6915', PB 6908', SI.
1-13-64 TD 6915', PB 6908', pmpg load from Blinebry.
Pmpd 9 BLO + 94 BW/28 hrs.
1-20-64 TD 6915', PB 6908', pmpg load
Pmpd 97 BLO + 19 BW/24 hrs. (Blinebry)
1-27-64 TD 6915', PB 6908', COMPLETED.