

**NEW MEXICO OIL CONSERVATION COMMISSION**

**Santa Fe, New Mexico**

APR 15 10 14

[illegible]

AREA 640 ACRES  
LOCATE WELL, CORRECTLY

## WELL RECORD

**Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE If State Land submit 6 Copies**

**Cities Service Oil Company**

**State K**

(L-150)

Well No. 8, in NW  $\frac{1}{4}$  of NE  $\frac{1}{4}$ , of Sec. 27, T. 17S, R. 35E, NMPM.

**Undesignated**

Pool, ..... Loan

County.

Well is 990' feet from North line and 2310' feet from East line.

of Section 27..... If State Land the Oil and Gas Lease No. is B-1482.....

Drilling Commenced.....3-22....., 19..64 Drilling was Completed.....4-7....., 19..64

Name of Drilling Contractor.....Lee Drilling Co.....

Address.....Tulsa, Oklahoma

Elevation above sea level at Top of Tubing Head.....3934..... The information given is to be kept confidential until

....., 19.....

### OIL SANDS OR ZONES

No. 1, from 6138 to 6176 No. 4, from ..... to .....

No. 2, from.....to..... No. 5, from.....to.....

No. 3, from.....to..... No. 6, from.....to.....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet. ....

No. 2, from.....to.....feet. ....

No. 3, from.....to.....feet. ....

No. 4, from.....to.....feet. ....

### CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13 3/8"	14#	New	336	Tex. Pattern			
8 5/8"	24-32#	New	3012	Guide Shoe			
5 1/2"	14-15.5#	Used	6288	Guide Shoe			

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17 1/2	13 3/8	350	350	Plug		
12 1/2	8 5/8	3028	1700	Plug		
7 7/8	5 1/2	6299	1001	Stage Tool & Plug		

### RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

~~Acidize with 1500 gal 10 tension acid.~~

Result of Production Stimulation..... **Flowed 198 bbls oil 11 hours 20/64" choke.**

Depth Cleaned Cut.....6265

# RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

## TOOLS USED

Rotary tools were used from 0 feet to 6300 feet, and from feet to feet.  
 Cable tools were used from feet to feet, and from feet to feet.

## PRODUCTION

Put to Producing 4-10, 19 64

OIL WELL: The production during the first 24 hours was 432 barrels of liquid of which 100 % was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity 38.3

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

### Southeastern New Mexico

### Northwestern New Mexico

T. Anhy	T. Devonian	T. Ojo Alamo
T. Salt	T. Silurian	T. Kirtland-Fruitland
B. Salt	T. Montoya	T. Farmington
T. Yates 2800	T. Simpson	T. Pictured Cliffs
T. 7 Rivers 3175	T. McKee	T. Menefee
T. Queen 3723	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres 4380	T. Granite	T. Dakota
T. Glorieta 6005	T. Paddock 6133	T. Morrison
T. Drinkard	T.	T. Penn
T. Tubbs	T.	T.
T. Abo	T.	T.
T. Penn	T.	T.
T. Miss	T.	T.

## FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1505	1505	Redbed				
1505	3556	2051	Anhy				
3556	4086	530	Anhy & lime				
4086	6300	2214	Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator Cities Service Oil Company

Address Box 69 - Hobbs, New Mexico

Name C. R. Robertson

Position or Title District Clerk

April 14, 1964 (Date)