

Submit 3 copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

OIL CONSERVATION DIVISION

P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Box Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

SUNDRY NOTICES AND REPORTS ON WELL  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. Name of Operator

TEXACO EXPLORATION & PRODUCTION INC.

3. Address of Operator

205 E. Bender, HOBBS, NM 88240

4. Well Location

Unit Letter H 2180 Feet From The NORTH Line and 660 Feet From The EAST Line  
Section 35 Township 17S Range 34E NMPM LEA COUNTY

10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4019' KB

WELL API NO.

3002520665

5. Indicate Type of Lease

STATE ☒

FEE ☐

6. State Oil / Gas Lease No.

B-3196

7. Lease Name or Unit Agreement Name

VACUUM GLORIETA WEST UNIT

8. Well No.

71

9. Pool Name or Wildcat

VACUUM GLORIETA

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐ ADD PAY IN THE GLORIETA, PERF, & ACIDIZE ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

COMMENCE DRILLING OPERATION ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☒

ALTERING CASING ☐

PLUG AND ABANDONMENT ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TEXACO INTENDS TO ADD PAY TO THE SUBJECT WELL IN THE GLORIETA.

THE INTENDED PROCEDURE IS AS FOLLOWS:

1. MIRU PULLING UNIT. TOH W/RDS & PMP. NUBOP & TOH W/TBG.
2. TIH W/BIT & CSG SCRAPER. C/O TO PBD @ 6228'. TOH W/BIT & CSG SCRAPER.
3. TIH W/CSG GUN W/2 JSPF & 120 DEG SPIRAL PHASING. NEED GAMMA RAY LOG ON PERF GUN FOR CORRELATION. PERF THE GLORIETA @ THE FOLLOWING INTERVALS. (5806-6812', 5814-5818', 5821-5827'.
4. TIH W/RBP & PKR. SET RBP @ 5840' & PKR @ 5750'.
5. LOAD BACKSIDE & TEST PKR TO 500# SURF PRESSURE. MAINTAIN 500# THROUGHOUT THE ACID JOB.
6. ACIDIZE PERFS W/1800 GALS 15% NEFE HCL IN 3 STGS W/500# SLT BLOCKS BTWN EACH STAGE. PUMP JOB @ 2-3 BPM W/MAXIMUM PRESSURE NOT TO EXCEED 5000# @ SURF.
7. SWAB BACK ACID LOAD. IF FLUID ENTRY IN LIMITED, PUMP FW TO DISSOLVE SALT BLK.
8. REL PJR & RETR RBP. TOH W/TBG.
9. TIH W/PROD TBG. TIH W/RDS & PMP. PLACE WELL ON TEST.

hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE J. Denise Leake TITLE Engineering Assistant

TYPE OR PRINT NAME J. Denise Leake

DATE 11/23/98

Telephone No. 397-0405

ORIGINAL SIGNED BY

APPROVED BY GARY WINK  
FIELD REP. II

CONDITIONS OF APPROVAL, IF ANY: \_\_\_\_\_

DATE DEC 04 1998