Submit 3 copies to Appropriate  District Office  State of New Mexico  F ,y, Minerals and Natural Resources Department	Form C-103
District Office	Revised 1-1-89
P.O. Box 1980, Hobbs, NM, 88240  OIL CONSERVATION DIVISION	WELL API NO.
DISTRICT II P.O. Box 2088	3002520665
P.O. Box Drawer DD, Artesia, NM 88210 Santa Fe, New Mexico 87504-2088  DISTRICT III	5. Indicate Type of Lease STATE FEE
1000 Rio Brazos Rd., Aztec, NM 87410	6. State Oil / Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELL	B-3196
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	7. Lease Name or Unit Agreement Name VACUUM GLORIETA WEST UNIT
1. Type of Well: OIL GAS WELL OTHER	HINS
2. Name of Operator TEXACO EXPLORATION & PRODUCTION INC.	8. Well No. 71
3. Address of Operator P.O. BOX 730, HOBBS, NM 88240	9. Pool Name or Wildcat
4. Well Location	VACUUM GLORIETA
Unit Letter <u>H</u> : <u>2180</u> Feet From The <u>NORTH</u> Line and <u>660</u> Feet From The <u>EAST</u> Line	
Section 35 Township 17S Range 34E NM	PMLEA_ COUNTY
10. Elevation (Show whether DF, RKB, RT,GR, etc.) 4019' KB	
Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK	□ ALTERING CASING     □
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPER	RATION PLUG AND ABANDONMENT
PULL OR ALTER CASING CASING TEST AND CEMENT	ГЈОВ 🔲
LI VIHEK:	
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.	
5/18/94 - 5/23/94	
<ol> <li>MIRU, TOH W/ RODS, PMP, &amp; TBG. SPTD 400 GALS AMMONIUM BICARBONATE ACROSS PERFS FROM 5851'-6128'.</li> <li>SET PKR @ 5486', SQZD AMMONIUM BICARBONATE INTO FORMATION. SION.</li> </ol>	
<ol> <li>TIH W/ TREATING PKR AND SET @ 5489', LOADED AND TSTD BS TO 300#, HELD OK. ACIDIZED PERFS FROM 5851'-6128'</li> <li>W/ 6250 GALS 15% NEFE HCL. MAX P = 2100#, AIR = 4.7 BPM. SI 1 HR &amp; SWABBED BACK.</li> </ol>	
3. SCALE SQZD W/ 2 DRUMS TH-793 IN 10 BFW, OVERFLUSHED W/ 230 BFW. SION.	
4. TOH W/ PKR. TIH W/ RODS, PMP, & TBG. RETURNED WELL TO PRODUCTION.	
OPT 6-26-94 PUMPING BY ROD PUMP: 41 BOPD, 291 BWPD, 54 MCFD	
I hereby certify that the information above is true god-complete to the best of my knowledge and belief.	
SIGNATURE TITLE Engr Asst	DATE 8/30/94