

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Division
P.O. Box 1980
Hobbs, NM 88241

FORM APPROVED
Budget Bureau No. 1004-0135
Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☐ Gas Well ☐ Other WIU

2. Name of Operator

DEVON ENERGY CORPORATION (NEVADA)

3. Address and Telephone No.

20 NORTH BROADWAY, SUITE 500, OKLAHOMA CITY, OKLAHOMA 73102 (405) 235-3611

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660' FNL & 1980' FWL, Unit C, Section 35-T19S-R34E, Lea Cnty, NM

5. Lease Designation and Serial No.

NM -NM052

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

891007465B

8. Well Name and No.

Mescalero Ridge 35 Unit #6

9. API Well No.

30-025-20693

10. Field and Pool, or Exploratory Area

Pearl (Queen)

11. County or Parish, State

Lea Cnty, New Mexico

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other changed packer
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

07-02-98 RU. NU BOP. TOH with Baker Lok-Set packer. PU and ran Baker inverted Lok-Set packer on 139 jts 2 3/8" 4.6# J-55 8rd IPC tubing. Set packer at 4433'. Press tested annulus to 500 psi, held OK. See attached copy of chart. Returned to injection at 1730 hrs. RD pulling unit.

07-24-98 RU. POH with 1 jt of tubing. Reset packer at 4402'. Returned to injection.

ACCEPTED FOR RECORD

AUG 05 1998

BLM

(ORIG. SGT.) GARY GOURLEY

14. I hereby certify that the foregoing is true and correct

Signed Candace R. Graham

Candace R. Graham

Title Engineering Technician

Date July 31, 1998

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____

Date _____

AWW

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representation to any matter within its jurisdiction.

*See Instruction on Reverse Side

JCS

2017-2018
Received
Hobbs
OCD

RECEIVED
FEB 21 2018

RECEIVED
FEB 21 2018

RECEIVED

MONDAY

TUESDAY

THURSDAY

SATURDAY

SUNDAY

30 mi.
500 ft.

21-98
DEUON

MESC Ridge Corp
3000 3000 3000

SEATTLE, WASHINGTON
JANUARY 1950



Received
Hobby
OCB

13418 1-1-11

1-1-11