

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> WIW	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR Hondo Oil & Gas Company	8. FARM OR LEASE NAME Mescalero Ridge Unit 35
3. ADDRESS OF OPERATOR P. O. Box 2208, Roswell, NM 88202	9. WELL NO. 8
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1980' FSL & 1980' FWL	10. FIELD AND POOL, OR WILDCAT Pearl Queen
14. PERMIT NO.	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 35-T19S-R34E
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3705' GR	12. COUNTY OR PARISH Lea
	13. STATE NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <u>Ran integrity test</u> <input checked="" type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

4/01/89 Ran 1.78" profile plug and set it in top of packer.

4/04/89 Got off 5 1/2" Baker Lok-Set packer @ 4433' with on/off tool. Tripped out of hole with 141 jts. 2 3/8" tubing. Found hole in 138th jt. Ran back in hole with 141 jts. 2 3/8" tubing.

4/05/89 Tested tubing in hole to 4000 psi above slips. Circulated 150 bbls. packer fluid. Stung on packer. Pressured annulus to 400# for 30 min. - held okay. Retrieved 1.78" plug. Put well back on injection.

RECEIVED
MAY 17 12 12 PM '89
CARLSBAD, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED E. A. Balthus Jr.

TITLE Petroleum Engineer

DATE 5/9/89

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

*See Instructions on Reverse Side

RECEIVED

JUN 2 1989

OCD
HOBBS OFFICE

