INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copic to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directions.

All attachments the first firs

Hem 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions. should be listed on this form, see item 35.

Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Hems 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Hem 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Hem 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

2, 70, 45) 0.00° (2.22 7.4.2 0.00° (2.22) 0.00° (2.2

									o I u	æ		7.	Ko:			. 37. SUI
acialyko teh 11 marilyo 1800 - 181	1 5 5 7 19 2 7	. a er: 8¶	: 15 : 15 :	.		3.	.;::54. .;::54.	: 44	er Utb	137	<i>t.</i> -	*		-	FORMATION	SUMMARY OF P SHOW ALL IM DEPTH INTERN
		-														POROUS
5774.52 F1077 678	-	<u>801.77</u> 175	1 71			500 500 500 200		4.11 	: د بالد: د بالد:		er Cor Cor Cor Cor Cor Cor Cor Cor Cor Co			- !	TOP .	MAARY OF POROUS ZONES: SHOW ALL MECHANT ZONES OF POROSITY AND CONTENTS THEREOF; DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING
i joga					nta:	. /1						0.50	. 64-2			POROS N USI
		_*^			1,11:			-			12 12), 1				BOTTOM	ED, TIME TO
												:				NTENT
upervetos nuceure		·	6.5.4		:: <u>/:</u>	.)						. :				EN, FLOW
rolling (-	
176 - JAN	, <u>, , , , , , , , , , , , , , , , , , </u>	<u> </u>	[**: <u>4</u>]*	11 131	.00	! :30										SHU'
				-					***						DESCR	TERVA T-IN F
9-5/3" - <u></u>	3					61						į	\- <u>\</u>	/7:	DESCRIPTION, CONTENTS,	CORED INTERVALS; AND ALL DRILL-STEM TEST
3-3/8"		`\$ 		- ·	3	<u>.</u> [7]	- 	 i. (r)				18	. ×	∖ું. જ	r, con	ND AI
						. ¥ ¥.	(1) <u>0</u>	11.	(,0	71)	(F	g <mark>ia s</mark>	17 11	1 41	TENT	AND H
A COMMAND A	ការ ។ ការខ្សាល់		1.0												, ETC.	ECOVI
bry Hole																EM I
on the oferna	a)'_o	.*;\ ' \ \ \	co en	194);	-101	L 195	1:		×.v.	f .: .	(31)	. . 4	te q		ESTS,
re mrof vi le 398 (brille	r's "	0)0 ' ≅ '	n and mm ^e fe	J GE 1 Bio	} { •*	sit. Se	وه و الانها:	¥.	‡ ¥³	Ch	isee Gali	ا ي د د د			-	INCLUDING
-14-63	3-5	មិនន	√ t	. !		١.		- ()	, * \	(1)	1.2	• 7	' () <u>"</u> '	9)		DING
	П	SS	T												-	3 3
e glassic Gamaja	Woo	pia	Bend	Strawn	Can	Penn.	Wol	Dean	Bone	Del	San Andres	Queen	Yates	٠.		
द्धार १६७५ हुन् _य ्	Woodford	pian-Chester	Bend Morrow	B WI	Canyon	n. (Wolfcamp	3	e S	awa:	And	en	S		N A N	
ewin 660		nes		-		Cisco			Spring	ræ	re		_		71	Q
3ex 2100, 1		ter				ဝ			ğ	Delaware Mtn.	101					EOLO
2012 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-					1								K	-	GEOLOGIC MARKERS
oth ok opervaci	14490	13560	12430	12750	11888	174	10722	10555	7795	6270	5340	4403	3182	MEAS. DEPTH		MARI
A SERVICE	٥١٥١٥		50	0	0	5	2	5	5	0.7	0	3	2	EPTH	TOP	ERS
	++	-+	+	+	[<u> </u>	 			 	 	1	1	TRU	 ₹	
														=	1	
														TRUE VER C. DEPTH		

156. 156. 156. 1547.

-12

_1

3