KECUKU UF UKILL-SIEM AND SPECIAL IESIS

IF DRILL-STEM OR OTHER SPECIAL TESTS OR DEVIATION SURVEYS WERE MADE, SUBMIT REPORT ON SEPARATE SHEET AND ATTACH HERETO

OIL WE	LL. THE	PRODUCT	•	THE FIRST	HOURS	WAS	70		OF LIQUID OF		
							-	% WATE	R; AND	-	_% WA
		•	P.I. GRAVITY_	,			•		,	• .	
AS W	ELL: THE	PRODUCT	ION DURING	THE FIRST	7 24 HOURS	WAS		·	_M.C.F. PLUS_	-	
		-	IQUID HYDRO					LBS.	•		
			N							• .	
LEAS	E INDIC	CATE BE	LOW FORM	NATION 1	TOPS (In C	Conform	ance W		graphical Se		
ANH			SOUTHEASTER			` \		N T. (ORTHWESTERN DJO ALAMO_	1 NEM WE	XICO
. AFLE		ustler	1515	_்∫T. SILI	URIAN:			T. P	KIRTLAND-FRUI	TLAND	
VATE	S	ansill :	2000						FARMINGTON_		
	VERS		2011	1. SIN	APSON Kee				PICTURED CLIF		
QUE	EN		2/04	•	ENBURGER_				POINT LOOKO		
	YBURG_							T. A	MANCOS		
. SAN . GLOI		5			ANITE				DAKOTA		
		Paddock	6096	T	·····			T. F	MORRISON PENN		
TURR	e			-				T			
400	·										
ABO.			· · · · · · · · · · · · · · · · · · ·	T		······································		T			
. ABO. PENN	1			_ T _ T		·		T			
. ABO. . PENN . MISS.	1		· · · · · · · · · · · · · · · · · · ·	T _ T _ T				T			
. ABO. PENN	1			T _ T _ T			ORD	THICKNESS			
ABO. PENN MISS. FROM	то	THICKNESS IN FEET		T T T FO		N REC		T			
PENN MISS	10 1562	THICKNESS IN FEET	Red Bed	T T T FOI		N REC	ORD	THICKNESS			
ABO. PENN. MISS. FROM 0 662	1562 3499 6210	THICKNESS IN FEET		T T T FOI		N REC	ORD	THICKNESS			
ABO. PENN. MISS. FROM 0 662	1562 3499	THICKNESS IN FEET	Red Bed Anhydrite	T T T FOI		N REC	ORD	THICKNESS			
ABO. PENN MISS. FROM	1562 3499 6210	THICKNESS IN FEET	Red Bed Anhydrite	T T T FOI		N REC	ORD	THICKNESS			
ABO. PENN. MISS. FROM 0 662	1562 3499 6210	THICKNESS IN FEET	Red Bed Anhydrite	T T T FOI		N REC	ORD	THICKNESS			
ABO. PENN. MISS. FROM 0 662	1562 3499 6210	THICKNESS IN FEET	Red Bed Anhydrite	T T T FOI		N REC	ORD	THICKNESS			
ABO. PENN. MISS. FROM 0 662	1562 3499 6210	THICKNESS IN FEET	Red Bed Anhydrite	T T T FOI		N REC	ORD	THICKNESS			
ABO. PENN. MISS. FROM 0 662	1562 3499 6210	THICKNESS IN FEET	Red Bed Anhydrite	T T T FOI		N REC	ORD	THICKNESS			
ABO. PENN. MISS. FROM 0 662	1562 3499 6210	THICKNESS IN FEET	Red Bed Anhydrite	T T T FOI		N REC	ORD	THICKNESS			
ABO. PENN. MISS. FROM 0 662	1562 3499 6210	THICKNESS IN FEET	Red Bed Anhydrite	T T T FOI		N REC	ORD	THICKNESS			
ABO. PENN. MISS. FROM 0 662	1562 3499 6210	THICKNESS IN FEET	Red Bed Anhydrite	T T T FOI		N REC	ORD	THICKNESS			
ABO. PENN. MISS. FROM 0 662	1562 3499 6210	THICKNESS IN FEET	Red Bed Anhydrite	T T T FOI		N REC	ORD	THICKNESS			
ABO. PENN. MISS. FROM 0 662	1562 3499 6210	THICKNESS IN FEET	Red Bed Anhydrite	T T T FOI		N REC	ORD	THICKNESS			
ABO. PENN MISS. FROM	1562 3499 6210	THICKNESS IN FEET	Red Bed Anhydrite	T T T FOI		N REC	ORD	THICKNESS			
ABO. PENN. MISS. FROM 0 662	1562 3499 6210	THICKNESS IN FEET	Red Bed Anhydrite	T T T FOI		N REC	ORD	THICKNESS			
ABO. PENN. MISS. FROM 0 62	1562 3499 6210	THICKNESS IN FEET	Red Bed Anhydrite	T T T FOI		N REC	ORD	THICKNESS			
PENN MISS. FROM	1562 3499 6210	THICKNESS IN FEET	Red Bed Anhydrits Lime	TTFO		N REC	ORD	T T THICKNESS IN PEET			