

COUNTY LEA FIELD Double A, South STATE NM OWWO
 OPR LONE STAR PRODUCING CO. MAP
 1 Gulf-State
 Sec. 20, T-17-S, R-36-E CO-ORD
 330' FSL, 330' FWL of Sec.

Re-Cmp 4-11-68		CLASS OWD F E	
CSG & SX - TUBING		FORMATION	DATUM
10 3/4" 395' 325			
7 5/8" 3600' 1112			
4 1/2" 9293' 200			
LOGS EL GR RA IND HC A			
		TD 9322', PED 9258'	

Abo Perfs 8705-9178' - NO NEW POTENTIAL

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 9083' TYPE WO

5-13-68 F.R.C. 5-16-68; OWWO
 PD 9083' - Abo
 (Orig. Cmp 5-25-64 thru Abo Perfs 9171-78',
 OTD 9322', OPB 9258')
 Elev. 3882' DF, Orig.
 TD 9322', PRD 9258', COMPLETE
 Perf @ 8705', 8710', 8714', 8747', 8750',
 8753', 8822', 8824', 8948', 8950', 9080',
 9083' W/1 SPI
 Acid (8705-9083') 4500 gals.

COUNTY	LEA	FIELD Double A. South-Abo STATE N.M.			
OPR	LONE STAR PRODUCING COMPANY				MAP
1 Gulf-State					
Sec. 20, T-17-S, R-36-E				CO-ORD	
330' fr S & W Lines of Sec.					
Spud 3-28-64		CLASS EL 3822'			
Comp 5-25-64		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING		LOG:			
10 3/4"	395'	325	Anhy	1920	
7 5/8"	3600'	1112	R/Salt	3097	
4 1/2"	9293'	200	Yates	3224	
			7-R	3423	
			Queen	4180	
			Gryb	4498	
LOGS EL GR RA IND HC A		TD 9322', PBD 9258'			

IP Abo Perfs 9171-78' Flwd 123 BOPD. Pot. Based on 24 hr test thru 24/64" chk., TP 0-50#, GOR 585.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Lowe Drlg. Co. PROP DEPTH 9300' TYPE RT
DATE

F.R. 4-2-64
PD 9300' - Abo
Contractor - Lowe Drlg. Co.
4-6-64 Drlg. 4519' anhy.
4-13-64 Drlg. 6175' lm. & ch.
4-20-64 Drlg. 7439' lm. & sd.
4-27-64 Drlg. 8095' lm. & ch.
5-4-64 Drlg. 8744' lm.
5-11-64 Drlg. 9025' lm.
5-19-64 Coring @ 9257'.
DST 9075-9225', open 45 mins,
GTS in 11 mins @ Est. 100 MCFGPD
Rec 6.73 Bbls MCO + 2.76 Bbls Clean oil (gravity
34.), no wtr.
45 min ISIP 3478#, FP 237-540#,
51 min FSIP 3392#.
Cored 9235-45', rec 10' being: 1/2' lm; 9 1/2' dolo.,
frac., odor & fluor.

5-19-64 -cont.-

DST 9225-45', open 1 hr 20 mins,
GTS in 32 mins, Rec 180' SO&HGCM,
1 hr 15 min ISIP 3277#, FP 28-68#,
2 hr FSIP 2750#.

5-25-64 TD 9322', PBD 9293', prep to Ac.
Cored 9245-71', rec 26' silty, shly dolo.,
w/NS.
Cored 9271-9322', rec 51' very silty dolo.,
(11' streaked w/fluor.)
DST 9245-9322', open 1 hr 15 mins,
Rec 10' DM, NS,
45 min ISIP 72#, FP 57-63#,
1½ hr FSIP 63#.
Perf 9171-78' W/1 SPF

6-1-64 TD 9322', PBD 9293', COMPLETED.
Ac. 1000 gals. 9171-78'.

LOG TOPS: San Andres 4966', Glorieta
6632', Clearfork 6926', Bone Spring 7362',
Abo 9168'.

6-2-64 TD 9322', PBD 9258' (Corr.), Completion Reported.