

CLASS		ST.	
FORMATION	DATUM	FORMATION	DATUM
10-12-72	11-1-72		
13 3/8" at 326' w/150 ss			
9 5/8" at 3250' w/400 ss			
6 1/2" at 10,359'			
3 7/8" at 6128'			

(1990-1993) Period: 1896-1963' and NEW POTENTIAL

OPRS ELIV 6018 05 PD 50101 TYPE WO

COMPLETION REPORTED

COUNTY		LEA	FIELD		Vacuum	STATE		NM	MN 20780
OPR		PHILLIPS PET. CO.				MAP			
		8 Hale, M. E.							
		Sec 35, T-17-S, R-34-E				COORD			
		650' FSL, 560' FEL of Sec							
		Re-Spd 6-30-71				CLASS		OWDF E	
		Re-Cmp 7-5-71							
		FORMATION		DATUM		FORMATION		DATUM	
TUBING									
13 3/8" at 320' w/350 sx									
9 5/8" at 3250' w/400 sx									
4 1/2" at 10,359'									
2 7/8" at 6428' w/2298 sx									
LOGS EL GR RA IND HC A									
		TD 10,400'		PBD 6040'					

(Glorieta) Perfs 5896-5964' NO NEW POTENTIAL.

Distribution limited and publication prohibited by subscribers agreement.
Reproduction rights reserved by Williams & Lee Logging Service, Inc.

CONT.	PROP. DEPTH	5964'	TYPE	WO
DATE				

7-19-71 F.R.C. 7-22-71; Opr's Elev 4018' Dr
PD 5964' WO (Glorieta)
(Orig. comp 4-13-64 thru (Glorieta) Perfs
6068-78' & (Wolfcamp) Perfs 9546-9604',
OTD 10,400', OPB 9752')
TD 10,400'; PBD 6040'; COMPLETE
PB to 6040' (4 1/2" String) (Abandoned Wolfcamp)
PB to 5010' (2 7/8" String)
Perf (Glorieta) (4 1/2" String) 5896-5902',
5916-22', 5925-32', 5954-64' w/2 BPF
Acid (5896-5964') 500 gals (28%)
Swbd load (5896-5964')
Acid (5896-5964') 2000 gals (23%)
7-22-71 COMPLETION REPORTED

COUNTY	LEA	FIELD	Vacuum-Glorieta & /	STATE	N.M.
OPR	PHILLIPS PETROLEUM COMPANY		/Wolfcamp	MAP	
	8 Hale, M. E.				
	Sec. 35, T-17-S, R-34-E			CO-ORD	
	650' fr S Line & 560' fr E Line of Sec.				
	Spud 1-27-64; Comp 4-18-64 (Glor);	CLASS		EL	46128
	4-13-64 (Wolfc)	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING		LOG:			
13 3/8" 320' 350		Anhy 1500			
9 5/8" 3250' 400		Yates 2820			
4 1/2" 10359' 2298		Queen 3710			
2 7/8" 6428')		Grb 3895			
		SA 4280			
LOGS EL GR RA IND HC A		Glor 5873			
		TD 10400', PBD 9752'			

IP Glorieta Perfs 6068-78' Pmpd 60 BOPD + 72 BW. Pot. Based on 24 hr test, gravity 36.9, GOR 791.

IP Wolfcamp perfs 9546-9604' Flwd 86 BOPD + 9 BW. Pot. Based on 24 hr test thru 1/4" chk., TP 50-150#, gravity 38.8, GOR 1748.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Co. Tools	PROP DEPTH	10,400'	TYPE
DATE			

F.R. 1-30-64
PD 10,400' - Pennsylvanian
Contractor - Co. Tools

2-3-64 Drlg. 3735'.
2-10-64 Drlg. 5400'.
2-17-64 Drlg. 6920'.
2-24-64 Drlg. 8056'.
3-2-64 Drlg. 9079'.
3-9-64 Drlg. 9995'.
3-17-64 TD 10400', prep to perf Wolfcamp.
3-23-64 TD 10,400', PB 9993', prep to test.
Perf (Wolfcamp) 10034-044' W/2 SPF
Swbd dry.
Ac. 500 gals.
Swbd 39 BLW + 12 BAW, w/tr. oil in 5 hrs.
Re-Ac. 3000 gals.
Swbd 2 BL&AW in 2 hrs.
Perf 9932-37', 9940-45' W/2 SPF
Set BP @ 9995', & capped w/cmt.

3-30-64 TD 10400', PBD 9993', swbg.
Ac. 500 gals (9932-45')
Swbd 7 BLO, 12 BAW & 36 BNO in 10 hrs.
Re-Ac. 3000 gals (9932-45')
Swbd 12 BO in 3 hrs & swbd dry.
Re-Ac. 8000 gals. (9932-45')
Swbd 40 BAW + 56 BO in 12 hrs.
4-6-64 TD 10400', PBD 9993', prep to re-Ac.
Swbd 8 BO + 10 BAW/2 hrs (9932-45')
Perf 9546-50', 9594-9604', 9864-72' W/2 SPF
Set BP @ 9910'
Ac. 1000 gals (9546-9872')
Swbd 9 BO + 8 B Salt Wtr in 2 hrs (9546-9872')
Re-Set BP @ 9752'
Re-Ac. 1000 gals (9546-9604')
Swbd 38 BO + 18 BAW/10 hrs (9546-9604')

4-13-64 TD 10400', PB 9752', swbg.
Re-Ac. 3500 gals (9546-9604')
Flwd 52 BO + 20 BAW/12 hrs thru 24/64" chk.,
TP 50-150#, GOR 621.
Perf (Glorieta) 6099-6109' W/2 SPF
Ac. 1000 gals (6099-6109')
Swbd 12 BLO, 6 BAW, 15 BNO & 72 B Salt Wtr
in 11 hrs (6099-6109')
Set retainer @ 6085' & squeezed perfs 6099-
6109' W/50 sx.
Perf (Glorieta) 6068-78' W/2 SPF
Swbd dry
Ac. 500 gals (6068-78')
Swbd 32 BLO, 12 BAW, 12 BNO & 12 B Salt Wtr/10
hrs (6068-78')
4-20-64 TD 10400', PBD 9752', COMPLETED.
LOG TOPS: Blinbry 6470', Tubb 7360', Abo 7894',
Wolfcamp 9331', Pennsylvanian 10138'.