

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

NUMBER OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL
	GAS
PERFORATION OFFICE	
OPERATOR	

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE If State Land submit 6 Copies

Phillips Petroleum Company

M. E. Hale

(Company or Operator)

(Lease)

AREA 640 ACRES
LOCATE WELL CORRECTLYWell No. 9, in NW $\frac{1}{4}$ of SE $\frac{1}{4}$, of Sec. 35, T. 17S, R. 34E, NMPM.

Undesignated

Pool,

Lea

County.

Well is 1785 feet from east line and 1980 feet from south lineof Section 35. If State Land the Oil and Gas Lease No. is B-2317Drilling Commenced 3-16-64, 19..... Drilling was Completed 4-27-64, 19.....Name of Drilling Contractor Phillips Petroleum Company Rig No. 18Address Bartlesville, OklahomaElevation above sea level at Top of Tubing Head 4013' GL

The information given is to be kept confidential until

OIL SANDS OR ZONES

No. 1, from 5864 to 6004

No. 2, from..... to.....

No. 3, from..... to.....

No. 4, from..... to.....

No. 5, from..... to.....

No. 6, from..... to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from..... to..... feet.

No. 2, from..... to..... feet.

No. 3, from..... to..... feet.

No. 4, from..... to..... feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13-3/8"	48	New	307'	Guib.			Surface
9-5/8"	32.3	New	3386'	Guib.			Intermediate
7"	20-23-26.3	New	10474'	Hallib.		5982-5989'	Production
						5994-6004'	

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17-1/2"	13-3/8"	323'	350	Pump-plug		
12-1/4"	9-5/8"	3400'	400	"		
8-3/4"	7"	10497'	1090	"		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Acidized with 1000 gallons 15% regular acid

Result of Production Stimulation Flowed 24 hours, 164 barrels oil, 28 barrels water

Depth Cleaned Out.....

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from surface feet to 10500' TD feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing June 10, 1964

OIL WELL: The production during the first 24 hours was 192 barrels of liquid of which 85.4% was oil; % was emulsion; 14.6% water; and % was sediment. A.P.I. Gravity 37.0

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy. Rustler	1145'		T. Devonian		T. Ojo Alamo
T. Salt			T. Silurian		T. Kirtland-Fruitland
B. Salt			T. Montoya		T. Farmington
T. Yates	2705'		T. Simpson		T. Pictured Cliffs
T. 7 Rivers			T. McKee		T. Menefee
T. Queen	3725		T. Ellenburger		T. Point Lookout
T. Grayburg	4015		T. Gr. Wash.		T. Mancos
T. San Andres	4260		T. Granite		T. Dakota
T. Glorieta	5864		T.		T. Morrison
T. Drinkard			T. Blinberry	6662	T. Penn.
T. Tubbs	7306		T.		T.
T. Abo	7932		T. Wolfcamp	9328	T.
T. Penn.			T.		T.
T. Miss.			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	2740	2740	Redbed, anhydrite				
2740	3400	660	Anhydrite, salt				
3400	4055	655	Anhydrite				
4055	9683	5628	Dolomite				
9683	10386	703	Dolomite, chert, sand				
10386	10500	114	Dolomite				
	TD						

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator Phillips Petroleum Company Address Box 2130 - Hobbs, New Mexico
Name Position or Title Office Manager
June 12, 1964 (Date)