

Santa Fe, New Mexico

NUMBER OF COPIES RECEIVED			
DISTRIBUTION			
SANTA FE			
FILE			
U.S.G.S.			
LAND OFFICE			
TRANSPORTER	OIL GAS		
PRORATION OFFICE			
OPERATOR			

WELL RECORD

FBI
REC'D.
JUN 27 1964

*
FBI

Sinclair Oil Corporation Merged
into Atlantic Richfield Company
effective March 4, 1969

Sinclair Oil & Gas Company

State B 1576

AREA 640 ACRES

AREA 640 ACRES
LOCATE WELL CORRECTLY

Well No. 7, in NW $\frac{1}{4}$ of SW $\frac{1}{4}$, of Sec. 32, T. 17S, R. 35E, NMPM.

.....
 2310' Pool, 660'
 South West

Well is.....feet from.....line and.....feet from.....line
of Section..... If State Land the Oil and Gas Lease No. is.....

Drilling Commenced.....**8-14**....., 19**64** Drilling was Completed.....**8-27**....., 19**64**

Name of Drilling Contractor..... **Gaskle Drilling Company, Inc.**

Address.....427 Ft. Worth National Bank Bldg., Ft Worth, Texas

Elevation above sea level at Top of Tubing Head.....3969'..... The information given is to be kept confidential until
..... 19.....

OIL SANDS OR ZONES

No. 1, from 6035' to 6187' No. 4, from _____ to _____

No. 2, from to No. 5, from to

No. 3, from.....to..... No. 6, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from.....to.....feet.

No. 4. from.....to.....feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	24#	New	1350'				Surface Casing
4-1/2"	10.5#	New	680'			6044'-6080'	Production Casing
4-1/2"	9.5#	New	5520'				Production Casing
2-3/8"	4.7#	Used	6067'				Tubing

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	8-5/8"	1550'	700	Halliburton		
7-7/8"	4-1/2"	6280'	1460	Halliburton		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Mud Acid Wash 6044'-48' and 6060'-80' w/500 Gals. acid.

ult of Production Stimulation..... On 8 hr. potential test ending 6:00AM 8-30-64 flowed Paddock 73
ls. 40.2 Gvty oil on 16/64" choke Tubing Press. 225#. GOR 1305/1 for calculated 24 hr.
potential of 219 BOPD.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 6200' feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing August 29, 1964.

OIL WELL: The production during the first 24 hours was 219 barrels of liquid of which 100 % was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity 40.2

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy		T. Devonian	T. Ojo Alamo
T. Salt		T. Silurian	T. Kirtland-Fruitland
B. Salt		T. Montoya	T. Farmington
T. Yates	2777	T. Simpson	T. Pictured Cliffs
T. 7 Rivers		T. McKee	T. Menefee
T. Queen	3668	T. Ellenburger	T. Point Lookout
T. Grayburg		T. Gr. Wash	T. Mancos
T. San Andres		T. Granite	T. Dakota
T. Glorieta	5927	T. Padonok	T. Morrison
T. Drinkard		T.	T. Penn
T. Tubbs		T.	T.
T. Abo		T.	T.
T. Penn		T.	T.
T. Miss		T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1008	1008	Red Bed				
1008	1471	463	Red Bed & Anhydrite				
1471	1550	79	Anhydrite				
1550	2765	1215	Anhydrite & Salt				
2765	3421	656	Anhydrite & Gyp				
3421	3841	420	Anhydrite & Gyp				
3841	3714	127	Anhydrite & Lime				
3714	4188	414	Anhydrite & Lime				
4188	6200	2012	Lime				
		6200	Total Depth				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

September 9, 1964
Company or Operator Sinclair Oil & Gas Company Address Box 1920, Hobbs, New Mexico
Name District Superintendent
Orig & 3cc: CCC; cc: RFS; cc: file Position