

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-20895
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name C. S. CAYLOR, SR. ESTATE
8. Well No. 7
9. Pool name or Wildcat LOVINGTON ABO
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3812' GR

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER
2. Name of Operator ORYX ENERGY COMPANY
3. Address of Operator P.O. BOX 2880, DALLAS, TX 75221-2880
4. Well Location Unit Letter E : 1650 Feet From The NORTH Line and 330 Feet From The WEST Line Section 6 Township 17S Range 37E NMPM LEA
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3812' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

MIRU/UNLOAD WORKSTRING/TIH W/HYDROST. BAILER ON 2 3/8" N-80/ TAG PBTD AT 8432' / NO FILL/ POH

WEDGE WL PERF ABO 8233'-44'; 8250'-65'; 8317'-19'; 8325'-34'; & 8344'-8404'  
W 3 1/8" HSC CSG GUN & 2 JSPF & 8404'-32' W 2 1/8" GUN AND 4 JSPF

TIH W 4 1/2" RDG PKR & SN ON 2 3/8 TBG/ SET PKR AT 8163' / LOAD AND PRESS ANNULUS TO 500 PSI /  
ACIDIZE ABO PERFS 8212-8432' W/ 4500 GALS 15% NEFEHCL ACID IN 3 STAGES / FLUSHED TO PERFS W/  
36 BBLs 2% KCL WTR/ SWAB 5 HRS / REC 0 BO, 101 BLAW

bled to 0 PSI IN 2 MIN / SWAB 9 HRS/ REC 1 BO, 128 BLAW, 32 BW

bled to 0 PSI IN 5 MIN/ SWAB 5 HRS/ REC 2 BO, 70 BW, FL 3900' TO 5400'/ REL PKR/ POH LD 2 3/8"  
TBG/ ND BOP/ NU WELLHEAD/ WO UNSUCCESSFUL

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Peggy Snyder TITLE PRORATION ANALYST DATE 4-6-93  
TYPE OR PRINT NAME PEGGY SNYDER TELEPHONE NO. 214-715-3233

(This space for State Use)  
Orig. Signed by  
Paul Kautz  
Geologist

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

APR 08 1993