

COUNTY LEA FIELD Vacuum OWWO
 OPR TEXACO INC. STATE NM MN 20946
24 New Mexico "O" State NCT-1 MAP
Sec 36, T-17-S, R-34-E
860' FSL, 660' FEL of Sec CO-ORD

Re-Cmp 8-1-72		CLASS		EL	
FORMATION	DATUM	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
13 3/8" at 1534' w/1200 sx					
9 5/8" at 4418' w/1700 sx					
2 7/8" at 10,300,					
2 7/8" at 10,289', w/2400 sx					
2 7/8" at 10,294'					
LOGS EL GR RA IND HC A					

TD 10,300'; PBD 10,289'
 (Glorieta) Perfs 5942-6102' NO NEW POTENTIAL
 (Abo) Perfs 9133-9263' NO CHANGE
 (Wolfcamp) Perfs 10,042-062' NO CHANGE

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 6102' TYPE WO

8-14-72 F.R.C. 8-19-72; Opr's Elev. 3994' DF
 PD 6102' WO (Glorieta)
 (Orig. Triple comp 7-4-64 thru (Glorieta) Perfs
 5942-54', (Abo) Perfs 9133-9263', (Wolfcamp) Perfs
 10,042-062', OTD 10,300', OPB 10,289')
 TD 10,300'; PBD 10,289'; COMPLETE
 Perf (Glorieta) 5969', 5972'-74', 5978-80',
 5984-96', 6010-16', 6022-28', 6040-48', 6056-62',
 6070', 6081-86', 6096-98', 6100', 6102' w/1 SPF
 Acid (5942-6102') 4000 gals (15% NE)
 Ppd 43 BO + 8 BW in 24 hrs, GOR 1750; Grav 39
 (5942-6102')
 8-19-72 COMPLETION REPORTED

COUNTY LEA FIELD Vacuum STATE N.M.

OPR TEXACO INC. MAP

24 State of New Mexico "O" (NCT-1)

Sec. 36, T-17-S, R-34-E CO-ORD

860' fr S Line & 660' fr E Line of Sec.

Spud 3-23-64; Comp 7-4-64 (G1); CLASS

7-3-64 (A); 6-25-64 (W) EL 34942

CSG & SX - TUBING	LOG	FORMATION	DATUM	FORMATION	DATUM
13 3/8" 1534' 1200	Glor	5867			
9 5/8" 4418' 1700	Bli	6480			
2 7/8" 10300')	Tubb	7323			
2 7/8" 10289') 2400	Abo	7938			
2 7/8" 10294')	Wolf	9353			
LOGS EL GR RA IND HC A	Penn	10183			
	TD	10300', PBD 10289'			

IP Glorieta Perfs 5942-54' Flwd 658 BOPD. Pot. Based on 9 hr test of 247 BO thru 30/64" chk., Grav. 38.6, GOR 100.

IP Abo Perfs 9133-9263' Swbd 94 BOPD. Pot. Based on 24 hr test. gravity 39.6, GOR 950.

IP Wolfcamp Perfs 10042-062' Swbd 89 BOPD + 22 BW. Pot. Based on 24 hr test. gravity 40.1, GOR 1110.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 10,300' TYPE

F.R. 3-19-64

PD 10,300' - Abo, Wolfcamp & Pennsylvanian

3-30-64 Drlg. 3281'.

4-6-64 TD 4800', WOC.

4-13-64 Drlg. 6915' 1m.

4-20-64 Drlg. 7900'.

4-27-64 Drlg. 9374'

5-4-64 TD 10300', running casing.

5-11-64 TD 10300', PBD 10289', drilling out cement

5-18-64 TD 10300', PBD 10289', swbg.

Perf (Pennsylvanian) 10206-212' W/1 SPF

Ac. 500 gals.

Swbd 111 BLW/33 hrs.

5-25-64 TD 10300', PBD 10289', swbg.

Re-Ac. 500 gals. 10206-212'. Swbd dry.

Re-Perf (Penn.) 10206-212' W/3 SPF

Re-Ac. 500 gals.

Swbd 10 BLO, 10 ELW & 26 BNO/13 hrs.

Re-Ac. 1500 gals.

LEA
TEXACO INC.

Vacuum

N.M.

Sec. 36, T-17-S, R-34-E
#24 State of New Mexico "O" (NCT-1)

Page #2

6-1-64 TD 10,300', PB 10,289', tstg.
Penn. swbd. 14 BNO + 14 BFW/13 hrs.
Perf. W.C. @ 10042', 10051', 10054', 10057',
10062' w/1 SPI.
Att. to Ac. would not take.
Re-Perf. @ 10042', 10051', 10054', 10057',
10062' w/1 SPI.
Ac. 1000 gals., had communications.
Swbd. 140 BLW + 10 BNO + 8 BFW/22 hrs.

6-8-64 TD 10,300', PB 10,289', swbg.
Sq. Perfs. 10206-212' w/25 sxs.
Drld. out to 10062'.
Re-Perf. 10042', 10054', 10057', 10062',
w/1 SPF.
Ac. 500 gals.

6-15-64 Swbd. 238 BNO + 42 BLW + 21 BFW/60 hrs.
TD 10,300', PB 10,289', swbg. Penn.
Re-Perf. (Penn) 10206-212' w/1 SPF.
Ac. 1200 gals.

6-22-64 Swbd. 125 BNO + 42 BL & AW + 12 BNW/16 hrs.
TD 10,300', PB 10,134', prep to swab.
Penn. Swbd. & flo 224 BO + 5 BW/24 hrs. TP 30#,
Had communications between Penn & W.C.
Sq. Perfs. 10206-212', w/15 sxs. DO 10134'.

6-29-64 TD 10,300', PB 10,134', swbg. Abo.
Re-Ac. 2000 gals. 10042-062', & Completed.
Perf. (Abo) @ 9133', 9139', 9143', 9150', 9197',
9206', 9235', 9239', 9263' w/1 SPI.
Ac. 3000 gals.
Swbd. 29 BNO + 60 BLW/12 hrs.

LEA Vacuum N.M. Sec. 36-17S-34E
TEXACO INC., #24 St. of N.M. "O" (NCT-1) Page #3

7-6-64 TD 10300', PBD 10134', COMPLETED.
Re-Ac. 4500 gals. 9133-9263'
Perf (Glorieta) 5942-43', 5948-49',
5953-54' W/2 SPF
Ac. 500 gals.