



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

JUN 2 2 57 PM '64
WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

TEXACO Inc.

State of New Mexico "Q"

(Company or Operator)

(Lease)

Well No. 7, in NW 1/4 of SE 1/4 of Sec. 25, T. 17-S, R. 34-E, NMPM.

Vacuum Upper Penn - Vacuum Wolfcamp Pool, Lea County.

Well is 1833 Vacuum Abo North South line and 1845 feet from East line

of Section 25. If State Land the Oil and Gas Lease No. is B-1056-1

Drilling Commenced March 27, 1964 Drilling was Completed May 10, 1964

Name of Drilling Contractor Johnn Drilling Company

Address P. O. Box 6157 - Odessa, Texas

Elevation above sea level at Top of Tubing Head 4008' (D. F.) The information given is to be kept confidential until September 1964

See attached sheet

OIL SANDS OR ZONES

No. 1, from to No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

Drilled with rotary tools and no water sands tested.

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13 3/8"	27.06	NEW	375'	Howco	None	None	Surface
9 5/8"	36.00	NEW	4786'	Howco	None	None	Intermediate
Penn 2 7/8"	6.50	NEW	10180'	Howco	None	see attached	Production
WC 2 7/8"	6.50	NEW	10182'	Howco	None	see attached	Production
A.N. 2 7/8"	6.50	NEW	10183'	Howco	None	see attached	Production

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17"	13 3/8"	390'	400	Howco		
12 1/2"	9 5/8"	4800'	1700	Howco		
8 5/8"	2 7/8"	10196'	1800	Howco		
8 5/8"	2 7/8"	10198'	1800	Howco		
8 5/8"	2 7/8"	10199'	1800	Howco		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

See attached sheet

Result of Production Stimulation See attached sheet.

Depth Cleaned Out 10,200'

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 10,200 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing May 16, 1964

OIL WELL: The production during the first 24 hours was 257 barrels of liquid of which 93 was oil; 2% was emulsion; 2% water; and 3% was sediment. A.P.I. Gravity 40.5

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy	1555'		T. Devonian		T. Ojo Alamo
T. Salt	1665'		T. Silurian		T. Kirtland-Fruitland
B. Salt	2710'		T. Montoya		T. Farmington
T. Yates	2850'		T. Simpson		T. Pictured Cliffs
T. 7 Rivers			T. McKee		T. Menefee
T. Queen	3705'		T. Ellenburger		T. Point Lookout
T. Grayburg			T. Gr. Wash		T. Mancos
T. San Andres	4215'		T. Granite		T. Dakota
T. Glorieta	5285'		T.		T. Morrison
T. Brinkley	6575'		T.		T. Penn
T. Tubbs	7205'		T.		
T. Abo	7927'		T.		
T. Permian	9285'		T.		
T. Permian	9287'		T.		

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	318	318	Caliche				
318	1240	922	Redbed				
1240	1559	319	Redbed & Anhy				
1559	3930	2371	Anhy				
3930	4477	547	Anhy & Dolomite				
4477	5199	722	Dolomite & Sand				
5199	6245	1046	Dolomite & Lime				
6245	7380	1135	Dolomite, Lime & Sand				
7380	8460	1080	Dolomite & Shale				
8460	9660	1200	Lime & Shale				
9660	9910	250	Lime, Shale & Sand				
9910	10200	290	Lime, Dolomite & Chert				
TD	10200						

All measurements from rotary table or 12' above ground level.

Estimate Number 8048

6 - 10,000
1 - State Land Office - Santa Fe
1 - Field
1 - File

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator: TENOCO Inc.
Name: H. D. Raymond
Address: P.O. Box 728 - Hobbs, New Mexico
Position or Title: Assistant District Superintendent
Date: June 2, 1964.