HUMBER OF COPIES RECEIVED				
DISTRIBUTION				
SANTA FE		T		
FILE				_
U 6 G.S.				
LAND UFFICE				
TRANSPORTER	OFL			
	GAS	1		
		<del></del>		

## CO OIL CONSERVATION COMM. JON Santa Fe, New Mexico

11 . J. O. C. NOTICE OF INTENTION TO DRILL

OFERAIOR									0.1
be retur instruct	ned to the	ns. If o sender iles and	changes in the parties of the Regulations of	rict Office of the Oil Co proposed plan are consi- otice in QUINTUPLICA the Commission. If St	dered advisable, : TE. One copy wi	a copy o	f this notice	showing s	uch changes will
	M	idlar	d, Texas			March	(Date)	64	
OIL CO	NSERVAT FE, NEW	TION C	(Place) OMMISSION	•			(Date)		
Gentlen			,,,						
		ereby no	otified that it is	our intention to comme	nce the Drilling o	f a wall	to he lenous		
	į	TEXAC				ı a well	to be known	as	
				(Company	or Operator)			·	
<u>Sta</u>	te of	New M	exico "CG"	NCT-2	, Well No	1	, in	<u> F</u>	The well is
located	2310		feet from the	North			1:	1750	
		We	st	line of Section	29 т	-17 <b>-</b> S		25 <b>- F</b>	leet from the
(GIVE	LOCATION	FROM	SECTION LIN	E) Vacuum Glori	eta p	ool	, , , ,	Tea	, NMPM.
	1			If State Land the Oil					
D	C	В	A	If patented land the o	and Gas Lease is	s No	עטען ני		
		_	'-	Address	wher is		<del> </del>		
				We propose to drill w	ell with drilling e	equipmen	ıt as follows	Rotar	v
E	(F)	G	н	<del> </del>					
				The status of pluggin	g bond is \$10,0	000 b	lanket s	urety	bond of
L	к	J		Maryland Casu					
ш	K	J	I	Drilling Contractor	Unknown at	pres	ent		
M.	N	0	P	We intend to complete	this wall in the	Glord	i et a	<del></del>	
			<u></u>	formation at an approx					
				CASING F	-		·		ieet.
We p	ropose to ı	ise the	following string	s of Casing and to ceme		ited:			
	e of Hole		Size of Casing	Weight per Foot	New or Second Har		Depth		Sacks Cement
									Jacks Comment
			SEE	ATTACHED SHEET	FOR CASING	PROG	RAM		
							1.4211		
				advisable we will notify			······································	<u>.</u>	
ADDI	TIONAL I	NFORM	ATION (If reco	mpletion give full detai	ls of proposed pla	n of wor	k.)		
			SEE	ATTACHED SHEET		m T ON	mona mir	`D. C.	
			<b>Q 4.12</b>	MITAOIED DIES.	L PON PONMA	TON	TOPS EX.	<b>LECLED</b>	<b>k</b>
			grand Contract					$-\frac{e}{2}$	en e
pprove	i		• Age	. 19	Sincerely your		, ··-	- or showing constraints	
xcept	s follows:		4		Sincerery your	э,			
The	ft i e	are		3 9 eye	/———	TEX	AGO, INC	<del>}</del>	·
		5 x			Ву			zu_	
	11	77		 		<i>t</i> /₀ J.	Velten		
. <del></del>		,			•		n Civil		
OIL CONSERVATION COMMISSION				Send Communications regarding well to					
				NameJ. H. Markley					
v/ A	( .				Address P.	0. B	ox 3109.	albiM.	nd. Texas

## CASING PROGRAM

We propose to use the following strings of Casing and to cement them as indicated:

Size of Hole	Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cement
15"	11-3/4"	23.72, 31.20 .&42.00	New	1650'	1000*
10-5/8"	8 <b>-</b> 5/8"	24.00 & 32.00	New	33001	
7-7/8"	2 <b>-</b> 7/8"	6.50	New	6250 <b>'</b>	1200**
				,	
					j
	·				

<sup>\* 800</sup> Sacks Class "C" 4% gel, followed by 200 sacks Class "C" Neat, Neat to contain accelerator

## FORMATION TOPS EXPECTED

Anhydrite	16201
Top Salt	17401
Base Salt	28501
Yates	2920!
Seven Rivers	30251
San Andres	4505
Glorieta	60101
Total Depth	62501

<sup>\*\*</sup> Externally clean casing & install centralizers & scratchers from 5950 to TD. Cement with 1200 sacks Class "C" 4% gel, with friction reducing agent in the first 500 sacks. Follow cement with 500 gallons medium strength acetic acid.

1500

1000

2000

500

330 660 990 1320 1650 1980 2310 2640

Velten

Certificate No.