

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-101
Revised 10-1-77

5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.
F-1565

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE APPLICATION FOR PERMIT - (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Getty Oil Company	8. Farm or Lease Name State BA
3. Address of Operator P.O. Box 730, Hobbs, N.M. 88240	9. Well No. 9
4. Location of Well UNIT LETTER <u>B</u> <u>660</u> FEET FROM THE <u>N</u> LINE AND <u>2310</u> FEET FROM THE <u>E</u> LINE, SECTION <u>36</u> TOWNSHIP <u>17-S</u> RANGE <u>34-E</u> N.M.P.M.	10. Field and Pool, or Wildcat Vac: Blinebry & Glorie
15. Elevation (Show whether DF, RT, GR, etc.) 4005' DF	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>
PLUG AND ABANDON <input type="checkbox"/>	OTHER <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
OTHER <u>Add perfs in Glorieta, acidize</u> <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

This well is a slim-hole, dual completion. The east string is downhole commingled in the Glorieta and Blinebry. The west string is perforated in the San Andres and has been shut-in since unitization.

1. Pull rods and pump from east string.
2. Clean out with bit and scraper to 6761' PBTD.
3. Additionally perforate the Glorieta at 6016', 17', 18', 21', 22', 23', 24', 28', 56', 58', 78', 6156', 70', 85', oriented away from west string.
4. Acidize the Glorieta perfs 6016'-6186' and Blinebry perfs 6449'-6743' with 6500 gals. 15% NEFE.
5. Run rods and pump and return to production.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Dale R. Crockett TITLE Area Superintendent DATE 3/20/84

APPROVED BY [Signature] TITLE Area Superintendent
CONDITIONS OF APPROVAL, IF ANY:

APR 10 1984

RECEIVED
APR 9 1984
O.C.D.
HOBBS OFFICE