24

Form approved. Budget Bureau No. 42-R1425.

(Other instruction reverse side) UN. _D STATES

GEOLOGICAL SURVEY		DEPARTMEN	T OF THE	INTE	RIOR	•	E		
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK 1a. TYPE OF WORK DRILL DESCEN OF PLUG BACK DESCEN OI PLUG BACK		GEOLO	OGICAL SURV	/EY	o c c		5. LEASE DESIGNATIO	N AND SERIAL NO.	
DRILL ADDRESS OF OPERATOR ERNEST A. HANSON 3. ADDRESS OF OPERATOR 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) At surface 1980' FNL & FWL At proposed prod. zone Sec. 35, T. 19 S., R. 34 F., N.M.P.M. 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE* 15. DISTANCE FROM PROPOSED* LOCATION TO REAREST PROPOSED LOCATION* 15. DISTANCE FROM PROPOSED* LOCATION TO REAREST PROPOSED LOCATION* TO THIS WELL 16. NO. OF ACRES IN LEASE INT. FT. 17. NO. OF ACRES ASSIGNED TO THIS WELL 18. DISTANCE FROM PROPOSED* LOCATION TO REAREST PROPOSED LOCATION* OR APPLIED FOR, OF THIS HEASE, FT. 1320' 5300' PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 10'' 8-5/8'' 21. 215' 125 sx. (circulate)	A DDI ICATIO	N FOD DEDIAIT	TO DOUGH	Been	<u> </u>				
DITTER OF WELL OIL WELL OTHER OIL WELL OTHER OIL WELL OTHER OIL WELL OTHER ERNEST A. HANSON 3. ADDRESS OF OPERATOR P. O. BOX 1515, ROSWell, New Mexico 4. Location of Well (Report location clearly and in accordance with any State requirements.*) At surface 1980' FNL & FWL At proposed prod. zone Sec. 35, T. 19 S., R. 34 F., N.M.P.M. 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 25 miles west of Hobbs, New Mexico 15. DISTANCE FROM PROPOSED: 16. No. of ACRES IN LEASE PROPERTY OR LEASE LINE, FT. (Also to nearest diffe, line, if any) 1980' 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL GOMPLETED, OR AFFLIED FOR, ON THIS LEASE, FT. 1320' 19. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT FER FOOT SETTING DEPTH QUANTITY OF CEMENT 10: 8-5/8'' 234 215' 125 sx. (Circulate)	APPLICATIO	N FOR PERMIT	TO DRILL,	DEEP	EN, OR, PL	<u>UG BACK</u>	o. IF INDIAN, ALLOTT	EE OR TRIBE NAME	
DITTED OF WELL OIL WELL OTHER OIL WELL OTHER OIL WELL OTHER OIL WELL OTHER ERNEST A. EANSON 3. ADDRESS OF OPERATOR P. O. BOX 1515, ROSWell, New Mexico 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) At surface 1980' FNL & FWL At proposed prod. zone Sec. 35, T. 19 S., R. 34 F., N.M.P.M. 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 25 miles west of Hobbs, New Mexico 15. DISTANCE FROM PROPOSED: 16. NO. OF ACRES IN LEASE LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest diff, line, if any) 1980' 10. NO. OF ACRES IN LEASE 17. NO. OF ACRES ASSIGNED TO THIS WELL 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL (GOMPLETED), OR APPLIED FOR, ON THIS LEASE, FT. 1320' 19. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT FER FOOT SETTING DEPTH QUANTITY OF CEMENT 10. SETTING DEPTH QUANTITY OF CEMENT		nu . 🗀	nechus.	A A	01 1/1 69				
OHER SINGLE ZONE S. FARM OR LEASS NAME Comparison		ILL X	DEBREN	<u> </u>	PLUC	3 BACK 📋	7. UNIT AGREEMENT	NAME	
ERNEST A. EANSON 3. ADDRESS OF OPERATOR P. O. Box 1515, Roswell, New Mexico 4. Location of well (Report location clearly and in accordance with any State requirements.*) 1980' FNL & FWL At proposed prod. zone Sec. 35, T. 19 S., R. 34 F., N.M.P.M. 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 25. miles west of Hobbs, New Mexico 16. No. of Acres in Lease Location to Nearest PROPERTY OR Lease Line, Fr. (Also to nearest drig. line, if any) TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, NO THIS LEASE, FT. 1320' 19. PROPOSED DEPTH TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, NO THIS LEASE, FT. 1320' 19. PROPOSED DEPTH TO THIS WELL 21. ELEVATIONS (Show whether DF, RT, GR, etc.) PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF HOLE SIZE OF GASING WEIGHT FER FOOT SETTING DEPTH QUANTITY OF CEMENT 10': 21. 21. 21. 21. 21. 21. 21. 21. 21. 21.	OIL V	1 1					S. FARM OR LEASE N	Ridge	
3. ADDRESS OF OPERATOR P. O. Box 1515, Roswell, New Mexico 4. Location of well (Report location clearly and in accordance with any State requirements.*) 1980' FNL & FWL At proposed prod. zone Sec. 35, T. 19 S., R. 34 F., N.M.P.M. 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE* 25 miles west of Hobbs, New Mexico 15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to dearest drig. line, if any) TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, OR THIS LEASE, FT. 1320' 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 3710' GR PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 125 sx. (circulate)		ST A HANGON					Mescalero	Ridge Unit	
At surface 1980' FNL & FWL At proposed prod. zone Sec. 35, T. 19 S., R. 34 F., N.M.P.M. 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE* 15. DISTANCE PROM PROPOSED LOCATION FOR LOCATION FOR PROPOSED LOCATION TO NEAREST WELL, BRILLING, COMPLETED, OR AFPLIED FOR, OR HIBLES, FT. 10. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR AFPLIED FOR, OR HIBLES, FT. 11. ELEVATIONS (Show whether DF, RT, GR, etc.) 12. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 10. FIELD AND POOL, OR WILLDCAT III. SEC., T., R., M., OR BUK. AND SURVEY OR AREA 11. SEC., T., R., M., OR BUK. AND SURVEY OR AREA 12. COUNTY OR PARISH 13. STATE 12. COUNTY OR PARISH 13. STATE 14. NO. OF ACRES ASSIGNED TO THIS WELL TO THIS WELL TO THIS WELL 20. ROTARY OR CABLE TOOLS ROTARY 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 3710' GR PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 10.'' 8-5/8'' 23. 215' 125' sx. (circulate)	3. ADDRESS OF OPERATOR	SI A. DANSON			<u> </u>		- WELL NO.	-	
1980' FNL & FWL At proposed prod. zone Sec. 35, T. 19 S., R. 34 F., N.M.P.M. 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 25 miles west of Hobbs, New Mexico 15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. line, if any) 1980' 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1320' 19. PROPOSED DEPTH 20. ROTARY OR CABLE TOOLS New Mexico 17. No. OF ACRES ASSIGNED TO THIS WELL TO THIS WELL 40 20. ROTARY OR CABLE TOOLS ROTARY 22. APPROX. DATE WORK WILL START 23. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 10'' 8-5/8'' 234 215' 125 sx. (circulate)	P. O	. Box 1515, Ros	Well New 1	lari a	•		5-35 10. FIELD AND POOL.	OR WILDCAT	
At proposed prod. zone Sec. 35, T. 19 S., R. 34 F., N.M.P.M. 14. distance in miles and direction from nearest town or fost office* 25 miles west of Hobbs, New Mexico 15. distance from proposed* Location to nearest drig. line, if any) 18. distance from proposed Location* 1980' 19. proposed depth 19. proposed depth 19. proposed depth 20. rotary or cable tools or applied for, on this lease, ft. 21. elevations (Show whether DF, RT, GR, etc.) 3710' GR Size of hole Size of casing weight per foot Size of hole Size of casing weight per foot 10. sec. 35-19S-34E 12. county or parish 13. state 14. no. of acres in lease 15. no. of acres assigned to this well 16. no. of acres in lease 17. no. of acres assigned 17. no. of acres assigned 18. do of acres assigned 19. proposed depth 20. rotary or cable tools 21. elevations (Show whether DF, RT, GR, etc.) 22. approx. date work will start 22. approx. date work will start 23. proposed casing and cementing program Size of hole Size of casing weight per foot Setting depth 10'' 23. 24. 215' 215' 3x* (circulate)	4. LOCATION OF WELL (F	deport location clearly an	d in accordance w	ith any	State requirements	i. *)	_		
At proposed prod. zone Sec. 35, T. 19 S., R. 34 F., N.M.P.M. 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE* 25 miles west of Hobbs, New Mexico 15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. line, if any) 1980' 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 3710' GR PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT WEIGHT PER FOOT WEIGHT PER FOOT WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 10': 8-5/8'' 23. 12. COUNTY OR AREA 13. STATE 16. NO. OF ACRES IN LEASE 17. NO. OF ACRES ASSISHED TO THIS WELL TO THIS	198	80' FNL & FWL					11. SEC., T., R., M., OR	BLK.	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 25 miles west of Hobbs, New Mexico 15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. line, if any) 1980' 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 3710' GR PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 10'' 8-5/8'' 234 215' 125' SX. (CITCULate)			19 S. P.	3 A F	M M D M		AND SURVEY OR A	REA	
25 miles west of Hobbs, New Mexico 15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST TO HIS WELL (Also to nearest drig. line, if any) 1980' 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 3710' GR PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 10'' 8-5/8'' 234 215' 12'S \$x. (CITCULSTE)									
25 miles west of Hobbs, New Mexico 15. distance from proposed* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. line, if any) 1980' 18. distance from proposed Location* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 21. elevations (Show whether DF, RT, GR, etc.) 3710' GR PROPOSED CASING AND CEMENTING PROGRAM Size of Hole Size of Casing Weight per foot Size of Hole Size of Casing Weight per foot 10': 8-5/8'' 234 215' 12's sx. (circulate)	14. DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR PO	ST OFFIC	E *		Sec. 35-1	9S-34E	
LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig, line, if any) 1980' 16. No. of acres in lease PROPERTY OR LEASE LINE, FT. (Also to nearest drig, line, if any) 1980' 19. PROPOSED DEPTH TO THIS WELL 40 19. PROPOSED DEPTH TO RATEY OR CABLE TOOLS OR APPLIED FOR, ON THIS LEASE, FT. 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 3710' GR PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 10'' 8-5/8'' 23# 215' 125' SX. (CITCULSTE)	25 miles west of	f Hobbs New Me	wico					10. SIAIR	
PROPERTY OR LEASE LINE, FT. (Also to nearest drig, line, if any) 1980' 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1320' 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 3710' GR PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING PROPOSED CASING WEIGHT PER FOOT 10'' 8-5/8'' 23# 215' 12'S ex. (circulate)	13. DISTANCE FROM PROP	OSED*	ALLU	16. NO	O. OF ACRES IN LE	ASE 17. NO	OF ACRES ASSIGNED	New Mexic	
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1320' 19. PROPOSED DEPTH 20. ROTARY OR CABLE TOOLS ROTARY 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 3710' GR 22. APPROX. DATE WORK WILL START PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 10': 8-5/8'' 234 215' 12': 8x. (circulate)	PROPERTY OR LEASE LINE, FT.								
OR APPLIED FOR, ON THIS LEASE, FT. 1320' 5300' ROTARY 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 3710' GR 22. APPROX. DATE WORK WILL START PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 10': 8-5/8'' 23# 215' 12'S 8x. (CITCULSTE)	18. DISTANCE FROM PROPOSED LOCATION*								
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 3710 GR 22. APPROX. DATE WORK WILL START 23. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 10 8-5/8" 234 215 125 8x. (circulate)	TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR ON THIS BASES.					ARY OR CABLE TOOLS			
3710 GR 23. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 10" 8-5/8" 23# 215" 125 sx. (circulate)		1.	320	1	5300'				
PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 10" 8-5/8" 23# 215" 125 sx. (circulate)		·					22. APPROX. DATE W	OBK WILL START*	
10" 8-5/8" 23# 215' 125 sx. (circulate)	23.	I	PROPOSED CASI	NG AND	CEMENTING P	ROGRAM			
10" 8-5/8" 23# 215" 125 sx. (circulate)	SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	оот	SETTING DEPT	н	QUANTITY OF CEME	N.T.	
7-7/011 5 1/011	10"	8-5/8"	8-5/8" 23#		215' 12				
	7-7/8"	5-1/2"	15-1/				ax. (to BX)		
							•		
	,		1	I		1			

It is proposed that the captioned well be drilled with rotary to a total depth of 5300 feet in the Queen Formation and that if commercial oil or gas is encountered that the proposed casing program be followed and the well be perforated and fractured with lease oil.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. SIGNED **Geologist** May 20, 1964 (This space for Federal or State office use) PERMIT NO. APPROVAL DATE APPROVED BY TITLE . CONDITIONS OF APPROVAL, IF ANY:

*See Instructions On Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

U.S. GOVERNMENT PRINTING OFFICE: 1963—O-685231

NUMBER OF COPIL	ES RECEIV	ED	
DH	TRIBUTIO	N	
SANTA FF			
FILE			
U. S. G. S.			
LAND OFFICE			
TRANSPORTER	OIL		
THANSPURIER	GAS		
PRORATION OFFI		7	

EW MEXICO OIL CONSERVATION

AMISSION

FORM C-128 Revised 5/1/57

LAND OFFICE				WEL	L LOCATIO	N AND A	CREA	GE DE	DICATIO	N PLAT
TRANSPORTER	OIL GAS			SEE IN	STRUCTIONS FO	OP COUR! ET	0A R-6.	OFFICE	0.0.0	
PRORATION OFFIC				111	orkocrions i	OK COMPLE A	חוי שמון	13 FURM	ON THE REV	ERSE SIDE
OPERATOR							C	n B	14°64	
				-	SI	CTION A	THE T	U 0+	·	
Operator						ease	· ·			
E. A. Hanson						Mescalero Aldge I			Well No.	
Unit Letter	,	Section		Townshi		Range		County		
Actual Case		<u> </u>	35		19 South	34	East		Lee	
Actual Foots				M A A				<u> </u>		
Ground Leve			rom the	North		1980	fee	t from the	West	line
3710		'. F	roducing Fo		P	ool				Dedicated Acreage:
			- 400			Peerl	_ dne			40 Acres
1. Is the Op	erator	the on	ly owner in a	المالية ما	. 1			**		
who has i	the rie	ht to d	rillinto and	ne dedica:	ted acreage outli	ned on the pla	t below?	YES 📕	NO	("Owner" means the person
another.	(65-	3-29 (e) NMSA 193	to proauce	e from any pool a	nd to appropri	ate the p	production	either for his	(''Ouner'' means the person mself or for himself and
2. If the ans	wer to	guesti	ion one is "	no !! hawa	ah. :					·
wise? YI	ES	NO	If	anewerie	"yes," Type of	all the owners	been co	nsolidate	d by communi	tization agreement or other-
3. If the ans	wer to	questi	on two is "	no." list a	ill the owners and	Consolidation				
Owner					the owners and				w:	
						Land I	Descripti	on		
								 _		
				SECT	ION B				"]	CERTIFICATION
ĺ				<u> </u>					: 1	CERTIFICATION
ļ		- !				!		ĺ	I hereby	certify that the information
						t f		i	in SECTION	ON A above is true and com-
i		1			<u> </u>	į		ŀ	plete to t	he best of my knowledge and
		i		1380	1	:		į	belief.	so best of my knowledge and
		j				i		i	1	
1		į				i			Name	4
<u></u>		+							A	1. Seham
j		j				}			Position	The second
		1				i			<u>L</u>	Geologist
		. !				i		ı	Company	
	1980	ا ا	0	<u>*</u>		i		I	<u></u>	E. A. Henson
-	, , , , ,	' - 				İ			Date	
		i				!		- 1		5 - 18 - 64
		i.		j		!		ł		
		T								
						i		j		
		!		ļ			ž		I hereby ce	ertify that the well location
		ļ				!		1	shown on t	he plat in SECTION B was
									plotted from	n field notes of actual
						!		1	surveys ma	de by me or under my
		i				i			supervision	, and that the same is true
		-+		4		i			and correct	to the best of my knowledge
		!		- [T			and belief.	
				-						
		j		1		Ì		}	Date Survey	
		i						1	-are survey	5-17-64
		ļ		}				1	Registered	Professional Engineer
		ļ						l	and/or Land	Surveyes
		ł				i			Land	ourveyor
									1 as	1 Closent
330 660	990	1320	1650 1980	2310 264	0 2000	1500 1000	500		Certificate 1	No.
						1500 1000	500	0		2787

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.