

NO. OF COPIES RECEIVED	
DISTRIBUTION	
ANTA FE	
FILE	
J.S.G.S.	
AND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State ☒ Fee ☐
5. State Oil & Gas Lease No. B-1520
7. Unit Agreement Name
8. Farm or Lease Name Bridges State
9. Well No. 105
10. Field and Pool, or Wildcat Vacuum Drilling SA
12. County Lea

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT --" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL ☐ GAS WELL ☐ OTHER **WIW**

Name of Operator
Mobil Oil Corporation

Address of Operator
Box 633, Midland, Texas 79701

Location of Well
UNIT LETTER **A** **660** FEET FROM THE **North** LINE AND **500** FEET FROM
THE **East** LINE, SECTION **26** TOWNSHIP **17-S** RANGE **34-E** NMPM.

15. Elevation (Show whether DF, RT, GR, etc.)
4010 GR

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☒	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDONMENT ☐
NULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOB ☐	

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Workover per attached procedure **RECEIVED.**

AUG 28 1972

CONSERVATION COMM.
HOBBS, N. M.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED **Christine O. Tucker** TITLE **Authorized Agent** DATE **8-25-72**

APPROVED BY **Joe M. Kelly** TITLE **Dist. I, Supv.** DATE **AUG 28 1972**

CONDITIONS OF APPROVAL, IF ANY:

MIDLAND E & P DIVISION

WELL WORK RECOMMENDATIONS


Proposals for Well Reconditioning and Subsurface Maintenance
Workovers, Expense DD's, PB's, and Conversions

Lease: BRIDGE 591110 Well No. 65 4401
Field: VICTORIA (SNO. 100000)
County: LEO State: NEW MEXICO

RECOMMENDED PROCEDURE:

1. M.I.P.H. Pull cement down to 4350'
2. SET BRIDGE AT 4350' AND SET BRIDGE PLUG
PLUG (1150' - 5000') AT 4350' OF CEMENT
3. SET BRIDGE PLUG AT 4350' & SET BRIDGE UPPER
PLUG (1150' - 5000') - DOWN OUT CEMENT
4. RUN 2" TUBING / RUN 100 (1150' - 750'). SET
RUN AT 4350' & CEMENT SNO. 100000 (2000' - 4350')
w/ 3000' OF 100' 1000' TUBING AND CEMENT
HOLD 1000'. FOLLOWED w/ 9000' OF 100' TUBING
TREATED w/ 200' OF 100' TUBING PER 1000' OF CEMENT
5. Pull Tube & Run 100' 1000' TUBING TO 11500'

Vulcanizing Co. Inc.
Bridges State Well No. 100
Vacuum (Grayburg-San Andres) Field
Lea County, New Mexico



8-27-69
 W.M.