

OWWO

COUNTY LEA FIELD Wildcat STATE MN MN 21437

OPR TURNER, FRED, JR. ESTATE OF MAP

1 State "K"

Sec 4, T-17-S, R-36-E

CO-ORD

2165' FSL, 1980' FWL of Sec

Re-Spd 7-15-70

CLASS

OWDF

EL 38992

Re-Cmp 1-18-71

FORMATION

DATUM

FORMATION

DATUM

CSG & SX - TUBING

13 3/8" at 350' w/350 sx

8 5/8" at 5029' w/550 sx

5 1/2" at 6339' w/350 sx.

LOGS EL GR RA IND HC A

TD 8712'; PBD 6339'

TEMPORARILY ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.
DATE

PROP DEPTH 6300'

TYPE WO

F.R. 7-27-70; Opr's Elev. 3899' DF

PD 6300' WO (Paddock)

(Orig. P&A 6-6-55, OTD 8712')

7-27-70

TD 8712'; PBD 6339'; Prep RU Pmp

CO to 6400'

Ran 5 1/2" Casing

Perf 6200-20' w/2 SPF

Acid (6200-20') 1000 gals

Swbd load w/good show oil & gas (6200-20')

Frac (6200-20') 15,000 gals wtr + 22,500# sd

8-3-70

TD 8712'; PBD 6339'; Ppg load

Ppd 2.8 BLWPH

8-10-70

TD 8712'; PBD 6339'; Ppg load

Ppd 40 BLW in 24 hrs

LEA Wildcat NM Sec 4, T17S, R36E
TURNER, FRED, JR. ESTATE OF 1 State "K" Page #2

8-17-70 TD 8712'; PBD 6339'; TO Pmp
Ppd 64 BW + 8 BNO in 24 hrs (6200-20')
8-31-70 TD 8712'; PBD 6339'; TO Pmp
Ppd 7 BO + 34 BW in 24 hrs
9-8-70 TD 8712'; PBD 6339'; TO Pmp
Ppd 12 BO + 9 BW in 24 hrs (6200-20')
9-14-70 TD 8712'; PBD 6339'; TO Pmp
9-21-70 TD 8712'; PBD 6339'; TO Pmp
Ppd 6 BO + 34 BW in 24 hrs (6200-20')
9-28-70 TD 8712'; PBD 6339'; TO Pmp
10-5-70 TD 8712'; PBD 6339'; SI WOO
Ppd 6 BO + 30 BW in 24 hrs (6200-20')
10-26-70 TD 8712'; PBD 6339'; SI WOO
1-11-71 TD 8712'; PBD 6339'; SI WOO

1-18-71 TD 8712'; PBD 6339'; TEMPORARILY ABANDONED
1-21-71 COMPLETION REPORTED

Memo

From

To

Estate of

Frederick

State R #1-

44-17-36

Verbal to P/A June 65

COUNTY	LEA	FIELD	Wildcat	STATE	NM
WC OPR	ESTATE OF FRED TURNER, JR.				MAP
	1 State "K"				
	Sec. 4, T-17-S, R-36-E				CO-ORD
	2165' fr S Line & 1980' fr W Line of Sec.				
	Spd 5-2-65				
	Cmp 6-6-65				
CSG & SX - TUBING	LOG:	FORMATION	DATUM	FORMATION	DATUM
13 3/8" 350' 350		Anhy 1948			
8 5/8" 5029' 550		Yates 3086			
		Queen 3980			
		SA 4677			
		Glor 6104			
		Padd 6173			
LOGS EL GR RA IND HC A		Clfk 6970			
		TD 8712'			

PLUGGED & ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Tri-Service Drlg. Co. PROP DEPTH 8900' TYPE
DATE

F.R. 5-6-65
PD 8900' - Abo
Contractor - Tri-Service Drlg. Co.
5-4-65 Drlg. 2090'.
5-10-65 Drlg. 4238'.
5-17-65 TD 5115', WOC.
5-24-65 Drlg. 6874' 1m.
6-1-65 TD 8412', pulling core #1.
6-7-65 TD 8712', PLUGGED & ABANDONED.
Cored 8394-8412', rec 18' shly dolo., w/NS.
DST 8394-8508', open 30 mins,
rec 30' drlg mud, w/NS,
26 min ISIP 84#, FP 84-84#,
26 min FSIP 84#.
SP DST 6180-6240', open 1 hr 5 mins,
rec 10' drlg mud, w/NS,
20 min ISIP 0, FP 0-0, 20 min FSIP 0.
LOG TOPS: Tubb 7652', Abo 8370'.