

COUNTY	LEA	FIELD	Midway-Abo	STATE	NM
OPR	TEXACO INC.				MAP
1 State of New Mexico "CW" (NCT-1)					
Sec. 18, T-17-S, R-37-E					
1983' FSL & 1906' FWL of Sec.					
Spd 10-1-65					
Cmp 12-28-65					
		CLASS		E	
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
11 3/4"	351'	300			
8 5/8"	3204'	1000			
4 1/2"	9600'	1150			
LOGS EL GR RA IND HC A					
TD 9600', PBD 9568					

IP Abo Perfs 9022-27' Pmpd 60 BOPD + 178 BW. Pot. Based on 24 hr test, gravity 41., GOR 475.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 9300' TYPE

F.R. 9-23-65
PD 9300' - Abo
9-30-65 AMENDED FOOTAGE: Formerly 1980' Fr S & W
Lines of Sec.
10-4-65 Drlg. 2825'.
Set 11 3/4" @ 351' W/300 sx.
10-11-65 Drlg. 4990' lm & sh.
Set 8 5/8" @ 3204' W/1000 sx.
10-18-65 TD 6270', fshg.
10-25-65 Drlg. 6840' lm & sd.
11-1-65 Drlg. 8234' lm & ch.
11-8-65 Drlg. 8826'.
11-15-65 Drlg. 9265'.
DST 8725-8856', open 45 mins,
Rec 1850' gas in DP + 50' GCM, w/sli show oil,
30 min ISIP 416#, FP 92-92#,
1 hr FSIP 671#.

11-15-65 Continued

DST 8856-8990', open 30 mins,
Rec 15' DM,
30 min ISIP 115#, FP 92-92#,
1 hr 15 min FSIP 92#.
DST 9005-9210', open 45 mins,
GTS 7 mins @ TSTM,
Rec 5000' Wtr & Oil Emulsion,
3000' free oil + 1000' wtr,
30 min ISIP 3485#, FP 949-3460#,
1 hr FSIP 3484#.

11-22-65 TD 9600', PBD 9568', MO Rig.
4½" casing @ 9600' W/1150 sx.

11-29-65 TD 9600', PED 9568', swbg.
Perf 9066-68' W/2 SPF
Swbd 33 BFW/3 hrs.

Ac (9066-68') 500 gals.
Swbd 48 BLW + 336 BFW/34 hrs.
Squeezed perfs 9066-68' W/100 sx.
Perf 9022-27' W/1 SPF
Swbd 35 BLW + 5 BFW/11 hrs, w/show oil
on last swab run.
12-6-65 TD 9600', PBD 9568', WOC on Squeeze.
Ac (9022-27') 500 gals.
Swbd & Flwd 60 BNO, 48 BLW + 118 BFW/14 hrs.
Swbd 33 BO + 66 BW/7 hrs.
Set BP @ 9016'
Perf @ 9002' W/1 SPI; 9004' W/2 SPI;
9006' & 9008' W/1 SPI; 9010' W/2 SPI
Ac (9002-10') 500 gals.
Swbd 2 ENO + 305 BFW/31 hrs.
Squeezed perfs 9002-10' W/100 sx.

12-13-65 TD 9600', PBD 9568', swbg.
Drld out to 9052'
Swbd 7 BFW/6 hrs (9022-27')
Perf @ 9022', 9024' W/2 SPI
Ac (9022-27') 500 gals.
Swbd 128 BNO + 477 BFW/43 hrs.
12-20-65 TD 9600', PBD 9568', tstg on pump.
Pmpd 110 BFW/10 hrs.
1-3-66 TD 9600', PBD 9568', COMPLETE.
Pmpd 24 BO + 53 BW/14 hrs.
LOG TOPS: Yates 3203', Queen 4187', San
Andres 5000', Glorieta 6680', Abo Reef
9000'.