

1. JOURNAL OF A. F. MATH. CHURCH

© Copyrighted Reproduction Prohibited

(San Andres) Perfs 4449-4730 NO NEW POTENTIAL

• 18

4004 DF

sub-s

F.R.C. 2-27-82 OWWO
PD 4733 WO (San Andres)
(Orig. #3 State of New Mexico "T" (NCT-1), comp
4-5-66 thru (San Andres) Perfs 4449-4543, OTD
4740, OPB 4733)
2-27-82 TD 4740; PBD 4733; Complete
Perf (San Andres) @ 4479, 4485, 4511, 4639, 4654,
4665, 4668, 4705, 4710, 4717, 4720, 4727, 4730
w/2 SPI
Acid (4449-4730) 3200 gals
2-27-82 COMPLETION ISSUED

2-4-30 NM
IC 30-025-70163-82

COUNTY IEA FIELD PERIS STATE NM MAP
 OPR TEXACO INC.
3 State of New Mexico "H" (100-1)
 Sec. 23, T-17-S, R-34-E CO-ORD
 2310' ENL, 987' EEL of Sec. MN 21663
 Spd 2-23-66 EL
 Cmp 4-5-66

CSG & SX - TUBING

7 5/8" 1598' 800
 4 1/2" 4740' 300

LOGS EL GR RA IND HC A

EL 4740' PRD 4730'

IP San Andres Peris 44-9-4543' Pmpc 25 ECPE. Pnt. Based on 24 hr test, gravity 36.2, GOR 151M.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

PROP DEPTH 4740' TYPE

CONT.
 DATE

2-28-66 F.R. 2-17-66
 3-7-66 PP 4740' - Grayburg-Sa
 Drig. 1660'.
 Drig. 4664'.
 DST 3010-3841', open 20 mins.
 Rec 10' DM,
 30 min ISTP 100#, PF 86-86#;
 1 hr ESTP 214#.
 3-14-66 CE 4740', swbg.
 Perf @ 4449', 4452', 4457', 4462', 4471',
 4498', 4530', 4538', 4543' W/1 SP1
 A. (4449-4543') 2000 gals.
 Prod (4449-4543') 13,000 gals oil +
 10,000# sc. IR 20.6 BPM
 Swbg 441 EOC/412 hrs.

LEA

Variant

Ny

Sed. 25-17S-34E

TEXACO INC., #3 State of New Mexico "T" (C-CD-1) Page #2

3-21-66

TD 4740', PED 4733', Re Pump.

Swed TO BLO/24 hrs.

3-28-66

TD 4740', PED 4733', testg re pump.

Prp'd 30 BLO/30 hrs.

4-4-66

TD 4740', PED 4733', pump 1 day.

Prp'd 30 BLO/48 hrs.

4-11-66

TD 4740', PED 4733', pump 1 day.

4-18-66

TD 4740', PED 4733', COMPLETE.

LOC TOP: Yates 286+', Queen 373',
San Andres 311'.