

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☐ Gas Well ☒ Other WIW

2. Name of Operator

Hondo Oil & Gas Company

3. Address and Telephone No.

P. O. Box 2208, Roswell, NM 88202 (505)625-6745

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

990' FSL & 990' FWL; Sec.26-T19S-R34E

5. Lease Designation and Serial No.

NM 05519A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation
#891007465

Mescalero Ridge Unit #26

8. Well Name and No.

Mescalero Ridge 26 #7

9. API Well No.

300252233300S1

10. Field and Pool, or Exploratory Area

Pearl Queen ~~Penrose~~

11. County or Parish, State

Lea Co., NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Replace bad tbg.
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10/2/91 RUPU test 51 jts 2 3/8" J-55 IPC tbg 3 good, 48 bad, LD 97 jts 2 3/8" J-55 tbg total of 148 jts tbg, install BOP.

10/3/91 TIH w/ Baker on/off tool 141 jts 2 3/8" 4.7# J-55 ERW-EUE 8rd tbg, coated w/ Freecom FDC 54 (4542.04') 1- 4'X 2 3/8" IPC sub, 1 - 8' X 2 3/8" IPC sub, 1 - 10' X 2 3/8" IPC sub, strip BOP, displace annulus w/ 2% KCL/FW & Prokem PF40 pkr fluid, press test annulus & chart 500# o.k. Start injection, job complete @ 5:00 p.m. 10/3/91.

14. I hereby certify that the foregoing is true and correct

Signed

Karla LeJeune

Title

Regulatory Secretary

Date

10/15/91


(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

Date



TEJAS
INSTRUMENT ENGINEERS

MESC 26-35 Fld 26-77

ENTER INCHES
TIME TAKEN IN
TIME TAKEN IN
TIME TAKEN IN

ENTER INCHES
TIME TAKEN IN
TIME TAKEN IN
TIME TAKEN IN

10-3-91
BR-2221
B 0-1000-8

RECEIVED

OCT 29 1964

CRS
HOBBS OFFICE