

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPlicate*
(Other instruct
verse side)Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Dry Hole	5. LEASE DESIGNATION AND SERIAL NO. N. M. 05519
2. NAME OF OPERATOR Ernest A. Hanson	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P. O. Box 1515, Roswell, New Mexico	7. UNIT AGREEMENT NAME Mescalero Ridge
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1980' FSL & 990' FWL Sec. 26, T-19-S, R-34-E, N.M.P.M. Lea County, New Mexico	8. FARM OR LEASE NAME "26" Mescalero Ridge Unit
14. PERMIT NO.	9. WELL NO. 8
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3755' KB	10. FIELD AND POOL, OR WILDCAT Pearl Queen
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 26 - 19S - 34E
	12. COUNTY OR PARISH Lea
	13. STATE N. Mex.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETION ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☒

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The captioned well was plugged and abandoned in the following manner:

8-5/8" @ 224' w/200 sx.

Top of Anhydrite @ 1803'

Base of Salt @ 3344'

Top of Salt @ 1928'

Top of Queen @ 4630'

1. The hole was displaced with 47 visc. drilling mud.
2. A 25 sx. cmt. plug was set @ 4580-4680' @ Top of Queen Fm.
3. A 25 sx. cmt. plug was set @ 3294-3394' @ Base of Salt.
4. A 25 sx. cmt. plug was set @ 1878-1978' @ Top of Salt.
5. A 25 sx. cmt. plug was set @ 174-274' in-and-out of 8-5/8" csg.
6. A 10 sx. cmt. plug was set @ 0-33' @ the surface.
7. The location was cleaned-up and a regulation dry hole marker erected.

18. I hereby certify that the foregoing is true and correct

SIGNED

Harry F. Anderson

TITLE Exploration Manager

DATE 3-25-68

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

APPROVED DATE

*See Instructions on Reverse Side

J. L. GORDON
ACTING DISTRICT ENGINEER