

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Orig&3cc: OCC, Hobbs

cc: State Land Office, Santa Fe, N.M.

cc: Union Oil Co., 300 Security Nat'l

Bank Bldg., Roswell, New Mex.

cc: Regional Office, cc: file

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>	5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
2. Name of Operator SINCLAIR OIL CORPORATION	5. State Oil & Gas Lease No. K 5459
3. Address of Operator P. O. Box 1920, Hobbs, New Mexico 88240	7. Unit Agreement Name
4. Location of Well UNIT LETTER M 660 FEET FROM THE South LINE AND 660 FEET FROM THE West LINE, SECTION 2 TOWNSHIP 18S RANGE 32E NMPM.	8. Farm or Lease Name State 974
	9. Well No. 1
	10. Field and Pool, or Wildcat Wildcat
15. Elevation (Show whether DF, RT, GR, etc.)	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐
PULL OR ALTER CASING ☐
OTHER ☐

PLUG AND ABANDON ☐
CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING TEST AND CEMENT JOB ☐
OTHER Run DST & run elec. logs. ☒

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

8-23-68 Depth 8527'. Lime & Dolomite. DST #1. Bone Springs. 8460-8527'. Open 2 hrs. w/ strong blow; decrease to weak in 20 mins. Weak blow remainder of test. Shut in 2 hrs. weak gas to surface after 3 hrs. & 50 mins. Could not pull tool. Stuck, closed tool and fished.

9-29-68 Total Depth 12,096'. Running electric logs. DST #2. Strawn 11,980-12,096', 5/8" choke & 1" S.C. Tool open 5 mins., weak blow to surface, SI 1 hr. FF 2 hrs. FSI 2 hrs. Rec. 98' drilling mud. IFP 129#, 1 hr. ISIP 215#. FFP 172-103#, FSIP 215#. 1 HP & FHP 6,451#. BHT 155°F.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Tom Hembree TITLE Engineer

DATE 10-1-68

APPROVED BY Joe L. Ames TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: