

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. _____ PROP DEPTH 4698' TYPE WO
DATE _____

12-16-69 F.R.C. 12-18-69
PD 4698' WO (Crayburg-San Andres)
(Orig. comp 7-22-69 thru Perfs 4728-59',
OTD 4850', OPB 4800')
TD 4850'; PBD 4800'; COMPLETE
Perf @ 4627', 4629', 4664', 4669', 4673',
4676', 4679', 4686', 4688', 4692', 4695',
4698' w/1 SPI
Acid (4627-98') 250 gals
Ppd 19 BO + 80 BW in 24 hrs (4627-98')
Acid (4627-98') 1000 gals
Frac (4627-98') 31,500 gals oil + 13,700# sd
12-18-69 COMPLETION REPORTED

COUNTY LEA FIELD Vacuum STATE NM 30-025-23161
 GPR SORIO PET. CO. MAP
 Phillips Lea
 Sec 21 T-17-S, R-34-E CO-ORD
 2310' ESL, 990' FWL of Sec.

Spd 6-5-69	CLASE		EL	
Cmp 7-22-69	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
8 5/8" at 414' w/275 sx				
4 1/2" at 4850' w/300 sx				
LOGS EL GR RA IND HC A				
	TD 4850'; PBD 4800'			

IP (San Andres) Perfs 4728-59' P 28 BOPD + 130 BW. Pot based on 24 hr test, GOR 1107, Grav 37.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc

CONT. Cactus PROP DEPTH 4850' TYPE RT
 DATE

F.R. 5-27-69
 PD 4850' RT (San Andres)
 Contractor - Cactus
 6-9-69 Drlg. 3500'
 6-16-69 TD 4850'; PBD 4800'; Prep perf
 6-23-69 TD 4850'; PBD 4800'; RU Pmp
 Perf @ 4728', 4730', 4734', 4736', 4740', 4745',
 4747', 4749', 4751', 4753', 4757', 4759' w/2 SPI
 Acid (4728-59') 1250 gals
 Frac (4728-59') 10,000 gals oil + 22,600# sd
 7-7-69 TD 4850'; PBD 4800'; Ppg 1d
 7-21-69 TD 4850'; PBD 4800'; Ppg 1d
 7-28-69 TD 4850'; PBD 4800'; Ppg 1d
 (-90 BLO)
 8-4-69 TD 4850'; PBD 4800'; COMPLETE

LEA Vacuum
SOMIO PET. CO.

NM Sec 31, T-17-S, R-34-E
#5 Phillips Lea Page 2

8-4-69

Continued

LOG TOPS: Anhydrite 1512', Yates 2863', Queen
Sand 3860', Grayburg 4248', San Andres 4610'

8-7-69

COMPLETION REPORTED