


DEVON ENERGY CORPORATION WELLBORE SCHEMATIC

WELL NAME: Shipp "A" #1			FIELD: Humble City (Strawn)			
LOCATION: Section 11, T17S, R37E			COUNTY: Lea			STATE: NM
ELEVATION: GL=3749' - KB=3761'			REENTRY DATE: 1/22/72		COMP DATE: 3/9/72	
API#: 30-025-23592		PREPARED BY: W. M. Frank			DATE: 1/7/98	
TUBULARS	DEPTH	SIZE	WEIGHT	GRADE	THREAD	HOLE SIZE
CASING	0' - 435'	13 3/8"				17 1/2"
CASING	0' - 4767'	9 5/8"				12 1/4"
CASING	0' - 11681'	4 1/2"	11.6			8 3/4"
LINER						
TUBING						



☒ CURRENT

☐ PROPOSED

Last production from well on 11/30/82.

13 3/8" CASING, CMT'D W/500 SXS.

9 5/8" CASING, CMT'D W/1100 SXS

TOC @ 5200 (Temp Survey)

San Andres Perfs: 5312 - 5328'

CIBP @ 5450' and capped w/ 28' of cement.

Glorieta Perfs: 6910 - 6954'.

Cement retainer @ 6990' and cmt'd w/660 sxs "C" neat

Squeeze holes perf'd @ 7050'

CIBP @ 7110' and capped w/ 28' of cement.

Casing leak found 1/8504 - 8227' OA. Circulated 300 sxs cement into leaks.

Tested to 600 psig on 8-10-82 - OK

Abo Perfs: 8896 - 8930' & 8964 - 9030'

CIBP @ 9200' and capped w/ 28' of cement.

Wolfcamp Perfs: 9580 - 9630' & 9646 - 9652'.

CIBP @ 10,000' and capped w/ 28' of cement.

Strawn Perfs: 11412 - 52' OA.

4 1/2" SHOE @ 11681', CMT'D W/640 SXS.

ShippA1.SCH