

Del. H 24-18-33

Oil Conservation Division
PO Box 1980, Hobbs, New Mexico 88241-1980

Shaffer Double Hy.

w/ accen 10-900

1.1

COUNTY LEA FIELD Garrett, W. STATE NM 30-025-23596

OPR FREEPORT OIL CO. MAP

4 Price, Mattie

Sec 6, T-17-S, R-38-E

980' FSL, 1650' FEL of Sec CO-ORD

Spd 11-1-70

Cmp 3-5-71 CLASS EL 3744.2

FORMATION	DATUM	FORMATION	DATUM
CSG & SX, TUBING			
13 3/8" at 407' w/400 sx			
8 5/8" at 5210' w/575 sx			
5 1/2" at 12,847' w/525 sx.			
LOGS EL GR RA IND HC A			
	TD 12,906'		

IP (Devonian) 12,847-906' P 156 BOPD. Pot based on 24 hr test.
GOR 40; Crav 45.1.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Cactus PROP DEPTH 14,000' TYPE RT

DATE

F.R. 10-6-70; Opr's Elev. 3726' GL
PD 14,000' RT (Devonian)
Contractor - Cactus

11-2-70 Drlg. 260' sh & sd
11-9-70 Drlg. 4435' anhy
11-16-70 TD 4815'; Fshg
11-23-70 TD 4815'; PBD 4732'; WOC
Set cmt plug @ 4732'
11-30-70 TD 4815'; Drlg. Cmt
12-7-70 Drlg. 5625' dolo
12-14-70 Drlg. 8395' dolo
12-21-70 Drlg. 9520' dolo & sh
1-5-71 Drlg. 11,595' lm & sh
1-11-71 Drlg. 12,022' sh & lm

1-18-71 Drlg. 12,618' sh & lm
1-26-71 TD 12,850'; Cond Mud
2-1-71 TD 12,850'; Drlg Cmt
2-10-71 TD 12,906'; Prep Swab
 DST 12,847-856', miss-run
 DST 12,850-856', open 6 hrs 45 mins (900' WB),
 rec 2000' GIDP + 900' WB + 2000' oil (grav 45),
 + 5000' hvy O&GCM, 1 hr ISIP 2652#, FP 1999-
 2451#, 8 hr FSIP 3009#
 DST 12,850-906', miss-run
2-16-71 TD 12,906'; Prep Acid (OH)
2-22-71 TD 12,906'; SI Weather
 Acid (12,847-906') 750 gals
 Swbd 95 BF in 20 hrs (12,847-906')

3-2-71 TD 12,906'; SI BHP
 Acid (12,847-906') 1000 gals
 Swbd 50 BO in 9 hrs (12,847-906')
3-8-71 TD 12,906'; TO Pmp
3-15-71 TD 12,906'; COMPLETE
 LOG TOPS: Anhydrite 2140', Yates 3360',
 San Andres 5178', Clorieta 6682', Tubb 8310',
 Abo 8730', Pennsylvanian 11,270', Atoka
 11,440', Mississippian 11,582', Devonian
 12,842'
3-18-71 COMPLETION REPORTED