ANTA FE  ILE  S.G.S.  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  Type of Well  OTHER  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  Type of Well  OTHER  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  Type of Well  OTHER  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  Type of Well  OTHER  PLUG BACK  8. Firm or Lease Name  Alsabrook  9. Well No.  O. D. Alsabrook  10. Field and Pool, or Wildcat  Wildcat  1453 First National Bank, Dallas, Texas  Location of Well  UNIT LETTER  LOCATED  1980  PET FROM THE  SOUTH  19. Proposed Depth  19.A. Fore atton  10. County  Lea  11. County  Lea  11. County  Lea  11. Proposed Depth  12. County  Lea  Elevations (Show whether DR, RT, etc.)  3865 Ground Level  21. Kind & Status Plug, Bond  Statewide  22. Approx. Date Work will star  11-25-71	SANTA RE FILE U.S.G.S.  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Type of Wall  DRILL  STORY WAIL  OF THE STATE ARTHUR STATES  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Type of Wall  OF THE STATES  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Type of Wall  OF THE STATES  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Type of Wall  OF THE STATES  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Type of Wall  OF THE STATES  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Type of Wall  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Type of Wall  OF THE STATES  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Type of Wall  THE STATES AND THE STATES  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK TYPE OF WAIL  THE STATES AND THE STATES AND THE STATES  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK TYPE OF BLOOM THE STATES  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK THE STATES AND THE S	SANTA FE FILE U.S. G.S. LAND OFFICE OPERATOR  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  In. Type of Walt  D. Type of Walt  OTHER OF OR WALL  OTHER OTHER OF OR WALL  OTHER OTHER OF OR WALL  OTHER OT	NO. OF COPIES RECEIVED						
SA, Did locate Type of Locate  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  Type of Work	Solve EPACE DESCRIBE PROPOSED UPGGRANG IT FORDERS IS TO GENERAL PROPOSED CASING AND CEMENT PROGRAM  SIZE OF ROLE  Solve Ended to Case No.  Solve E	Solve To Service Transport of Lorent State Country State C	DISTRIBUTION SANTA FE	NE	EW MEXICO OIL CONS	ERVATION COMMISSIO	<b>N</b>	Form C-101	
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  Type of Work  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  Type of Work  Type of Well  OTHER  DEEPEN  DRILL  SINGLE  PLUG BACK  Type of Well  OTHER  ALSEDOOK  ALSEDOOK  ALSEDOOK  O. D. Alseabrook  O. D. Alseabrook  10. Field and Fool, or Wildeen  Wildcat  Wildcat  Location of Well  UNIT LETTER  West  Line of SEC 1980  FEET FROM THE  SOUth  Line  West  Line of SEC 1980  Type of Well  Statewide  11. Proposed Depth  South  Line  South  Line  South  Line  Type of Well  Statewide  20. Rotary or C.T.  South  Les  Les  Les  Les  Les  Les  Statewide  22. Approx. Data Work will alter  11-25-71  PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE  SIZE OF CASING  WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT  Type of Work  Type of Well  Statewide  Statewide  Statewide  Size OF CASING  WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT  EST. TOP  11  8 5 /8  200  Surface  7 7/8  5 1/2  17  5 3000  180  180  Surface  180  Surface  180  Statewide  Statewide  180  Statewide  Statewide  Statewide  Statewide  Statewide  Statewide  180  Statewide	APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  AT Type of Work  AT Type of Work  Type of Wore	LAND OFFICE OPERATOR  APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  1. Type of Work  1. Type of Work  1. Type of Work  1. Alsabrook  1. Addition of Communication and Communication and Communication Commu		<del></del>			-		
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  Type of Well  ORILL A GENE LOSSES  Type of Well  ORILL A GENE LOSSES  Type of Well  ORILL A GENE LOSSES  OTHER  PLUG BACK  Type of Well  ORILL A GENE LOSSES  Type of Well  ORILL A GENE LOSSES  OTHER  SINGLE C DEEPEN  OTHER  SOUTH  INCLUDED  I SALSSON  OTHER  SOUTH  I SALSSON  SOUTH C DEEPEN  OTHER  SOUTH  OTHER  SOUTH  I SALSSON  SOUTH C DEEPEN  OTHER  SOUTH  OTHER  SOUTH  I SALSSON  SOUTH C DEEPEN  OTHER  SOUTH  I SALSSON  SOUTH  SOUTH  I SALSSON	APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  A. Type of Work  A.	APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  A. Type of Work  A. Type of Work  A. Type of Work  DRILL A DEEPEN DEEPEN DEEPEN DEEPEN, OR PLUG BACK  A. Type of Work  DRILL DEEPEN DEEP		+					
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  Type of Work  Type of Well  ORILL A GAS OTHER O	APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  7. Unit Approximate None  7. Type of Work  7. Type of Work  7. Type of Work  7. Type of Work  8. Type of Work  9. Type of Work  10. PLUG BACK  11. PLUG BACK  10. PLUG BACK  10. PLUG BACK  11. PLUG BACK  10. PLUG BACK  10. PLUG BACK  10. PLUG BACK  10. PLUG BACK  11. PLUG BACK  10. PLUG BACK  11. PLUG BACK  10. PLUG BACK  10. PLUG BACK  11. PLUG BACK  10. PLUG BACK  10. PLUG BACK  10. PLUG BACK  11. PLUG BACK  10. PLUG BACK  11. PLUG BACK  10.	APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  **Type of Work  **Type		<del>     </del>					
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  Type of Work  Type of Well  DEEPEN DEEPEN DEEPEN DEEPEN OR PLUG BACK  Type of Well  DEEPEN DEEPEN DEEPEN DEEPEN DEEPEN DEEPEN OR PLUG BACK  Type of Well  DEEPEN DEE	APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK	APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK  1. Type of Work  1.		+					
Type of Well  DRILL A DEEPEN DEEPEN PLUG BACK  Type of Well  OTHER  DEEPEN DEEPEN PLUG BACK  WITH Agreement Name  PLUG BACK  Form or Lease Name  Alsebrook  Alsebrook  S, Well No.  O, D. Alsebrook  Address of Operator  1453 First National Bank, Dallas, Texas  Unit Letter E Located 1980  FEET FROM THE South LINE  1980  FEET FROM THE SOUTH LINE  1980  FEET FROM THE SOUTH LINE  1980  FEET FROM THE SOUTH  Line OF SEC. 29  TAB. 175 Not. 36E MARPH  12. County  Lea  18. Proposed Depth SACKS OF CEMENT 11-25-71  PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  11  8 5/8  20  SUZE OF TABLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  11  8 5/8  3500  150  SUZE OF 1/8  151  150  150  150  150  150  150  15	DEEPEN DEILL A DEEPEN D	DEILL DEEPEN DELLE DEEPEN DEEP	APPLICATIO		0.000	85 B) 116 E   E16			
Type of Well  OIL	DEEPEN DRILL A DEEPEN DEEPEN DEEPEN DEEPEN DEEPEN DE SUIT DE S	DEEPEN DE	APPLICATIO a. Type of Work	DN FOR PERMIT I	O DRILL, DEEPEN	, OR PLUG BACK		7 1/2:11 7.000	
Type of Well OTHER SOUTH LINE OTHER SOUT	Size of Hole   Size of Casing   Statewide   State   St	Absorbed Describe Proposed Describe Proposed Describe Proposed Describe Proposed National Proposed Nat		٦				/. Unit Agre	ement Name
Will Dome of Operator  O. D. Alsabrook  Address of Operator  1453 First National Bank, Dallas, Texas  Location of Well  UNIT LETTER K LOCATED 1980  FEET FROM THE West  LINE OF SEC. 29  TAP. 178  SOUTH  Les  Les  Les  Les  Located 1980  FEET FROM THE West  LINE OF SEC. 29  TAP. 178  SOUTH  Les  Les  Les  Located 1980  San Andres  Rotary  Rotary  Rotary  Rotary  STAP. Proposed Depth  San South  Line  Statewide  Statewide  Size Of Hole  Size Of CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  11 8 5/8	Notes of Operator  Notes of Operator  1453 First National Bank, Dellas, Texas  1980	Note of Special Proposed Programs 17 Proposed Library and Library 110 South Line 110 Line	o. Type of Well	1	DEEPEN	PLUG	BACK []	8, Farm or L	ease Name
Nome of Operator  O. D. Alsabrook  Address of Operator  1455 First National Bank, Dallas, Texas  Location of Well UNIT LETTER  West LINE OF SEC.  1980  FEET FROM THE  West LINE OF SEC.  1980  South LINE  10. Field and Pool, or Wildcat  Wildcat  Wildcat  1980  FEET FROM THE  West LINE OF SEC.  1980  South LINE  12. County Les  Les  Les  Les  Les  Les  South Line  12. Rotary or C.T.  South Line  12. Rotary or C.T.  San Andres  Rotary  Rotary  PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE  SIZE OF ASING WEIGHT PER FOOT  SETTING DEPTH SACKS OF CEMENT EST. TOP  11  8 5/8  ZO 350 200 Surface  7 7/8  5 1/2  17  5300 150 4550	Name of Coperator  O. D. Alsabrook  Address of Coperator  1453 Pirst National Bank, Dallas, Texas  Locates 1980  SET FROM THE K  LOCATES 1980  SET FROM THE K  LOCATES 1980  SET FROM THE West 1106 OF SET FROM THE WEST 1106 OF SET FROM THE SOUTH LINE OF SEE 29  128. Proposed Depth 128. Formation 12. County Lea  Lea  138. Proposed Depth 128. Formation 20. Rotery of CET.  Lea  138. Proposed Depth 128. Formation 20. Rotery of CET.  Lea  138. Proposed Depth 128. Formation 20. Rotery of CET.  Lea  11. 25-71  PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  11 8 5/8 20 350 200 Surface  7 7/8 5 1/2 17 53300 150 4550  AND SERVE DESCRIBE PROPOSED PROGRAM IF PROPOSAL IS TO DEEPTH OR FLUE SACK, GIVE GATA ON PRESENT PRODUCTIVE 2016 AND PROPOSED NEW PROPOSED	Note of Coperator  O. D. Alsabrook  Address of Coperator  1453 Pirst National Bank, Dallas, Texas  Lecention of Well Duit Letters K  Located 1980 Feet From the South Line  1980 Feet From the From the South Line  1980 Feet From the South Line  1980	OIL X GAS WELL	OTHER		SINGLE MUI	LTIPLE A	Alsabı	rook
Address of Operator  1433 First National Bank, Dallas, Texas  Location of Well  UNIT LETTER R  LOCATED 1980  FEET FROM THE West  LINE OF SEC. 29  TAP, 178  1980  REST FROM THE R  LINE OF SEC. 29  TAP, 1980  San Andres  Elevations (Show whether DF, RT, etc.)  3865 Ground Lovel  PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE  SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  11  8 5/8  20  10. Field and Pool, or Wildcet  Wildcat  Wildcat  Wildcat  Wildcat  Wildcat  Wildcat  Wildcat  10. Field and Pool, or Wildcat  Wildcat  Wildcat  Wildcat  Wildcat  10. Field and Pool, or Wildcat  Wildcat  Wildcat  Wildcat  12. County  Les  12. Formation  San Andres  Rotary  The Proposed Depth Sacks of CEMENT EST. TOP  11  8 5/8  20  350  200  Surface  7 7/8  5 1/2  17  5 300  150  4 550	Address of Operator  1453 First National Bank, Dallas, Texas  10. Field and Peel, or Wildout  Wildout  1880	Address of Operator  1437 First National Bank, Dallas, Texas  Located 1980  FEET FROM THE South LINE   South	Name of Operator				2042	_	
1453 First National Bank, Dallas, Texas    Cocation of Well   Unit Letter   K   Locate   1980   Feet From the   South   Line	14.53 First National Bank, Dallas, Texas    Doction of Well   Unit Letter   E	LOCATED 1980  FEET PROM THE SOUTH LINE  West SHE DESCRIBE PROPOSED PROGRAM: IF PROPONAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED MEN  SHOWE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPONAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED MEN  SHOWE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPONAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED MEN  SHOWE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPONAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED MEN  THE SUPERIOR OF THE MENT OF THE PROPOSED PROGRAM: IF PROPOSED IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED MEN  THE SUPERIOR OF THE MENT OF THE PROPOSED IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED MENT  Title Supt.  Title Supt.  Date 11-18-71						_	
1980   FEET FROM THE   West   LINE OF SEC.   29   178   RGE.   36E   NAP.   12. County   Lea	1980    1980   1	1980  PEST FROM THE WORST LINE OF SEC. 29 TAS ROLL SOUTH LINE LINE OF SEC. 29 TAS ROLL SOUTH LINE LINE OF SEC. 29 TAS ROLL SOUTH LESS ROLL SOU	=""	onal Bank, Dal	las, Texas				
1980    PEET FROM THE   West   LINE OF SEC.   29   TAP.   175   36E   Na.PM   12. County   Lea	1980    1980   1	1980 FET FROM THE LINE OF THE LINE OF THE PROPOSED LINE OF THE PROPOSED DESCRIPTION OF THE PROPOSED LINE OF THE PR		ER K	OCATED 1980	FEET FROM THE SOUT	h lus	777777	mmmm
19. Proposed Depth   19A. Ferrention   20. Flotary or C.T.   19. S300   19A. Ferrention   20. Flotary or C.T.   19. Flotary or C.T.   19. San Andres   19. Flotary or C.T.   19.	Second State   Seco	ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OF PLUS BACK, GIVE DATA ON PRECENT PRODUCTIVE ZONE AND PROPOSED NEW Series of My Smooth Parks of the Superior State Uses.    County   Lea   12, County   Lea   12, County   Lea   12, County   Lea   13, Proposed Depth   14, Proposed Depth   14, Proposed Depth   15, Proposed Depth   15, Proposed Depth   15, Proposed Depth   16, Proposed Depth   11, Proposed Depth   16, Proposed Depth	1980	West	29	178 36	21112		
Lea	SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  11 8 5/8 20 330 200 Surface  7 7/8 5 1/2 17 5300 180 4550  San Andres Rotary  NOTICE TO SETTING DEPTH SACKS OF CEMENT EST. TOP  11 8 5/8 20 350 200 Surface  7 7/8 5 1/2 17 5300 180 4550  San Andres Rotary  Les Rotary  12. Approx. Date Work will stort  12. Approx	Less Levertons (Show whether DF, RF, etc.)  Levertons (Show whether DF, RF, etc.)  21 A. Kind 6 Status Plug. Bond  21 B. Drilling Controctor  Cactus  PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE  SIZE OF CASING  SIZE OF HOLE  SIZE OF CASING  SIZE OF T/8  SIZE OF CASING WEIGHT PER FOOT  SETTING DEPTH SACKS OF CEMENT  EST. TOF  11  8 5 /8  20  350  200  Surface  7 7/8  S 1/2  17  S300  150  4550  A550  A550  Date  Title  Supt.  Date  11-18-71  (his space for State Use)  File Supt.  Date  11-18-71  Supt. Supplementary	FEET FROM	THE	LINE OF SEC.	TWP. RGE.	NMPM	12, County	<i>m####</i>
Elevations (Show whether DP, RT, etc.)  3865 Ground Level  PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE  SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  11 8 5/8 20 350 200 Surface 7 7/8 5 1/2 17 5300 150 4550	Levelions (Show whether DF, RT; etc.)  21A. Kind & Status Play, Bond 3865 Ground Level  21A. Kind & Status Play, Bond Statewide  21B. Drilling Contractor Cactus  22. Approx. Date Work will start 11-25-71  PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE  SIZE OF CASING WEIGHT PER FOOT  SETTING DEPTH SACKS OF CEMENT EST. TOP  11 8 5/8  20 350 200 Surface 7 7/8 5 1/2 17 5300 150 4550  AUGUST STATE DESCRIBE PROPOSED PROGRAM: IF PROPOSED IS TO BEFFER OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR. GIVE BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSOR (SIVE DATA	Size of Hole Size of Casing Weight Per Foot Setting Depth Sacks of Cement Est. To 11 8 5/8 20 3360 200 Surface 7 7/8 5 1/2 17 5300 180 4550 180 4550 180 5 1/2 17 5300 180 5 1/2 17 5300 180 5 1/2 17 5300 180 5 1/2 17 5300 180 5 1/2 17 5 1/2 17 5 1/2 17 5 1/2 17 5 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2							
Elevations (Show whether DP, RT, etc.)  3865 Ground Level  PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE  SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  11 8 5/8 20 350 200 Surface 7 7/8 5 1/2 17 5300 150 4550	Elevations (Show whether DF, RT. etc.)   21A. Kind & Stotus Plug. Bond   21B. Drilling Contractor   3865 Ground Level   22. Approx. Date Work will start   11-25-71      PROPOSED CASING AND CEMENT PROGRAM   11-25-71     PROPOSED CASING AND CEMENT PROGRAM   SIZE OF CASING   WEIGHT PER FOOT   SETTING DEPTH   SACKS OF CEMENT   EST. TOP     11	Size of Hole Size of Casing Weight Per Foot Settle Proposed Solve Space Describe Proposed Proposed Is to deepen or slug Back, give data on present Productive zone and proposed new town certify that the information above is true and complete to the best of my knowledge and belief.    Size of Casing Size of Casing Weight Per Foot Setting Depth Sacks of Cement Est. To Sacks of Cement Sacks of Cement Setting Depth Sacks of Cement Sacks of Cement Setting Depth Sacks of Cement Setting De			<i>HHHHHHH</i>	HHHHHH	<i>HHH</i>	777777	HHHPim
Elevations (Show whether DP, RT, etc.)  3865 Ground Level  PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE  SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  11 8 5/8 20 350 200 Surface 7 7/8 5 1/2 17 5300 150 4550	Elevations (Show whether DF, RT. etc.)   21A. Kind & Stotus Plug. Bond   21B. Drilling Contractor   3865 Ground Level   22. Approx. Date Work will start   11-25-71      PROPOSED CASING AND CEMENT PROGRAM   11-25-71     PROPOSED CASING AND CEMENT PROGRAM   SIZE OF CASING   WEIGHT PER FOOT   SETTING DEPTH   SACKS OF CEMENT   EST. TOP     11	Size of Hole Size of Casing Weight Per Foot Settle Proposed Solve Space Describe Proposed Proposed Is to deepen or slug Back, give data on present Productive zone and proposed new town certify that the information above is true and complete to the best of my knowledge and belief.    Size of Casing Size of Casing Weight Per Foot Setting Depth Sacks of Cement Est. To Sacks of Cement Sacks of Cement Setting Depth Sacks of Cement Sacks of Cement Setting Depth Sacks of Cement Setting De							
Elevations (Show whether DF, RT, etc.)   21A. Kind & Status Plug. Bond   Statewide   Cactus   11-25-71	Elevations (Show whether DF, RT, etc.)  3865 Ground Level  21A. Kind & Status Plag. Bond Statewide  Cactus  PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE  SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  11 8 5/8  7 7/8 5 1/2 17 5300 180 4550  A 550 4550  SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  11 8 5/8  2 17 5300 180 4550  A 550 51/2 17 5300 180 51/2 51/2 51/2 51/2 51/2 51/2 51/2 51/2	SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 11 8 5/8 20 350 200 Surface 7 7/8 5 1/2 17 5300 150 4550  SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 11 8 5/8 20 350 200 Surface 7 7/8 5 1/2 17 5300 150 4550  SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 11 8 5/8 20 350 200 Surface 7 7/8 5 1/2 17 5300 150 4550  SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 11 8 5/8 20 350 200 Surface 7 7/8 5 1/2 17 5300 150 4550  SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 11 8 5/8 20 350 200 Surface 7 7/8 5 1/2 17 5300 150 4550  SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 11 8 5/8 20 350 200 Surface 7 7/8 5 1/2 17 5300 150 4550  SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 11 5/8 5/8 20 350 200 Surface 7 7/8 5 1/2 17 5/8 5/8 20 350 200 Surface 7 7/8 5/8 20 350 200 Surface 7 7/8 5/8 20 200 Surface 7 7/8 20 200 Surface 7							
Statewide   Cactus   11-25-71	PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  11 8 5/8 20 350 200 Surface  7 7/8 5 1/2 17 5300 150 4550  ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROCESSING GIVE BLOWGUT PREVENTER PROGRAM, IF ANY.  Title Supt.  Date 11-18-71  (his space for State User)	PROPOSED CASING AND CEMENT PROGRAM  SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOF  11 8 5/8 20 350 200 Surface  7 7/8 5 1/2 17 5300 180 4550  ANDONE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO BEEPEN OF SLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW CEDUC CONE. GIVE BLOWGUT PREVENTER PROGRAM, IF ANY.  AND SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO BEEPEN OF SLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW CEDUC CONE. GIVE BLOWGUT PREVENTER PROGRAM, IF ANY.  Table Supt.  Back 11-18-71  This pace for State User  NOV 2 3 1971	. Elevations (Show whether DF	(, RT, etc.) 21A. Ki	nd & Status Plua, Bond				<u> </u>
SIZE OF HOLE	SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  11 8 5/8 20 350 200 Surface 7 7/8 5 1/2 17 5300 150 4550  ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROPOSED NEW PROPOSED IN THE PROPOSED NEW PROPOSED IN THE PROPOSED NEW PROPOSED IN THE PROPOSED IN THE PROPOSED NEW PROPOSED IN THE PROPOSED IN THE PROPOSED IN THE PROPOSED NEW PROPOSED IN THE PROPOSED IN	SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOF  11 8 5/8 20 350 200 Surface  7 7/8 5 1/2 17 5300 150 4550  NEOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OF PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW SCREEN STREET FROM THE PROGRAM, IF ANY.  TELLE Supt. Date 11-18-71  (This space for State Use)  18 5/12 17 18 18 18 18 18 18 18 18 18 18 18 18 18			- 1				
SIZE OF HOLE         SIZE OF CASING         WEIGHT PER FOOT         SETTING DEPTH         SACKS OF CEMENT         EST. TOP           11         8 5/8         20         350         200         Surface           7 7/8         5 1/2         17         5300         150         4550	SIZE OF HOLE  SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP  11 8 5/8 20 350 200 Surface  7 7/8 5 1/2 17 5300 150 4550  ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROPOSED IN EACH COVER SILDWOOD PREVENTER PROGRAM, IF ANY.  Title Supt.  Date 11-18-71	SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOF  11 8 5/8 20 350 200 Surface  7 7/8 5 1/2 17 5300 150 4550  ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROPOSED IN THE CONTROL GIVE BLOWGUT PREVENTER PROGRAM, IF ANY.  THE SUPT.  Date 11-18-71  (This space for State User)	•		PROPOSED CASING AN	ND CEMENT PROGRAM		<u> </u>	· · · · · · · · · · · · · · · · · · ·
11 8 5/8 ZO 350 200 Surface 7 7/8 5 1/2 17 5300 150 4550	11 8 5/8 20 350 200 Surface 7 7/8 5 1/2 17 5300 150 4550  ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR "LUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROPOSED STORE, GIVE BLOWGOUT PREVENTER PROGRAM, IF ANY.  Treby certify that the information above is true and complete to the best of my knowledge and belief.  Title Supt.  Date 11-18-71	11 8 5/8 20 350 200 Surface 7 7/8 5 1/2 17 5300 180 4550  ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW reby certify that the information above is true and complete to the best of my knowledge and belief.  Title Supt.    Date 11-18-71   Chis space for State Usy	SIZE OF HOLE	SIZE OF CASING	·		SACKS OF	CEMENT	FST. TOP
7 7/8 5 1/2 17 5300 150 4550	NEOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR "LUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROPOSED STORE, GIVE BLOWOUT PREVENTER PROGRAM, IF ANY."  Teach crive blowout preventer Program, IF ANY.  Teach crive sive blowout preventer program, IF ANY.  Teach crive sive blowout preventer program, IF ANY.  Title Supt.  Date 11-18-71	ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW reby certify that the information above is true and complete to the best of my knowledge and belief.  Title Supt.  Date 11-18-71			20	350			
The state of the s	ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROPOSED NEW PROPOSED STATE OF THE SUPERIOR OF STATE OF THE SUPERIOR OF STATE OF THE SUPERIOR OF STATE Uses Date 11-18-71	BOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW ZONE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.  The space for State Uses  Title Supt.  Date 11-18-71  NOV 2 3 1971	7 7/8	5 1/2	17	5300	150	)	
The state of the s	ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROPOSED NEW PROPOSED STATE OF THE SUPERIOR OF STATE OF THE SUPERIOR OF STATE OF THE SUPERIOR OF STATE Uses Date 11-18-71	BOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW ZONE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.  The space for State Uses  Title Supt.  Date 11-18-71  NOV 2 3 1971					-	į	
The state of the s	ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROPOSED NEW PROPOSED STATE OF THE SUPERIOR OF STATE OF THE SUPERIOR OF STATE OF THE SUPERIOR OF STATE Uses Date 11-18-71	BOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW ZONE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.  The space for State Uses  Title Supt.  Date 11-18-71  NOV 2 3 1971							
2-23-7/	BOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROZONE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.  Title Supt.  Date 11-18-71	BOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW ZONE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.  eby certify that the information above is true and complete to the best of my knowledge and belief.  Title Supt.  Date 11-18-71  (This space for State Use)	Market Services		7 %				
	Title Supt.  Title Supt.  Title Supt.  Date 11-18-71	Title Supt.  This space for State User  Separation of the space for State User  Supt.  This space for State User  This space for State User  Supt.  Supt.  Supt.  Date 11-18-71  NOV 2 3 1971	21 kg		1 With State Com		2-2	2-3-7/	
	ned	gned	Marine de la companya		876		2-2	) ;	8-7,
	(This space for State Use)	(This space for State Use)  PROVED BY STRICT I NOV 2 3 1971	reby certify that the information	on above is true and co		knowledge and belief.			
		PROVED BY STRICT 1 NOV 2 3 1971	red The	2220	Title Supt.		D	ate 11-	18-71
	MOVE OF TOTAL	PROVED BY THE STITE OF ISTRICT 1 NOV 23 1971	(This space for .	State Usay					
ed		PROVED BY PROVED BY PROVED BY TITLE STATE OF THE STATE OF	$\bigvee_{\infty}$	12/10 /	Jan		ामा व	MA	1 6 0 1071

RECEIVED

1 1971

OIL CONSERVATION FORM.

\* **\$** 

## NE XIED ON CONSERVATION COMMISSIO WELL CARDY OF ARREAGE DEDICATION PLAT

Frank Live Superior los control Little rive Licel

ν. Έ	ALSA	ABROOAK	SHI			Alsa	Land 1
"K"	29	17 Sout	th 36	East	County	Lea	
1980		outh	1980	)	trian the	West	Hne
865	San A	<i>indres</i>	, , , , , , , , , , , , , , , , , , ,	Vild cat			Dedicated Accorde
7 8 8 8 1 1 × 15 1	were en ereigne.	to the sales	ort well be a fin	red pencil o	r hachure	marks on t	he plat below
e jako da	n menser Fredtyl	ed. stell ca	e well and is a	ach and iden	ntify the	owaership	thereof (both as 6000)
in the state of the state of	ennantzetem	Horostown od miles make for e	apor dedicate (). Grados esco	a the well. I	have the	interests o	fallowners been as
Υ.	· No Union	taliga i sa	No of and A	dtan			
in a marketing	and the state of	Stable William	en en araban en	have been	onsalidət	ed (by con	munitization, martization approved by the con-
		and the second s					CERTIFICATION
						l hereby	certify that the sides in roa
						tained he	rein is true and complete
						best of m	y knowledge and belief
	·		1			Nome	- <u>-</u>
						Tosition	
	<u>.</u>					ouper.	ntengent
						o. v.	Alsabrook
						Hövenb	er 17, 1971
	j						
						l hereby	certify that the mediture
- 1980	· ———						this plat was plotted from actual surveys made by a
	Ĭ						actual surveys made by a supervision, and that the
							nd correct to the been a
		4000			-	know ledge	and belief
	386					Type C	MF14
						Nov.	12, 12,
						Hegisteren⊄ ard∕ort <b>se</b> a	Rovesstonal Faigle of Surv HERSCHEL
		:					L JONES
20 1 4 M24 - M8	- <u>                                     </u>		where the first of the second section is also as a second			XXX	

RECEIVED ; · 1; 1971

OIL CONSERVATION COMM.