

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
L-3672	

SUNDRY NOTICES AND REPORTS ON WELLS <small>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</small>		
1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-		7. Unit Agreement Name
2. Name of Operator Mobil Oil Corporation		8. Farm or Lease Name State LL
3. Address of Operator Box 633, Midland, TX 79701		9. Well No. 1
4. Location of Well UNIT LETTER <u>J</u> <u>1780</u> FEET FROM THE <u>South</u> LINE AND <u>1980</u> FEET FROM THE <u>East</u> LINE, SECTION <u>16</u> TOWNSHIP <u>17-S</u> RANGE <u>34-E</u> NMPM.		10. Field and Pool, or Wildcat Vac-Grayburg S. A.
15. Elevation (Show whether DF, RT, GR, etc.) 4070 GR		12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Pull production equipment, rods and pump and 2 3/8" tubing at 4746.
2. Wash sand cap (4910'-4932') off RBP @ 4932' and retrieve bridge plug.
3. Set CIBP at 8900' + and cap w/ 35' cement (10 sx) in 7", 29# csg.
4. Circulate hole to 9.5# brine using 25 sx salt gel per 100 bbls-est. vol.= 520 bbls.
5. Set CIBP at 4750' + and cap w/ 35' cement (17sx) in 9 5/8", 40# csg.
6. Spot 100' cement plug (45sx) from 1687-1787' (top of salt at 1737'.)
7. Spot 10 sx cement plug at surface.
8. Erect monument and clear location.

Location - Unit J, Sec. 16, T-17S, R-34E

Verbally approved w/J. D. Ramey, NMOCC 3-25-75
Notify NMOCC at Hobbs, 393-6161, 24 hours before starting

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Christine O. Tucker</u>	TITLE <u>Authorized Agent</u>	DATE <u>4-28-75</u>
APPROVED BY _____	TITLE _____	DATE <u>APR 30 1975</u>

CONDITIONS OF APPROVAL, IF ANY: