

COUNTY LEA FIELD Wildcat STATE NM API 30-025-24069
 OPR SUPERIOR OIL CO., THE SERIAL
 NO. 2 LEASE Government "E" MAP
Sec 25, T-19-S, R-34-E CO-ORD
760' FNL, 760' FEL of Sec ELEV. D [REDACTED] L & S

SPD 3-22-72 CMP 11-29-72		CLASS		GL	
CSG & SX		FORMATION	DATUM	FORMATION	DATUM
11 3/4" at 400' w/450 SX					
8 5/8" at 3800' w/775 SX					
5 1/2" at 10,350' w/1083 SX					
LOSS EL GR RA IND HC A		TD 10,350'		PBD 6034'	

IP (San Andres) Perfs 5855-65' P 52 BOPD + 7 BW. Pot based on
 24 hr test. GOR 182; Grav 30.4

CONTR Noble OPRS ELEV 3786 KB PD 10,300' TYPE RT

FR 3-20-72

(Bone Spring)

AMEND FIELD NAME: Formerly reported as Undesignated

Drlg. 2940' salt & anhy

Drlg. 4910' 1m & sd

Drlg. 7883' 1m & sd

Drlg. 9587' 1m & sd

Drlg. 9855' sh & 1m

DST 9635-9714', open 1 hr (500' WB),

rec WB w/NS; 1 hr ISIP 749#, FP 398-368#,

1 hr FSIP 515#, HP 4398-4398#

TD 10,350'; Prep run 5 1/2" csg

TD 10,350'; Prep Swb

Perf 10,273-277' w/4 SPF

Acid (10,273-277') 500 gals

12-30-72

3-27-72

4-3-72

4-10-72

4-17-72

4-24-72

5-1-72

5-8-72

5-15-72 TD 10,350'; PBD 9840'; Swbg
Swbd 100% salt wtr (10,273-277')
BP @ 9840'
Perf 9766-72' w/1 SPF
Acid (9766-72') 500 gals
Swbd 26 ENO + 23 B salt wtr in 6 hrs

5-22-72 TD 10,350'; PBD 9840'; SI
Swbd 9 EO + 24 B salt wtr in 1 hr (9766-72')

5-30-72 TD 10,350'; PBD 9840'; SI

6-5-72 TD 10,350'; PBD 9840'; SI

6-12-72 TD 10,350'; PBD 9840'; SI

8-8-72 TD 10,350'; PBD 9840'; TO Pmp

8-21-72 TD 10,350'; PBD 9840'; SI

9-18-72 TD 10,350'; PBD 9840'; SI

9-25-72 TD 10,350'; PBD 9840'; WOC
Sqzd (9766-72') 2050 sx

10-3-72 TD 10,350'; PBD 9840'; Swbg
Re-Sqzd 9766-72' w/500 sx
Perf 9762-67' w/4 SPF
Acid (9762-67') 750 gals
Swbd 32 EF (5% oil & 95% salt wtr) in 3 hrs 15 mins (9762-67')

10-9-72 TD 10,350'; PBD 9840'; TO Pmp
Ppd 8 EO + 163 E salt wtr in 24 hrs (9762-67')

11-6-72 TD 10,350'; PBD 9840'; TO Pmp

11-13-72 TD 10,350'; PBD 6034'; Swbg 1d
FE to 6034'
Perf (San Andreas) 5855-65' w/4 SPF
Acid (5855-65') 500 gals
Swbd 3 ENO (60% AW) in 2 hrs (5855-65')

11-13-72

Continued

Acid (5855-65') 2000 gals

Swbd 14 ENO (20% AW) in 2 hrs 30 mins (5855-65')

Frac (5855-65') 25,000 gals oil + 20,000# sd

Swbd 52 SLO in 6 hrs (-322 SLO)

11-27-72

TD 10,350'; PBD 6034'; RU Pmp

12-5-72

TD 10,350'; PBD 6034'; TO Pmp

Ppd 41 EO + 6 EW in 24 hrs (5855-65')

12-12-72

TD 10,350'; PBD 6034'; WO OGC Pot

Ppd 52 EO + 7 EW in 24 hrs (5855-65')

12-19-72

TD 10,350'; PBD 6034'; WO Pot

12-26-72

TD 10,350'; PBD 6034'; COMPLETE

LOG TOPS: Rustler 1801', Yates 3460', Seven

Rivers 3990', Queen 4655', Penrose 5000',

San Andres 5845', Cherry Canyon 6362',

12-26-72

Continued

Bone Spring 8184', Wolfcamp Lime 10,257'

12-30-72

COMPLETION REPORTED