

(Abo) Perfs 8661-8848' Water Injection Well

CONTR	OPRS ELEV	4002'	PD	8848' WO
-------	-----------	-------	----	----------

F.R.C. 11-17-79 OWWO

(Orig. Texaco Inc., #4 New Mexico "DJ" State,
comp. 9-2-72 thru (Abo) Perfs 8661-8848', OTD
8850', OPB 8848')

WATER INJECTION WELL

11-12-79 TD 8850'; PBD 8848'; Complete
Perf (Abo) 8669-76', 8704-10', 8727-35', 8803-09'
Acid (8661-8848') 5000 gals (15%)
11-17-79 COMPLETION ISSUED

11-3-17 NM
IC 30-025-70448-79

COUNTY LEA FIELD Vacuum, N. STATE NM 30-025-24145

OPR TEXACO INC.
 4 New Mexico "DJ" State
 Sec 18, T-17-S, R-35-E
 1980' FNL, 1780' FWL of Sec
 Spd 7-30-72
 Cmp 9-2-72

CSG & SX - TUBING									
8 5/8" at 1850' w/1090 SX									
5 1/2" at 8850' w/1800 SX									
LOGS EL GR RA IND HC A									
		TD 8850'; PBD 8848'							

IP (Abo) Perfs 8661-8848' P 188 BOPD + 17 BW. Pot based on 24 hr test. GOR 1124; Grav 36.1

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Capitan PROP DEPTH 8500' TYPE RT
 DATE

F.R. 5-29-72; Opr's Elev. 4002' GL
 PD 8500' RT (Abo)
 Contractor - Capitan
 7-31-72 TD 1850'; Prep run 8 5/8" csg
 8-7-72 Drlg. 4794' lm
 8-14-72 Drlg. 6811' lm & sh
 8-21-72 Drlg. 8103' lm
 8-28-72 TD 8850'; MORT
 9-5-72 TD 8850'; PBD 8848'; RU Pmp
 Perf @ 8661', 8668', 8670', 8674', 8681', 8685',
 8688', 8700', 8704', 8710', 8714', 8716', 8718',
 8728', 8730', 8734', 8750', 8755-69', 8774',
 8779', 8784-92', 8804', 8807', 8815', 8828',
 8832', 8836', 8847', 8848' w/2 SPE
 Acid (8661-8848') 12,500 gals
 Swbd 97 BNO + 227 BLW in 28 hrs

LEA
TEXACO INC.

Vacuum, N. NM Sec 18, T17S, R35E
4 New Mexico "DJ" State Page #2

9-11-72 TD 8850'; PBD 8848'; WO OCC Pot
Ppd 188 EO + 17 BLW in 24 hrs, GOR 1124; Grav
36.1 (8661-8848')

9-18-72 TD 8850'; PBD 8848'; COMPLETE
LOG TOPS: Anhydrite 1770', Yates 3040', Queen
4008', San Andres 4696', Glorieta 6198', Abo
8242'

9-23-72 COMPLETION REPORTED