Submit To Appropri State Lease - 6 copie Fee Lease - 5 copie	ios	Enerm	State of New , Minerals and N		acources		Form C-105 Revised March 25, 1999					
District I	_	Ellergy	, Millicials and I	WELL API NO).				
District II	, Hobbs, NM 87240	OII (או דודע	TCION	30-025-24949							
\$11 South First, Art District III	tesia, NM 87210	OIL	CONSERVATION OF THE PROPERTY O		IDIOIA	5. Indica	ate Type of					
1000 Rio Brazos Re	d., Aztec, NM 87410		2040 South P Santa Fe, NM			TATE \Box	FEE 🛛					
District IV 2040 South Pacheco	o, Santa Fe, NM 87505	State Oil	& Gas Leas	se No.								
	OMPLETION											
ia. Type of Well	:		·			7. Lease N	ame or Unit A	greement Name				
OIL WI	ELL 🔀 GAS WE	LL DRY D	OTHER			-						
b. Type of Com NEW WELL	WORK []	PLUG D	□ DIFF. ⊠	OTHER		REC	ORD					
2. Name of Opera	tor					8. Well No						
AMTE	X ENERG	SY, INC.				1 4	5					
3. Address of Ope			777421			9. Pool nam	e or Wildcat					
P.O. B	00× 3418	MIDLAN	D, TEXAS	797	02	PEP	RL : C	DUEEN	,			
4. Well Location							•	<u> 1</u>				
Unit Letter		80 Feet From The	NORTH		<u> </u>	60 60	Feet From The		Line			
Section	26	Township		ange 3	5E	NMPM			County			
10. Date Spudded	11. Date T.D. Reac	I	ompl. (Ready to Prod.)	13.		F& RKB, RT, C		14. Elev. Casinghead				
74/91	12/12/9	$7 \mid 6$	11/00			715' G		n/a				
15. Total Depth	16. Plug Bac		f Multiple Compl. How ones?	Many	18. Interval Drilled By	1 1		Cable Tools				
10,854	1,8	64	n/a			Ko	tary	n/a				
	rval(s), of this comple						20. Was Dire	ectional Survey Made				
	12'-4,86	I, Qu	een					No				
21. Type Electric a				A		22. Was W		•				
Reen	trv. Ola	Logs V	vere us	ed		ĺ	\wedge	Vo				
23.			SING RECOR		ort all st	ings set in	well)					
CASING SIZE	E WEIGHT		DEPTH SET		E SIZE		NG RECORD	AMOUNT PUI	LLED			
16"	6	5#	510'	6	20"		W+2005	100				
9.62	5" 40.	<u>-47# </u>	5,002	12.	25"		W+2005x					
5.5"		7# /	0,854	<u> </u>	50"	7665x P	rem # 92	5 LN+ None	·			
						300 Ta	ri I					
24.		1 18	IER RECORD		13	 25.	TUBING RE	COBD				
SIZE	TOP	воттом	SACKS CEMENT	SCREEN		SIZE	DEPTH S		SET			
26. Perforation re	cord (interval, size, a	nd number)		27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.								
				DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED					TEE A			
110112	1-11861	771.1.	105 (E" Jim) 707X - 7081			Geials	Enge W/17 7) Had counting					
4842'-4861', 77			Tholes (5 alam.)			22 3	22.323# of 20/40 mash shud					
20			PDC	DUCT	ION	1~~)~	CJAOT	AU/TO mesne	ina)			
28 Date First Production	n Pr	oduction Method (FI	owing, gas lift, pumping			Well Statu	s (Prod. or Shi	ut-in)				
6/1/0	20	Pumping	-1.25" Ra	od Pu	mp	/	Produ	cing				
Date of Test 6/1/00	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl	_ I	tas - MCF 17	Water - Bt	61. Gas - Oil R				
Flow Tubing	Casing Pressure	Calculated 24-	Oil - Bbl.	Gas - I	MCF	Water - Bbl.	Oil G	ravity - API - (Corr.)				
Press. h/a	20 psi	Hour Rate	63	/	7	1		38				
	as (Sold, used for fue	, vented, etc.)					Test Witness					
Sold 30, List Attachment							Willia	m J. Savad	10			
None	•											
	that the information	on shown on both s	ides of this form as t	rue and co	mplete to th	e best of my kn	owledge and	belief				
TU/	Pliam S. A	P - 10 %	Printed			^	į	1	19/1			
Signature / //	M. 1 011. 10		Name WILLIAM	1 J. JAI	noe little	TKESI	1001	Date 9/2	~1/W			

A

5

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

			astern Nev	w Mexico						L SECT		
T. Ani	ıy			Canyon		T. Ojo A	Jamo			T. Penn. "B		
T. Salt			T. S	Strawn		T. Kirtla	nd-Frui	tland		Γ. Penn. "C		
B. Salt			T. A	Atoka		T. Pictur	ed Cliff	s	 .	Γ. Penn. "D		
T. Yat	es		T. I	Miss		T. Cliff I	House			Γ. Leadville		
T. 7 R	vers		Т. І	Jevonian		T. Mener	l eter			Γ. Madison	·	
	en/	+590'	T. S	Silurian Montoya		T. Point	Lookou	t		Γ. Elbert		
T. Gra	yburg		T. N	Montoya	•	T. Mance	os	`	 .	Γ. McCrack	en	
I. San	Andres		T. 8	Simpson		T. Gallur)			Γ. Ignacio C)tzte	
T. Glo	rieta		T. N	McKee		Base Gre	enhorn			Γ. Granite		
T. Pade	10ck		т. Е	:llenburger		T. Dakot	a		•	ſ		
T. Blin	ebry		Т. С	Gr. Wash		T. Morris	son			ŗ <u>. </u>		
T.Tubl)		ТГ	Delaware Sand		T.Todilto	, —			l,		
T. Drin	kard		T. E	Sone Springs	7.770'	T. Entrad	la		7	·	···	
T. Abo			т		7	T. Winga	ite		1	·		
T. Wol	fcamp		T			T. Chinle	;		1			
I. LCIII	1		1			T. Permia	 an			•		
T. Cisc	o (Bougl	1 C)	T			T. Penn "	A"		7	`		
	•								Y	SAN	DIL OR DS OR	ZONES
No. 1,	trom	• • • • • • • • • • • • • • • • • • • •	to.	• • • • • • • • • • • • • • • • • • • •		No. 3, 1	from		• • • • • • • • •	.to		•••••
No. 2,	from	• • • • • • • • • • • • • • • • • • • •	to.	• • • • • • • • • • • • • • • • • • •		No. 4, 1	from		• • • • • • • •	.to		•••••
				IMP	PORTANT	WATER S	SAND	S				
Include	e data or	rate of war	ter inflow a	and elevation	to which water	er rose in ho	nle.					
No. 1	from			to	o willon wat	7 1050 III IK	J10.	foot				
	44 Ottes							1661	• • • • • • • • •	• • • • • • • • • • • • •	•••••	• • •
No 2	from			4-				C4				
No. 2,	from	••••••		to	*******		•••••	feet		• • • • • • • • • • • • • • • • • • • •		•••
No. 2,	from	••••••	• • • • • • • • • • • • • • • • • • • •	to to	•••••		••••	feet feet	•••••	•••••		•••
No. 2,	from	••••••	• • • • • • • • • • • • • • • • • • • •	to to	•••••		••••	feet feet	•••••	•••••	••••••	•••
No. 2,	from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	••••	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from]	• • • • • • • • • • • • • • • • • • • •	to to	•••••		ditiona	feet feet l sheet if i	necessa	ry)	hology	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••
No. 2, No. 3,	from from	Thickness	• • • • • • • • • • • • • • • • • • • •	LOGY R	•••••	Attach ade	ditiona	feet	necessa	ry)	•••••	•••

District I PO Box 1980, Hobbs, NM 88241-1980 District II 811 South First, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410

2040 South Pacheco, Santa Fe, NM 87505

District IV

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505

Form C-102 Revised October 18, 1994 Instructions on back

Submit to Appropriate District Office

State Lease - 4 Copies Fee Lease - 3 Copies

☐ AMENDED REPORT

	API Numb	W				CREAGE DED	ICATION P	LAT		
1	Pool Code					^J Pool Name				
		24949	7	4978		ARL; QU	KEEN			
Property (0.		rty Name		* Well Number				
OGRID!		156	ECORD			5				
00078	$\tau m \Omega$	70 V /5	NERGY	tor Name		⁹ Elevation				
000 1	171111					3715				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	e Location	T = -	,		
$\mid \in \mid$	26	195	35E	Dot ruii	1980		Feet from the	East/Wes		County
(1.0	<u> </u>	tom Hol		If Different From	660	_ W	<u> </u>	LEA
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the			T	·	
	Ob or lot no. Section Lownship				Teet from the	e North/South line Feet from th		East/West line		County
12 Dedicated Acres	Joint o	or Infill 14 (onsolidatio	n Code 15 (Order No.		L			
1 40	l N	'								
NO ALLOW	ABLE W	ILL BE A	SSIGNE	о то тн	S COMPLET	ION UNTIL ALL	INTERESTS H	AVE BEE	IN CON	ICOLIDATED
		OR A	NON-STA	NDARD	UNIT HAS I	BEEN APPROVED	BY THE DIVI	SION	an Cor	NSOLIDA I ED
16							17 OPER	ATOR	CERT	TFICATION
							I hereby certif	y that the info	ormation o	contained herein is
							true and comp	ilete to the be	st of my k	nowledge and belief
1980				1						
	1			l						_
							01/:0	Pin.	D	larage
	ļ						Signature	icom	XIX	wage
							WILL	IAM	J.	SAVAGE
∦ • • • • • • • • • • • • • • • • • • •	- 1						Printed Name			<u> </u>
	1						Title /	DEN	J7-	
660	660						9/2	9/00) .	
							Date	1/		
							18SURVI	EYOR C	FRTI	FICATION
	1			İ			13			thown on this plat
							was plotted from	n field notes (of actual s	SULVEYS made by me
							correct to the b	pervision, and est of my beli	i that the . cf.	same is true and
			i		İ			-		
		·					Date of Survey	·		
							Signature and S	cal of Profess	tional Sur	veyer:
							,			
			l							
							Certificate Numb	per		
										ليستستست