



NEW MEXICO ENERGY, MINERALS  
& NATURAL RESOURCES DEPARTMENT

well file copy  
OIL CONSERVATION DIVISION  
2040 South Pacheco Street  
Santa Fe, New Mexico 87505  
(505) 827-7131

ADMINISTRATIVE ORDER NO. WFX-689

**APPLICATION OF F & M OIL AND GAS COMPANY TO EXPAND ITS WATERFLOOD  
PROJECT IN THE SOUTH TONTO YATES-SEVEN RIVERS POOL IN LEA COUNTY, NEW  
MEXICO**

**ADMINISTRATIVE ORDER  
OF THE OIL CONSERVATION DIVISION**

Under the provisions of Division Order No. R-9082, F & M Oil and Gas Company has made application to the Division on July 5, 1996 for permission to expand its Wallen Tonto Waterflood Project in the South Tonto Yates-Seven Rivers Pool in Lea County, New Mexico.

**THE DIVISION DIRECTOR FINDS THAT:**

- (1) The application has been filed in due form.
- (2) Satisfactory information has been provided that all offset operators have been duly notified of the application.
- (3) No objection has been received within the waiting period as prescribed by Rule 701(B).
- (4) The proposed expansion of the above referenced waterflood project will not cause waste nor impair correlative rights.
- (5) The proposed expansion of the above referenced waterflood project will not cause waste nor impair correlative rights.
- (6) The application should be approved.

**IT IS THEREFORE ORDERED THAT:**

The applicant, F & M Oil and Gas Company, be and the same is hereby authorized to inject water into the Yates and Seven Rivers formations at approximately 2900 feet to approximately 3113 feet through 2 3/8-inch plastic lined tubing set in a packer located at approximately 2800 feet in the following described well for purposes of secondary recovery to wit:

**Wallen Tonto Well No.7**  
**1650' FSL and 990' FEL - Unit Letter 'I',**  
**Section 30, Township 19 South, Range 33 East,**  
**Lea County, New Mexico**  
**Maximum Injection Pressure: 580 psig**

**IT IS FURTHER ORDERED THAT:**

The operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

Prior to commencing injection operations into the well, the casing shall be pressure tested from the surface to the packer setting depth to assure the integrity of said casing.

The casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge at the surface or left open to the atmosphere to facilitate detection of leakage in the casing, tubing or packer.

The injection well or system shall be equipped with a pressure limiting device which will limit the wellhead pressure to no more than .2 psi per foot of depth to the uppermost injection interval.

The Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the Yates and Seven Rivers formations. Such proper showing shall consist of a valid step-rate test run in accordance with and acceptable to this office.

The operator shall notify the supervisor of the Hobbs district office of the Division of the date and time of the installation of injection equipment and of the mechanical integrity tests so that the same may be inspected and witnessed.

The operator shall immediately notify the supervisor of the Hobbs district office of the Division of the failure of the tubing, casing or packer in said well and shall take such steps as may be timely and necessary to correct such failure or leakage.


The subject well shall be governed by all provisions of Division Order No. R-9082, as amended and Rules 702-706 of the Division Rules and Regulations not inconsistent herewith.

**PROVIDED FURTHER THAT**, jurisdiction of this cause is hereby retained by the Division for the entry of such further order or orders as may be deemed necessary or convenient for the prevention of waste and/or protection of correlative rights; upon failure of the operator to conduct operations in a manner which will ensure the protection of fresh water or in a manner inconsistent with the requirements set forth in this order, the Division may, after notice and hearing, terminate the injection authority granted herein.

The injection authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject well, provided however, the Division, upon written request by the operator, may grant an extension thereof for good cause shown.

DONE at Santa Fe, New Mexico, on this 6th day of August, 1996.

STATE OF NEW MEXICO  
OIL CONSERVATION DIVISION

  
WILLIAM J. LEMAY  
Director

S E A L

WJL/BES

cc: Oil Conservation Division - Hobbs ✓  
File: Case No.9736