

Form 9-331
(May 1963)UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 16359

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

GULF OIL CORPORATION

3. ADDRESS OF OPERATOR

P.O. Box 670, Hobbs, NM 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1980' FSL & 660' FWL

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Strange "A" Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Undesignated
Quail Ridge Morrow11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 15, T19S, R34E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3756' GL

12. COUNTY OR PARISH

Lea

13. STATE

NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐

(Other) P & A

PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☒CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

11,738' PBTD.

Pull production equipment. Run & set CIBP @ approx 8725' and cap w/35' cmt. Circ hole w/abandonment mud. Cut csg @ 5900' & POH. Spot cmt plug from 50' inside cut 5½" csg top to approx 5635' (50' above 8-5/8" csg seat). Tag up on cmt top. Circ hole w/abandonment mud. Spot cmt plug from 3515' to 3415' in 8-5/8" csg. Spot cmt plug from 1874' to 1774'. Spot 10 sx cmt at surf & install dry hole marker. Clean & clear location.

RECEIVED

JUN 12 1979

J. S. GEOLOGICAL SURVEY
ALBUQUERQUE, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED N. S. Sikes, Jr.TITLE Area EngineerDATE 6-8-79

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

APPROVED
JUN 12 1979
DISTRICT ENGINEER

*See Instructions on Reverse Side