

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-26522	
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil & Gas Lease No. B-2519	
7. Lease Name or Unit Agreement Name East Vacuum Gb/SA Unit Tract 3467	
8. Well No. 001	
9. Pool name or Wildcat Vacuum Gb/San Andres	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	
2. Name of Operator Phillips Petroleum Company	
3. Address of Operator 4001 Penbrook Street, Odessa, Texas 79762	
4. Well Location Unit Letter <u>B</u> : <u>1050</u> Feet From The <u>North</u> Line and <u>1520</u> Feet From The <u>East</u> Line Section <u>34</u> Township <u>17-S</u> Range <u>35-E</u> NMPM Lea County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) <u>3943'</u> RKB - <u>3929'</u> GL	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: Repair Casing Leak ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Dump 2 sacks sand on RBP at 4380'. GIH with OE 2-7/8" workstring to 2600'.
2. MIRU Halliburton. Mix and pump 50 sacks of Class "C" Cement
Properties: Weight = 14.8 ppg; Yield = 1.32 Cuft/sk;
Water Requirement = 6.3 gal/sk;
Thickening Time = \pm 3 hrs (est.)
3. Pull 10 stands of tubing and reverse circulate hole and tubing clean.

(Over)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE L. M. Sanders TITLE Supervisor Reg/Proration DATE 3-24-92
TYPE OR PRINT NAME L. M. Sanders (915) TELEPHONE NO. 368-1488

(This space for State Use)

APPROVED BY _____ TITLE _____ DATE MAR 27 1992
CONDITIONS OF APPROVAL, IF ANY:

4. Hesitate squeeze the slurry into the leak. Squeeze at a maximum of 1000 psi. Discontinue squeezing after 9.5 bbls (40 sacks) or 3 hrs, whichever occurs first. SION.
5. GIH with 4-3/4" bit and drill out cement plug. Pressure test casing to 500 psi. If good test, POOH. RBIH with RBP retrieving tool. Circulate sand off RBP and POOH w/same.

4. Hesitate squeeze the slurry into the leak. Squeeze at a maximum of 1000 psi. Discontinue squeezing after 9.5 bbls (40 sacks) or 3 hrs, whichever occurs first. SION.
5. GIH with 4-3/4" bit and drill out cement plug. Pressure test casing to 500 psi. If good test, POOH. RBIH with RBP retrieving tool. Circulate sand off RBP and POOH w/same.

RECEIVED

MAR 20 1992

000 40830 00000