

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
811 South First, Artesia, NM 87210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised March 25, 1999

OIL CONSERVATION DIVISION  
2040 South Pacheco  
Santa Fe, NM 87505

WELL API NO. 30-025-26551
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-1402-2
7. Lease Name or Unit Agreement Name: EAST VACUUM GB/SA UNIT TRACT 2717
8. Well No. W005
9. Pool name or Wildcat VACUUM GB/SA

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  
Oil Well ☐ Gas Well ☐ Other WATER INJECTOR

2. Name of Operator  
Phillips Petroleum Company

3. Address of Operator  
4001 Penbrook Street, Odessa, TX 79762

4. Well Location  
Unit Letter P : 132' feet from the SOUTH line and 1240' feet from the EAST line  
Section 27 Township 17-S Range 35-E NMPM County LEA

10. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3937' RKB - 3927' GL

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐

OTHER: REPAIR HOLE IN TBG, RET T/INJECTION. ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

01/18/2001 MIRU DDU ND WH NU BOP COOH W/TBG & PKR FOUND HOLE IN 1ST JT 12" DWN TAG FILL @ 4679'  
GIH W/5-1/2 X 2-7/8 4.781 OD NKL PLTD OD PLSTC CTD ID LOCKSET PKR, 5-1/2 X 2-3/8 NKL  
PLTD 4.375 XL ON/OFF TL W/1.875 F NIP, 134 JTS 2-7/8 DOULINE TBG, 1 JT 2-7/8 EXTER  
WRAP DOULINE TBG & 1 4' SS SUB ND BOP NU WH TST CSG T/500 PSI OK (CHART ATTACHED)  
RDMO DDU WELL ON INJECTION, COMPLETE DROP F/REPORT.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE [Signature] TITLE Senior Regulation Analyst DATE 01/29/01

Type or print name Larry M. Sanders

Telephone No. (915)368-1488

(This space for State use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
Conditions of approval, if any:



01- Phillips  
EUGSAU-2712-005  
pool 1K 107 gerardo 1405010  
Tbq. Psi. - 0  
St. Csg. - 0