

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs NM 88240
DISTRICT II
P.O. Drawer DD, Artesia, NM 88210
DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-025-26569
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.	B-2388
7. Lease Name or Unit Agreement Name	EAST VACUUM GB/SA UNIT Tract 2059
8. Well No.	003
9. Pool name or Wildcat	VACUUM GRAYBURG/SAN ANDRES

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Water Injection	
2. Name of Operator Phillips Petroleum Company	
3. Address of Operator 4001 Penbrook Street, Odessa, TX 79762	
4. Well Location Unit Letter <u>F</u> : <u>2630</u> Feet From The <u>North</u> Line and <u>1330</u> Feet From The <u>West</u> Line Section <u>20</u> Township <u>17 S</u> Range <u>35 E</u> NMPM <u>LEA</u> County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3975.5'GR	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

5/03/95 MIRU DDU, NU Class I BOPE, Pull tbg & pkr. SDON
5/04/95 GIH W/CIBP set @ 4583', mix 35 sxs salt gel & circ well w/55 bbls.
Note: All Plugs Class C Cement, 14.8 ppg & 1.32 cfps.
Pump plug #1 25 sxs, interval 4533'-4004', pulled uphole to 3006'.
Pump plug #2, 25 sxs, interval 3006'-2528'. TOC @ 2628'. Pulled uphole to 1801'.
Pump plug #3, 25 sxs, interval 1801'-1423'. TOC @ 1423'. LD WS, Washed up with
fresh water.
Pump plug #4, 402'-3', Cement circulated to surface leaving inside of 4-1/2" casing
full. RDMO DDU. Well is P&A'ed.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE J. M. Sanders TITLE Regulation Specialist DATE 5/09/95

TYPE OR PRINT NAME J. M. SANDERS TELEPHONE NO. 915/368-1488

(This space for State Use)

APPROVED BY Johnny Robinson TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

14p