

DISTRICT I
P.O. Box 1980, Hobbs NM 88241-1980

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

2040 Pacheco St.
Santa Fe, NM 87505

WELL API NO. 30-025-26926
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. B-1527
7. Lease Name or Unit Agreement Name EAST VACUUM GB/SA UNIT TRACT 3127
8. Well No. 004
9. Pool name or Wildcat VACUUM GRAYBURG/SAN ANDRES

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL ☐ GAS WELL ☐ OTHER WATER INJECTION	
2. Name of Operator Phillips Petroleum Company	
3. Address of Operator 4001 Penbrook Street Odessa, TX 79762	
4. Well Location Unit Letter I : 1375 Feet From The SOUTH Line and 50 Feet From The EAST Line Section 31 Township 17S Range 35E NMPM LEA County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3984' RKB. 3972.3' GR	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: **CLEAN OUT T/4686'. REPAIR LEAK. ACIDIZE** ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

03/31/98 MIRU POOL DDU #678, PMP BRINE T/KILL, NU BOP & PAN, REL PKR & POOH W/1 JT & LD, SD - HIGH WIND.
04/01/98 KILL, COOH W/PKR, TRIP SANDPMP, TAG FILL @ 4738', CATCH SAMPLE SOFT IRON SULF, TRIP SCRPR T/ 4209', MIRU TBG TSTRS, TST IN HOLE W/RBP & PKR, RDMO TBG TSTRS, SET RBP 4174' & PKR 4152', LD & TST RBP, COMMUNICATIONS AROUND PKR, OPEN BYPASS & PRESS UP T/1925', HELD 35 MIN-OK, REL PKR, RD PMP TRK.
04/02/98 CIRC HOLE T/CLN UP, NO PAN & BOP, WO NEW WH, CHG OUT WH, LD & TST T/1850# OK, REL RBP, COOH LD RBP & PKR, GIH W/PKR & TBG, SET PKR @ 4152', LD & TST T/500# OK.
04/03/98 OPEN UP W/0# ON TBG, RU SWAB & SWAB BK 20 BBL, COULDN'T GET BELOW 1200' W/SWAB, MIRU HES ACID EQM GELL BRINE, TST LINES, PMP 6000 GAL 15% FERCK ACID, 6500# RK SLT & 6500# 100 MESH SALT IN 184.5
(CONTINUED ON BACK)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Larry M. Sanders* TITLE **Senior Regulation Analyst** DATE **4-13-98**

TYPE OR PRINT NAME **Larry M. Sanders** TELEPHONE NO. **(915) 368-1488**

(This space for State Use)

ORIGINAL SIGNED BY CHRIS WILLIAMS
DISTRICT I SUPERVISOR

APPROVED BY _____ TITLE _____ DATE **APR 16 1998**

CONDITIONS OF APPROVAL, IF ANY:

04/03/98 CONTINUED
 BBL 10# GELLED BRINE & 43 BBL FW FLUSH PER: 22 BBL FW; 1500# RK & 1500# 100 MESH SALT IN 47.6 BBL BRINE;
 1000 GAL ACID, 2000# RK & 2000# 100 MESH SALT IN 57.2 BBL BRINE; 1000 GAL ACID, 1500# RK & 1500# 100 MESH
 SALT IN 43.5 BBL BRINE; 2000 GAL ACID, 1500# RK & 1500# 100 MESH SALT IN 36.2 BBL BRINE; 2000 GAL ACID; 43.2
 BBL FW FLUSH, ISIP 1605# 5 MIN 1375# 10 MIN 1204# 15 MIN 1115# MAX PRESS 2248# AVG RATE 4.4 BPM, RDMO HES
 EQMT, OPEN UP W/9503 ON TBG, FLOW BK 55 BBL @ 250#.
 04/06/98 OPEN UP W/360# ON TBG, FLOW BK 422 BBL.
 04/07/98 OPEN UP W/950# ON TBG, PMP BRINE T/KILL, COOH LD TBG.
 04/08/98 KILL, COOH LD OLD TBG, PU GIH W/INJ PKR & NEW DUOLINE 20 INJ TBG, SET PKR @ 4158', GET OFF PKR W/ON/OFF TL,
 CIRC PKR FL, ND PAN & BOP, GIH W/EXTERNAL DUOWRAP JT & TBG HANGER, LD & TST TBG/CSG ANNUL T/1850# F/30
 MIN OK, NU INJ TREE, TST, HK UP F/ & START INJECTN @ 2000 BWPD @ 0#
 04/09/98 RDMO DDU, INJ WTR, NO RATE & PRESS.
 04/10/98 INJECT @ 878 BWPD @ 1300#.
 04/11/98 INJECT @ 630 BWPD @ 1300#.
 04/12/98 INJECT @ 570 BWPD @ 1310#.

COMPLETE DROP F/REPORT

PRINTED IN U.S.A. ©

6 DAY → 1


Phillips Radio Co
EUGENE, ORE
3127-004
Legal: 1375 CBL 1350 KBL
Sec 31 T-15, L35E
Lea Co. DMB

CALIBRATED
GAUGES

WATER INDEX	
TIME PUT ON	M
DATE PUT ON	B

TIRE WIRE SIZE	
TIME TAKEN OFF	M
DATE TAKEN OFF	B

BR-B 0-5000-B
#44-11-7-98



EVGSAU # 3127-004

Work over - pump
acid.

PBR Regulatory Section

APR 23 1998

RECEIVED

RECEIVED
HHS
OIG