

WRS COMPLETION REPORT

REISSUES SEC 32 TWP 19S RGE 33E
PI# 30-T-0004 02/09/90 30-025-26982-0001 PAGE 1

NMEX LEA * 1980FSL 2200FEL SEC NW SE
STATE COUNTY FOOTAGE SPOT
JFG ENTERPRISES WSX DO
OPERATOR WELL CLASS INIT FIN

1 TONTO STATE COM

WELL NO. LEASE NAME
3569GR GEM
OPER ELEV FIELD POOL AREA

API 30-025-26982-0001

LEASE NO. PERMIT OR WELL ID NO.
05/20/1984 12/06/1989 ROTARY VERT OIL-WO
SPUD DATE COMP DATE TYPE TOOL HOLE TYPE STATUS

13202 BONE SPG NOT RPTD

PROJ. DEPTH PROJ. FORM CONTRACTOR

DTD 13630 PB 12400 OTD 13630 FM/TD MORROW

DRILLERS T.D. LOG T.D. PLUG BACK ID OLD T.D. FORM T.D.

LOCATION DESCRIPTION

16 MI SW BUCKEYE, NM

WELL IDENTIFICATION/CHANGES

FTG CHGD FROM 3200 FEL
OPERATOR CHGD FROM INTERNORTH INC
FIELD CHGD FROM WILDCAT
FINAL CLASS CHGD FROM WS
FINAL STATUS CHGD FROM D&AWOG

TUBING DATA

TBG 2 7/8 AT 9480

INITIAL POTENTIAL

IPP 28BOPD 35 MCFD 2BW 24HRS
BONE SPG 9498- 9515 GROSS
GOR, GTY-NO DETAIL
INTERNORTH FILED DRY HOLE BUT DID NOT PLUG,
JFG ENTERPRISES BOUGHT LEASE & MADE AN OIL WELL

PRODUCTION TEST DATA

MORROW PERF 13226-13286
PERF 13226-13286
BRPG @13202 13226-13286
PTS 1 UG 45BW

CONTINUED IC# 300257039585

Copyrighted 1990
Reproduction
Prohibited

Petroleum Information

PI-WRS-CE
Form No. 185

BB a company of
The Banc & Bradstreet Corporation

REISSUES
PI# 30-T-0004 02/09/90 SEC 32 TWP 19S RGE 33E
30-025-26982-0001 PAGE 2

JFG ENTERPRISES
1 TONTO STATE COM WSX DO

PRODUCTION TEST DATA

ATOKA PERF 12464-12475
PERF 12464-12475
SWBD 45 BW IN 10 RUNS W/SG

PTS 1UC
ATOKA PERF 12464-12475
PERF 12464-12475
ACID 12464-12475 2000GALS

ADDTVNTGN

1000 SCF PER BBL 7 1/2% MS
BRPG @12400 12464-12475
SWBD 25 BF W/TR COND IN 8 RUNS

PTS 1UO 69BW
BONE SPG PERF 9498- 9514 GROSS
PERF 9498- 9504 9511- 9514
SWBD 69 BLW W/TR OIL IN 5 RUNS

PTS 5BO 129BW
BONE SPG PERF 9498- 9514 GROSS
ACID 9498- 9514 1000GALS
7 1/2% HCL
SWTR
SWBD 5 BO + 129 BSW IN 9 RUNS

DRILLING PROGRESS DETAILS

JFG ENTERPRISES
BOX 100
ARTESIA, NM 88210
505-746-9811

OWWO: OLD INFO: FORMERLY INTERNORTH INC 1
TONTO STATE COM. ELEV 3569 GR. SPUD 6/8/81.
13 3/8 @ 1230 W/1300 SX, 8 5/8 @ 5210 W/2700 SX,
5 1/2 @ 13630 W/1200 SX. TOPS: STRAWN 12099,
ATOKA 12399, MORROW 13064. OTD 13630.
PB 13440. COMP 12/11/81. IPF 1116 MCFGPD.
PROD ZONE: MORROW 13226-13286.
ABANDON LOCATION ISSUED 06/07/84

08/17 LOC/1985/
02/06 13630 TD, PB 12400
COMP 12/6/89, IPP 28 BO, 35 MCFG, 2 BWPD,

CONTINUED

REISSUES
PI# 30-T-0004 02/09/90 SEC 32 TWP 19S RGE 33E
30-025-26982-0001 PAGE 3

JFG ENTERPRISES
1 TONTO STATE COM WSX DO

DRILLING PROGRESS DETAILS

	GOR (NR), GTY (NR)
	PROD ZONE - BONE SPRING 9498-9515
01/18	NO CORES OR DSTS RPTD
	REISSUED TO CORRECT FTG
02/06	REPLACEMENT FOR CT ISSUED 8/17/85
	REISSUED TO CORRECT OPERATOR, FIELD, FINAL
	CLASS, FINAL STATUS, COMP DATE, & ADD PBD,
	TBG, IP, & NARRATIVE
	REPLACEMENT FOR CT ISSUED 1/19/90



Petroleum Information.

A Division of A.T. & T. Co.

© Copyrighted Reproduction Prohibited

COUNTY	LEA	FIELD	Wildcat	STATE	NM		
OPR	INTERNORTH INC			API 30-025-26982			
NO	1	LEASE	Tonto State Com.		MAP		
	Sec 32, T19S, R33E			CO-ORD			
	1980 FSL, 3200 FEL of Sec			8-3-20 NM			
	16 mi SW/Buckeye			Re SPD	5-20-84		
				CMP	6-7-84		
CSC	13 3/8-1230-1300 sx 8 5/8-5210-2700 sx 5 1/-2-13,630-1200 sx			WELL CLASS: INITWS FIN WS LSE CODE			
				FORMATION	DATUM	FORMATION	DATUM
				TD 13,630 (MRRW)		PBD	12,400

DRY & ABANDONED

CONTR	OPRS ELEV	3569 GR	SUBS
-------	-----------	---------	------

F.R.C. 8-17-85 OWWO
 PD 13,202 WO
 (Orig. Cmp. 12-11-81 thru (Morrow) Perfs
 13,226-13,286, OTD 13,630, OPB 13,440)
 8-12-85 TD 13,630; PBD 12,400; Dry & Abandoned
 CIBP @ 13,202
 Perf (Atoka) 12,464-12,475
 Swbd 45 BW in 10 runs w/SG(12,464-12,475)
 Acid (12,464-12,475) 2000 gal (7 1/2% MS)
 + 1000 SCF N2 per bbl
 Swbd 25 BF w/tr cond. in 8 runs (12,464-12,475)
 BP @ 12,400
 Perf (Bone Spring) 9498-9504, 9511-9514
 Swbd 69 BLW w/tr oil in 5 runs (9498-9514)
 Acid (9498-9514) 1000 gals (7 1/2% HCL)

8-3-20 NM

LEA
INTERNORTH INC

Wildcat
1 Tonto State Com.
Sec 32, T19S, R33E

NM
Page 2

8-12-85 Continued
Swbd 5 BO - 129 BSW in 9 runs (9498-9514)
Operator temporarily abandoned location 6-7-84
8-17-85 COMPLETION ISSUED

8-3-20 NM
IC 30-025-70395-85

COUNTY **LEA** FIELD **GEM** STATE **NM**
 OPR **INTERNORTH, INC.** API **30-025-2,82**
 NO **1** LEASE **Tonto State Com.** MAP
Sec 32, T19S, R33E (CORD)
1980 FSL, 2200 FEL of Sec **12-4-23 NM**
16 mi SW/Buckeye SPD **6-8-81** (MAP) **12-11-81**

WELL CLASS: INIT D FIN DG LSE CODE				
	FORMATION	DATUM	FORMATION	DATUM
ID	13,630 (MRRW)		PBD	13,440

IP (Morrow) Perfs 13,226-286 CAOF 1116 MCRGPD. GOR 17,330; gty
 (Gas) .6525; (Cond) 54.2; SIWHP 4277; SIBHP 4290

CONTR **Kenai #2** OPR **1116** **3569 CL** sub-s **21**

F.R. 8-18-80
 PD 13,700 RT (Morrow)
 6-18-81 Drlg 1243
 6-22-81 Drlg 2984
 mw 10, vis 29, bit #5
 6-29-81 Drlg 5070
 mw 10, vis 29
 7-6-81 Drlg 6520; 1m & sd
 Drlg w/wtr
 7-13-81 Drlg 8604
 7-23-81 TD 9524; Prep DST
 mw 8.2, vis 28
 7-28-81 Drlg 10,827; 1m, sh & sd
 mw 8.5
 DST (Bone Spring) 9488-9524, op 1 hr 10 mins,
 rec 1000 FT GAS + 600 FT GCDF + 3 BBL OIL
 (Sampler rec .99 CFT GAS + 3300 CC WTR @ 2350),
 12-4-23 NM

LEA
INTERNORTH, INC.

GEM
1 Tonto State Com.
Sec 32, T19S, R33E

NM
Page #2

7-28-81 Continued
30 min ISIP 3383, FP 392-506, 3 hr FSIP 3301,
HP 4475-4773, BHT 182 deg
8-3-81 Drlg 12,280
mw 9.2, vis 34
8-10-81 Drlg 13,375
mw 9.6, vis 32
Drlg break 12,465-475
8-19-81 TD 13,630; WOCU
9-28-81 TD 13,630; MICU
11-9-81 TD 13,630; PBD 13,440; WOSP
Perf (Morrow) 13,519-530 w/2 SPF
CIBP @ 13,440

12-4-23 NM

11-9-81 Continued
Perf (Morrow) 13,226-230, 13,238-254, 13,275-
286 w/2 SPF
Natural
12-21-81 TD 13,630; PBD 13,440; Complete
(Morrow) FOUR POINT GAUGES:
Flwd 436 MCFGPD, 1/64 chk, 60 mins, TP 3395
Flwd 471 MCFGPD, 2/64 chk, 60 mins, TP 3134
Flwd 579 MCFGPD, 3/64 chk, 60 mins, TP 2820
Flwd 760 MCFGPD, 6/64 chk, 60 mins, TP 2410
LOG TOPS: Rustler 1258, Yates 3147, Capitan
Reef 3538, Delaware Sand 5203, Bone Spring 7970,
Strawn 12,099, Atoka 12,399, Morrow 13,064
LOGS RUN: CNL, FDC, DILL, FRXL
BHT 205 deg @ 13,125

12-4-23 NM

LEA
INTERNORTH, INC.

GEM
1 Tonto State Com.
Sec 32, T19S, R33E

NM
Pge#3

12-21-81

Continued
Rig Released 8-17-81

12-26-81

COMPLETION ISSUED

1-9-82

RE-ISSUE TO ADD CAOF, 4 POINT GAUGES, BHT
& PLC

12-4-23 NM
IC 30-025-70401-80