

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-73

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

API No. 30-025-27344

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>

5. State Oil & Gas Lease No.
B-1497

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL ☐ GAS WELL ☐ OTHER- water injection

7. Unit Agreement Name
East Vacuum Gb/SA Unit

Name of Operator
Phillips Petroleum Company - 663680

8. Farm or Lease Name
East Vacuum Gb/SA Unit
Tract 2622

Address of Operator
Room 401, 4001 Penbrook, Odessa, Texas 79762

9. Well No.
007

Location of Well
UNIT LETTER: D 50 FEET FROM THE north LINE AND 200 FEET FROM
THE west LINE, SECTION 26 TOWNSHIP 17-S RANGE 35-E NMPM.

10. Field and Pool, or Wildcat
Vacuum Gb/SA

15. Elevator (Show whether DF, RT, GR, etc.)

12. County
Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐
WELL OR ALTER CASING ☐
OTHER ☐
PLUG AND ABANDON ☐
CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☒
CASING TEST AND CEMENT JOBS ☒
OTHER ☒ Total Depth

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

11-16-81: MI & RU Warton Drlg. Spudded 12-1/4" hole. Set 8 jts of 8-5/8" 24#, K-55, ST&C csg set @ 351'. Howco cmt'd w/400 sxs Class "C", 2% CaCl, 1/4#/sx Flocele. Flushed w/20 BFW. Max press 100#. Bumped plug w/700#. Circd 200 sx cmt. WOC 8 hrs. Temp of cmt 62°; temp in formation 60°. Estimated strength of cmt test 500 psi +; total time cmt in place prior to test 14-3/4 hrs.

11-17 thru 26-81: Drlg.

11-27 thru 29-81: Reached TD. Circd 2 hrs & LDDP. Set 120 jts of 4-1/2" 11.6#, N-80, LT&C csg at 4800'. Howco cmt'd w/1100 sxs TLW w/12#/sx salt, 10% DD, 3#/sx Gilsonite & 1/4#/sx flocele followed by 400 sxs Class "C" w/6#/sx salt. Displace plug to 4745 w/20 bbls 10% Acetic acid & 54 BFW. Max press 1450#, Bmpd plug w/1750#. Csg rotated at 30 RPM. Circd 165 sxs. WOC 8 hrs, cut off csg & ND BOP's RR. Prep to complete.

OP Series 900, 3000# WP, double, w/1 set pipe rams, 1 set blind rams, manually operated.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED W. J. Mueller

TITLE Sr. Engr. Specialist

DATE 12-16-81

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____