

N. M. OIL CONS. COMMISSION

P. O. BOX
HOBBS, NEW MEXICO 88240

Form Approved.
Budget Bureau No. 42-R1424

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐
2. NAME OF OPERATOR
Amoco Production Company
3. ADDRESS OF OPERATOR
P. O. Box 68, Hobbs, New Mexico 88240
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1980' FSL x 1980' FEL, Sec. 8
AT TOP PROD. INTERVAL: (Unit J, NW/4, SE/4)
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


5. LEASE
NM-40451
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
Federal CP Com
9. WELL NO.
1
10. FIELD OR WILDCAT NAME
Und. Bone Springs
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
8-12-32
12. COUNTY OR PARISH
Lea
13. STATE
NM
14. API NO.
30-025-27680
15. ELEVATIONS (SHOW DF, KDB, AND WD)
3761.4 GL

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

- ☐
☐
☒
☐
☐
☐
☐
☐
☐



OIL & GAS
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*


Moved in service unit 2-14-82 (Baber 63). Ran 4-3/4" bit with 2-3/8" tubing. Drilled out cement 6400'-6518'. Tested casing to 1000 PSI for 30 minutes. Tested O.K. Spotted 3 barrels of 10% acetic acid at 8452'. Pulled tubing and bit. Ran perf gun, perfed intervals 8360'-8414', 8418'-26', and 8432'-50' with 2 JSPF. Ran nipple, tubing, and packer. Nipple landed at 8258' and packer set at 8187'. Swab tested 9-1/2 hours. Recovered 35 barrels of load water. Acidized with 5500 gallons 15% NEFE, 500 gallons 20# brine and 205 lbs. rock salt. Flushed with 39 barrels of 2% KCL brine water. Swab tested 21 hours. Recovered 80 barrels of load water and 6 barrels of oil. ACidized with 20000 gallons 20% HCL, 19500 gallons 30 lb. gelled brine, 30000 lb. 100 mesh salt and 500 lb. rock salt. Flushed with 36 barrels 2% KCL brine water. Swab tested 24 hours. Recovered 28 barrels of oil and 137 barrels of load water. Loaded

0+6-USGS, R 1-Hou 1-W. Stafford, Hou 1-DMF 1-Gulf, Mid. 1-Cities Svc.
Subsurface Safety Valve: Manu. and Type Set @ Ft.
1-Belco 1-Galaxy 1-Conoco

18. I hereby certify that the foregoing is true and correct

SIGNED Mark Freeman TITLE Ast. Adm. Analyst DATE 3-12-82

APPROVED BY PETER W. CHESTER TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:



See Instructions on Reverse Side

tubing with brine water. Released packer and pulled tubing. Ran seating nipple, tubing anchor, and tubing. Seating nipple landed at 8493' and anchor set at 8303'. Moved out service unit 3-8-82 (Baber 63). Currently evaluating.

RECEIVED
JUN 16 1982
O. CR.
HOBBS CRANE

N. M. OIL CONS. COMMISSION
P. O. BOX 1980
HOBBS, NEW MEXICO 88240

Form 9-331
Dec. 1973

Form Approved.
Budget Bureau No. 42-R1424

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐
well well other

2. NAME OF OPERATOR
Amoco Production Company

3. ADDRESS OF OPERATOR
P. O. Box 68, Hobbs, New Mexico 88240

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1980' FSL x 1980' FEL, Sec. 8
AT TOP PROD. INTERVAL: (Unit J, NW/4, SE/4)
AT TOTAL DEPTH:


16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

Run intermediate casing



OIL & GAS
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

5. LEASE

40451

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal CP *Com*

9. WELL NO.

1

10. FIELD OR WILDCAT NAME

Und. Bone Springs

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

8-18-32

12. COUNTY OR PARISH

Lea

13. STATE

NM

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

3761.4 GL

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Drilled to TD of 2428' and ran 8-5/8" 24# J-55 casing set at 2428'.
Cemented with 725 sacks lite with .3% Halad 4 and 200 sacks class C with .3% Halad 4. Circulated 100 sacks. WOC 18 hours. Tested to 1200 PSI.
Tested O.K. Reduced hole to 7-3/4" and resumed drilling.

0+6-USGS, R 1-Hou 1-W. Stafford

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Mark Freeman TITLE Ast. Adm. Analyst DATE 1-1-82

ACCEPTED FOR RECORD (This space for Federal or State office use)

APPROVED BY ROGER A. CHAPMAN
CONDITIONS OF APPROVAL, IF ANY:

FEB 26 1982

U.S. GEOLOGICAL SURVEY See Instructions on Reverse Side
ROSWELL, NEW MEXICO

RECEIVED
MAR 12 1987
FEDERAL BUREAU OF INVESTIGATION
U.S. DEPARTMENT OF JUSTICE

RECEIVED

MAR 12 1987

REC'D.
FEDERAL BUREAU OF INVESTIGATION
U.S. DEPARTMENT OF JUSTICE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐
2. NAME OF OPERATOR
Amoco Production Company
3. ADDRESS OF OPERATOR
P. O. Box 68, Hobbs, New Mexico 88240
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1980' FSL x 1980' FEL, Sec. 8
AT TOP PROD. INTERVAL: (Unit J, NW/4, SE/4)
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

☐
☐
☐
☐
☐
☐
☐
☐
☐

Spud & Run surface casing



(NOTE: Report results of multiple completion or zone change on Form 9-330.)

OIL & GAS
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

5. LEASE
40451
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
Federal CP Com
9. WELL NO.
1
10. FIELD OR WILDCAT NAME
Und. Bone Springs
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
8-18-32
12. COUNTY OR PARISH
Lea
13. STATE
NM
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
3761.4 GL

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

On 12-21-81 McVay #4 spudded a 14-3/4" hole. Drilled to TD of 700'. Ran 11-3/4" 42# H-40 casing set at 697'. Cemented with 425 sacks class C cement with .3% Halad 4. Circulated 5 sacks. Tested casing to 800 PSI. Tested O.K. Reduced hole to 10-5/8" and resumed drilling.

0+¢-USGS, R 1-Hou 1-W. Stafford, Hou 1-DMF 1-Susp

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Mark Freeman TITLE Ast. Adm. Analyst DATE 12-25-81

ACCEPTED FOR RECORD
ROGER A. CHAPMAN

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

FEB 24 1982

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

RECEIVED

FEB 25 1982

O.C.D.
HOBBS OFFICE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐
well well other

2. NAME OF OPERATOR
Amoco Production Company

3. ADDRESS OF OPERATOR
P. O. Box 68, Hobbs, New Mexico 88240

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1980' FSL x 1980' FEL, Sec. 8
AT TOP PROD. INTERVAL: (Unit J, NW/4, SE/4)
AT TOTAL DEPTH:


16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) Run casing

SUBSEQUENT REPORT OF:

☐
☐
☐
☐
☐
☐
☐
☐
☐
☐



(NOTE: Report results of multiple completion or zone change on Form 9-330.)

OIL & GAS
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Drilled to TD of 8860'. Ran 5-1/2" 15# and 17# K-55 casing set at 8859'. Cemented with 705 sacks class H with .4% Halad 4 and 840 sacks lite with .4% Halad 4. Top of cement 2399'. WOC 18 hours. Rig released 1-21-82. Currently waiting on completion unit.

0+6-USGS, R 1-Hou 1-W. Stafford, Hou 1-DMF 1-Susp

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Mark L. [Signature] TITLE Ast. Adm. Analyst DATE 1-30-82

ACCEPTED FOR RECORD
ROGER A. CHAPMAN (This space for Federal or State office use)

APPROVED BY
CONDITIONS

FEB 24 1982

TITLE _____ DATE _____

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

*See Instructions on Reverse Side

RECEIVED

FEB 25 1982

O.C.D.
HOBBS OFFICE